## NANC CHANGE ORDER SUMMARY FOR NPAC SMS FUNCTIONALITY

Rev: 87 to be used for January 2002 (Orlando) meeting

01/02/02

## **Table of Contents**

| OPEN CHANGE ORDERS   | 3              |
|--|----------------|
| ACCEPTED CHANGE ORDERS   |                |
| AUCE TED UTARUE UNDERGOMMENTONIA DE LA COMPANIA DEL COMPANIA DEL COMPANIA DE LA COMPANIA DEL COMPANIA DEL COMPANIA DEL COMPANIA DE LA COMPANIA DEL COMPANI |                |
| Next Documentation Release Change Orders   |                |
| Release 3.1 Change Orders  | <u>52</u> 45   |
| Release 4.0 Change Orders  | <u>69</u> 62   |
|  |                |
| LTI CHANGE ORDERS  | . <u>94</u> 87 |
| CANCEL – PENDING CHANGE ORDERS   | .9588          |
|  |                |
| CURRENT RELEASE CHANGE ORDERS  | . <u>96</u> 89 |
|  |                |
| MR CHANGE ORDERS   | . <u>97</u> 90 |
|  |                |
| Summary of Change Orders   | . <u>98</u> 91 |

**Open Change Orders** 

|                   |                 |  | Change Ord |          |   |      |                  |
|-------------------|-----------------|--|------------|----------|---|------|------------------|
| Chg<br>Order<br># | Orig. /<br>Date | Description  | Priority   | Category | Proposed Resolution   |      | el of<br>fort    |
| ,,                |                 |  |            |          |   | NPAC | SOA<br>LSMS      |
| NANC<br>147       | AT&T<br>8/27/97 | Version ID rollover strategy Currently there is no strategy defined for rollover if the maximum value for any of the id fields (sv id, Irn id, or npanxx id) is reached. One should be defined so that the vendor implementations are in sync. Currently the max value used by Lockheed is a 4 byte-signed integer and for Perot it is a 4 byte-unsigned integer.  Sep 99 LNPA-WG (Chicago), since the version ID for all data is driven by the NPAC SMS, the rollover strategy should be developed by Lockheed. SPs/vendors can provide input, but from a high level, the requirement is to continue incrementing the version ID until the maximum ([2**31] -1) is achieved, then start over at 1, and use all available numbers at that point in time when a new version ID needs to be assigned (e.g., new SV-ID for a TN). | High       | FRS      | Func Backwards Compatible: NO  A strategy on how we look for conflicts for new version id's must be developed as well as a method to provide warnings when conflicts are found.  Oct 98 LNPAWG (Kansas City), it was requested that we begin discussing this in detail starting with the Jan 99 LNPAWG meeting. Beth will be providing some information on current data for the ratio of SV-ID to active TNs (so that we can get a feel for how much larger the SV-ID number is compared to the active TNs).  Sep 99 LNPA-WG (Chicago), Lockheed will begin developing a strategy for this.  Jun 00 LNPA-WG (Chicago), AT&T analysis and calculation (using current and projected porting volumes) indicate that a need for a version ID rollover strategy is more than five years away. Therefore, this change order is removed from R5, and will be discussed internally by NeuStar technical staff.  Jul 2000 meeting: NeuStar will track the problem. It will be a NeuStar internal design. Change order to stay on open list for possible later Document Only changes. | High | High? /<br>High? |
| NANC<br>334       | ESI<br>10/02/01 | Doc Only Change Order for FRS: Clarification needed in Items L-11.0 F & G in Table C-7 of Appendix C in the FRS  | High       | FRS      | Incorporate into the FRS and publish with the next release.  11/14/01 – Reviewed at November 2001   | N/A  | N/A /<br>N/A     |
|                   |                 | Currently Item L-11.0 F reads:   |            |          | LNPA WG. Service Providers to verify internally that this change order does not have  |      |                  |

|                         |                 | Open C  | hange Or | ders     |  |      |               |
|-------------------------|-----------------|---|----------|----------|--|------|---------------|
| Chg<br>Order<br>#       | Orig. /<br>Date | Description   | Priority | Category | Proposed Resolution  | 1    | el of<br>fort |
|                         |                 |   |          |          |  | NPAC | SOA<br>LSMS   |
|                         |                 | Subscription Version Status Attribute Value Change<br>Notification – Modify active  |          |          | an impact on their local systems. Leave in "open" status until December 2001 meeting.  |      |               |
|                         |                 | When an <i>Active</i> SV has been modified in the LSMS and the status of the SV has been re-set to Active (with or without a Fail-SP-List). The notification is sent only to the current SOA.   |          |          | This is post SOW 28 (Release 3.1) but is already in the Release 3.1 software. Has been confirmed that it is being implemented in the software. |      |               |
|                         |                 | Should read:  |          |          | ACTION ITEM: NeuStar (Gustavo) to verify any impacts to SOW 28.  |      |               |
|                         |                 | Subscription Version Status Attribute Value Change Notification – cancel pending  When an Active SV has been modified in the LSMS or there has been a cancellation of a disconnectpending SV and the status of the SV has been re-set to Active (with or without a Fail-SP-List). The notification is sent only to the current SOA.  Currently Item L-11.0 G reads:  Subscription Version Status Attribute Value Change Notification – cancel pending |          |          | 12/12/01 – NeuStar expects to have info for the January 2002 meeting.  |      |               |
|                         |                 | When a <i>Pending</i> SV has been cancelled by the Old SP and the NPAC SMS has set the SV status to <i>Cancel-Pending</i> . The notification is sent to both SOAs: Old and New."  (continued)   |          |          |  |      |               |
| NANC<br>334<br>(cont'd) |                 | Should read: Subscription Version Status Attribute Value Change Notification – cancel pending   |          |          |  |      |               |
|                         |                 | When a <i>Pending or Conflict</i> SV has been cancelled by the Old <i>or New</i> SP and the NPAC SMS has set the SV status to <i>Cancel-Pending</i> . The notification is sent to both SOAs: Old  |          |          |  |      |               |

|                   |                        |  |                            | Open Ch       | nange Or   | ders             |   |            |                       |
|-------------------|------------------------|--|----------------------------|---------------|--|------------------|---|------------|-----------------------|
| Chg<br>Order<br># | Orig. /<br>Date        | Des  | cription                   |               | Priority   | Category         | Proposed Resolution   |            | el of<br>fort         |
| "                 |                        |  |                            |               |  |                  |   | NPAC       | SOA<br>LSMS           |
|                   |                        | and New.   |                            |               |  |                  |   |            |                       |
| NANC<br>340       | CMA<br>11/6/01         | Doc Only Change Order for The information in Appendix updated. |                            |               | Medium   | IIS              | ACTION ITEM: NeuStar needs to provide the CMA with the updated information.  11/14/01 – Reviewed at November 2001 LNPA WG. Waiting for feedback from NeuStar.         | N/A        | N/A /<br>N/A          |
| NANC<br>343       | LNPA<br>WG<br>11/14/01 | filtering support rec  | ering operations currently | tive          | Medium   | IIS              | Incorporate into next release of IIS.  12/12/01 – Reviewed during December LNPA WG meeting. Needs more revisions. Will be reviewed again during January 2002 meeting. | N/A        | N/A /<br>N/A          |
| NANC<br>343       |                        | Exhibit 1 - CMISE P  |                            |               |  |                  |   |            |                       |
| (cont'd)          |                        | CMISE Primitive  | es Filter Supported        | Notes         |  |                  |   |            |                       |
|                   |                        | M-ACTION   | N                          | No filter     | ing is appli   | ed to the action | ns for the subscriptionVersion object.  |            |                       |
|                   |                        | M-GET  | Y                          |               | ge with gread d for auditing   |                  | essOrEqual, equality must be  |            |                       |
|                   |                        | M-SET  | Y                          |               |  |                  | essOrEqual, equality must be range modify requests.   |            |                       |
|                   |                        | M-DELETE   | Y                          |               | TN Range with greaterOrEqual, lessOrEqual, equality will be supported for range disconnect or port to original requests. |                  |   |            |                       |
|                   |                        |  | HModify text and table as  | follows to    | clarify exa  | ct functionalit  | y for TNs and for Number Pooling functionality  | :          |                       |
|                   |                        | From Section 4.2.2: The following table                        | shows the CMISE primi      | tive filterin | ng support r   | equired of the   | Local SMS by the NPAC SMS for the subscrip-   | ionVersion | <del>1 object</del> . |

|   |                 |  |                           | <b>Open Change</b> (   | rders  |  |             |               |  |  |  |  |
|---|-----------------|--|---------------------------|--|--|--|-------------|---------------|--|--|--|--|
| Chg<br>Order<br>#   | Orig. /<br>Date | Desci  | ription                   | Priorit  | Category   | Proposed Resolution                          | Leve<br>Eff | el of<br>fort |  |  |  |  |
|   |                 |  |                           |  |  |  | NPAC        | SOA<br>LSMS   |  |  |  |  |
|   |                 | (continued)  |                           |  |  |  |             |               |  |  |  |  |
| NANC<br>343   |                 | Exhibit 2-1 - CMISE P  | rimitive Filtering Suppor | t for <del>the Subscription</del>  | Version Local S  | <u>ystem</u> Object <u>s</u>                 |             |               |  |  |  |  |
| (cont'd)  |                 | <b>CMISE Primitives</b>  | Filter Supported          | Notes  |  |  |             |               |  |  |  |  |
| M-ACTION N No filtering is applied to the actions. for the subscription Version object. |                 |  |                           |  |  | ns. for the subscriptionVersion object.      |             |               |  |  |  |  |
|   |                 | M-GET  | Y                         | TN <b>Query</b> Range auditing.  | TN <b>Query</b> Range-with greaterOrEqual <b>and</b> lessOrEqual <del>, equality</del> must be supported for auditing. |  |             |               |  |  |  |  |
|   |                 |  |                           |  | The field used with greaterOrEqual and lessOrEqual filters is are subscriptionTN and subscriptionActivationTimeStamp.  |  |             |               |  |  |  |  |
|   |                 | ORFilters supported contain either a greaterOrEqual and lessOrEqual filter for subscriptionTN only or a more complex filter. |                           |  |  |  |             |               |  |  |  |  |
|   |                 |  |                           | The more complex filter uses two criteria for filtering. The first criteria used is greaterOrEqual and lessOrEqual filters with subscriptionTN. and The second criteria uses greaterOrEqual and lessOrEqual filters for subscriptionActivationTimeStamp. asthe second criteria Both criteria must be matched for the data being queried (logical and). |  |  |             |               |  |  |  |  |
|   |                 |  |                           | The scope for the filters is <u>level 1 only with a base managed object class of</u> <u>lnpSubscriptions</u> .   |  |  |             |               |  |  |  |  |
|   |                 |  |                           | Number Pool Bl. support.   | ck Query with g  | reaterOrEqual, lessOrEqual, and equality for | EDR         |               |  |  |  |  |
|   |                 |  |                           | The field filter u   | sed with greater   | OrEqual and lessOrEqual filters is NPA-NXX-  | <i>X</i> .  |               |  |  |  |  |
|   |                 |  |                           | The field used w   | th equality is NI  | PA-NXX-X.                                    |             |               |  |  |  |  |
|   |                 | The scope for the filters is level 1 only with a base managed object classification.   |                           |  |  |  |             |               |  |  |  |  |
|   |                 | (continued)  |                           |  |  |  |             |               |  |  |  |  |

|                         |                 |  |                              | Open C  | Change Or | ders     |                     |              |               |
|-------------------------|-----------------|--|------------------------------|---|-----------|----------|---------------------|--------------|---------------|
| Chg<br>Order<br>#       | Orig. /<br>Date |  | Description                  |   | Priority  | Category | Proposed Resolution |              | el of<br>fort |
|                         |                 |  |                              |   |           |          |                     | NPAC         | SOA<br>LSMS   |
| NANC<br>343<br>(cont'd) |                 | M-SET  | Y                            | TN Range Modify with greaterOrEqual, lessOrEqual, and equality must be supported for Mass Update or TN modify requests.  The field used with greaterOrEqual and lessOrEqual filters is subscriptionTN.  In the case of Modification of TNs for non-EDR number pool block the filter is more complex and uses two criteria for modification. Thethe first criteria uses the subscriptionNewCurrentSP field with equality. The second criteria uses lessOrEqual and greaterOrEqual fields used are Service Provider ID equality and greaterOrEqual as the first criteria and lessOrEqual with for subscriptionTN_Both criteria must be matched for the data being set (logical and). as the second criteria.  The scope for the filters is InpSubscriptions.  Number Pool Block Modify with greaterOrEqual and lessOrEqual for EDR support.  The field used with greaterOrEqual and lessOrEqual is NPA-NXX-X.  The scope for the filters is InpSubscriptions. |           |          |                     |              |               |
|                         |                 |  |                              |   |           |          |                     |              |               |
|                         |                 | M-DELETE  Y  TN Range Delete with greaterOrEqual and lessOrEqual, equality will be supparange disconnect or port to original requests.  For the TN Range with greaterOrEqual, lessOrEqual the field that is used subscriptionTN.  The scope for the filter is level 1 only with a base managed object of lnpSubscriptions. |                              |   |           |          |                     | he filter is |               |
| NANC<br>343             |                 | NOTE: Exhibit 13  (continued)  GDMO Documenta  | will be removed from the IIS | <u>S.</u>   |           |          |                     |              |               |

|                         |                 | Open C   | hange Or                                    | ders  |  |  |
|-------------------------|-----------------|--|---|---|--|--|
| Chg<br>Order<br>#       | Orig. /<br>Date | Description  | Priority                                    | Category  | Proposed Resolution  | Level of<br>Effort   |
|                         |                 |  |   |   |  | NPAC SOA<br>LSMS   |
| (cont'd                 |                 | DOCUMENTATION changes should be made in the GDMO befor the NPAC SMS to the LSMS:  • InpSubscriptions • subscriptionVersion • numberPoolBlock  Futher GDMO modifications will be necessary to reflect SOA a following objects:  • subscriptionVersionNPAC • numberPoolBlockNPAC  Additional GDMO text will be added to reflect SOA and LSMS  InpSubscriptionsDefinition BEHAVIOUR should be m  InpSubscriptionsDefinition BEHAVIOUR  DEFINED AS !  Local SMS and NPAC SMS Managed Object interface.  The InpSubscriptions class is the masubscription version objects and num  Local SMS interfaces must be able to scope and a base managed object class | and LSMS so a scooping a scooping a support | cooping and fil  nd filtering sup  bllows:  e SOA to N  ject that lock objec  scoped/fi | tering support when sending requests to the NPA  poport when sending requests to the NPAC SMS  PAC SMS and the Local SMS to NPA  is used as the container object ts on the NPAC SMS and the Local  ltered and filtered requests with | AC SMS for the  for other objects.  AC SMS  for the L SMS.  th a level 1 |
|                         |                 | <pre>the primary filter. Specific filter subscriptionVersion and numberPoolBl !;</pre>   |   |   |  | <u>ie</u>  |
| NANC                    |                 | (continued) subscriptionVersion:   |   |   |  |  |
| NANC<br>343<br>(cont'd) |                 | The subscription Version Behaviour BEHAVIOUR should be   | e modified a                                | as follows:   |  |  |

|                         |                 | Open (   | Change Or  | ders  |  |                |               |
|-------------------------|-----------------|--|--|---|--|----------------|---------------|
| Chg<br>Order<br>#       | Orig. /<br>Date | Description  | Priority   | Category  | Proposed Resolution  |                | el of<br>fort |
|                         |                 |  |  |   |  | NPAC           | SOA<br>LSMS   |
| NANC<br>343<br>(cont'd) |                 | subscriptionVersionBehavior BEHAVIOU  DEFINED AS!  The Local SMS can not modify any of downloaded via a download request.  The Local SMS must be able to support managed object class of lnpSubscript requests. with a filter for equality Here we can refer to the table in the above here.  !;  (continued)  numberPoolBlock:  The numberPoolBlock-Behaviour BEHAVIOUR should be numberPoolBlock-Behavior BEHAVIOUR  DEFINED AS! | the subsect scoped zion for and ord ord ord ord ord ord ord ord ord or | and filte subscripti ering on t  r exact fi  follows:  er pool bl ed request colBlock M | red requests with a level 1 score on version {M-GET, M-SET, and M-he subscriptionTN from the NPAC ltering support or duplicate the ock data locally unless changes s with a level 1 scope and a bas-GET and M-SET requests.—equality | were  se manag | base<br>ded   |

|                   |                 | Open C   | Change Or | ders       |  |          |               |
|-------------------|-----------------|--|-----------|------------|--|----------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date | Description  | Priority  | Category   | Proposed Resolution  |          | el of<br>fort |
|                   |                 |  |           |            |  | NPAC     | SOA<br>LSMS   |
| NANC<br>344       | AT&T<br>11/2    | Here we can refer to the table in the above here.    !;    Doc Only Change Order for GDMO: Update GDMO to more clearly explain information in range notifications.   | Low       | r exact fi | Incorporate into next release of GDMO and IIS  | e verbia | N/A /<br>N/A  |
|                   |                 | Update the text in section 14.0 Subscriptions Managed Object Class.  The text for subscriptionVersionRangeStatusAttributeValueChange and subscriptionVersionRangeAttributeValueChange notifications currently reads:  When this package is sent, it will include one set of information for the TN range, plus a list of Subscription Version IDs. If the feature data does not apply to all TNs in the original range, notifications will be broken up into smaller TN Range Notifications such that the feature data applies to all TNs in the smaller TN range, and will be sent in separate messages.  Change to read:  When this package is sent, it will include one set of information for the TN range, plus a list of Subscription-Version IDs. If the SVIDs are sequential for the TNs then an SVID range will be included. If the SVIDs are not sequential then a paired list of SVIDs and TNs will be sent. If the feature data does not apply to all TNs in the original range, notifications will be broken up into smaller TN Range Notifications such that the feature data applies to all TNs in the smaller TN range, and will be sent in separate messages. |           |            | 12/12/01 – Reviewed at December 2001 LNPA WG meeting. Service Providers to verify internally that this change order does not have an impact on their local systems. Leave in "open" status until January 2002 meeting. |          |               |

|                   |                 | Open (  | Change Or | ders     |  |      |               |
|-------------------|-----------------|---|-----------|----------|--|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date | Description   | Priority  | Category | Proposed Resolution                      |      | el of<br>fort |
| ,,                |                 |   |           |          |  | NPAC | SOA<br>LSMS   |
| NANC              |                 | (continued) The text for subscriptionVersionRangeObjectCreation,  |           |          |  |      |               |
| 344 (cont'd)      |                 | subscriptionVersionRangeDonorSP-CustomerDisconnectDate, subscriptionVersionRangeCancellationAcknowledge, subscriptionVersionRangeNewSP-CreateRequest, subscriptionVersionRangeOldSP-ConcurrenceRequest, subscriptionVersionRangeOldSP-FinalConcurrenceWindowExpiration, and subscriptionVersionRangeNewSP-FinalCreateWindowExpiration notifications currently reads:  When this package is sent, it will include one set of information for the TN range, plus a paired list of TN/Subscription Version ID combinations. If the feature data does not apply to all TNs in the original range, notifications will be broken up into smaller TN Range Notifications such that the feature data applies to all TNs in the smaller TN range, and will be sent in separate messages. |           |          |  |      |               |
|                   |                 | Change to read:   |           |          |  |      |               |
|                   |                 | When this package is sent, it will include one set of information for the TN range, plus a paired list of TN/Subscription Version ID combinations <i>or a range of TNs and Subscription Version Ids if the Subscription Version Ids are sequential.</i> If the feature data does not apply to all TNs in the original range, notifications will be broken up into smaller TN Range Notifications such that the feature data applies to all TNs in the smaller TN range, and will be sent in separate messages.  |           |          |  |      |               |
| NANC<br>345       | CMA<br>01/02/02 | Doc Only Change Order for FRS: Update the Subscription Tunables Table in Appendix C.  The subscription tunables table in Appendix C of the FRS is out of date. Update it to be exactly like the revised table in  | Medium    | FRS      | Incorporate into next release of the FRS | N/A  | N/A /<br>N/A  |

|                   |                 | Open C                                    | Change Or | ders     |                     |      |               |
|-------------------|-----------------|---|-----------|----------|---------------------|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date | Description                               | Priority  | Category | Proposed Resolution |      | el of<br>fort |
|                   |                 |   |           |          |                     | NPAC | SOA<br>LSMS   |
|                   |                 | the R3.1 Methods and Procedures document. |           |          |                     |      |               |
|                   |                 |   |           |          |                     |      |               |
|                   |                 |   | 1         |          |                     |      |               |
|                   |                 |   |           |          |                     |      |               |
|                   |                 |   |           |          |                     |      |               |
|                   |                 |   |           |          |                     |      |               |
|                   |                 |   |           |          |                     |      |               |
|                   |                 |   |           |          |                     |      |               |
|                   |                 |   |           |          |                     |      |               |

**Accepted Change Orders** 

|                   |                              | Accepted   | Change (      |                                    |  |      |                |
|-------------------|------------------------------|--|---------------|------------------------------------|--|------|----------------|
| Chg<br>Order<br># | Orig. /<br>Date              | Description  | Priority      | Category                           | Proposed Resolution  |      | el of<br>fort  |
|                   |                              |  |               |                                    |  | NPAC | SOA<br>LSMS    |
| ILL 5             | AT&T<br>10/15/96             | Round-Robin Broadcasts across LSMS associations The NPAC SMS would support additional LSMS associations and manage the distribution of transactions in a round robin algorithm across the associations. For example, due to performance conditions a Service Provider may want to start another LSMS association for network/subscription downloads. The NPAC SMS would accept the association, manage security, and distribute network/subscription PDUs across the 2 or more associations using the round robin algorithm (One unique PDU will be sent over one association only.) | Medium<br>Low | NPAC SMS<br>functionality<br>/ IIS | Func Backwards Compatible: NO  This feature may already be implemented in the Lockheed Martin developed NPAC SMS.  | Low  | N/A /<br>High  |
| ILL 130           | AT&T<br>1/6/97               | Application Level Errors Errors in the SOA and LSMS interfaces are being treated as CMIP errors and it may sometimes be difficult for a SOA to know the true reason for an error from the NPAC SMS and therefore indicate a meaningful error message to its users. It has been requested that application level errors be defined where appropriate and returned as text to the SOA.   | <u>High</u>   | FRS, IIS,<br>GDMO,<br>ASN.1        | Func Backwards Compatible: NO  Application level errors would be defined in the IIS.  Refer to R4 Change Orders for current proposed resolution.  01/02/02 – NPAC R4.0 as submitted to the LLC in 2000 is not going forward. This change order has been moved back into the "accepted" section of this document.   | High | High /<br>High |
| NANC<br>138       | <u>CMA</u><br><u>8/11/97</u> | Definition of Cause Code Values – REVISITED  NANC 54 defined the cause code values and the FRS was to be updated. Due to an oversight this update was not made in the FRS. The change was going to be applied in FRS 1.4 and 2.2. However, a discrepancy as found. The defined values specified in NANC 54 where are as follows:  The values less than 50 were reserved for SMS NPAC internal use.  Other defined values are:  0 – NULL (DO NOT MODIFY)  | Medium<br>Low | <u>FRS</u>                         | Func Backwards Compatible: NO  Update to be made to the FRS.  Pending review by the vendors. Lockheed does not set a cause code when the NPAC SMS automatically puts a cancelled order into conflict. Perot is reviewing their implementation.  There is not a requirement in the FRS for a cause code of NPAC SMS Automatic Conflict from Cancellation. | Low  | Low /<br>Low   |

|                        |                    | Accepted   | Change (                           | Orders   |  |   |               |
|------------------------|--------------------|--|------------------------------------|----------|--|---|---------------|
| Chg<br>Order<br>#      | Orig. /<br>Date    | Description  | Priority                           | Category | Proposed Resolution  |   | el of<br>fort |
|                        |                    |  |                                    |          |  | NPAC                                    | SOA<br>LSMS   |
|                        |                    | 1 - NPAC automatic cancellation 50 - LSR Not Received 51 - FOC Not Issued 52 - Due Date Mismatch 53 - Vacant Number Port 54 - General Conflict  In the table in the FRS the following cause code is defined: NPAC SMS Automatic Conflict from Cancellation  There is no corresponding code defined in Change Order NANC 54. Is there a numeric value or is this cause code valid?  |                                    |          | Operations flows are being reviewed. In figure 6, box 3.  Perot like Lockheed, does not use the cause code in question.  A SOA vendor has been asked to evaluate the impact of not receiving a cause code value with a status of conflict.  Flows in Appendix A also need to be updated.   |   |               |
| NANC<br>138<br>(cont.) |                    | Requirements for the cause code addition would be as follows:  RR5-36 should be renumbered to RR5-36.2.  RR5-36.1 Cancel Subscription Version – Cause Code for New Expiration  NANC SMS shall set the cause code to "NPAC SMS Automatifrom Cancellation" after setting the Subscription Version status from cancel-pending when the new Service Provider has not acknowledged cancellation after the Cancellation-Final Concur Window.  2 will be the value defined for the "NPAC SMS Automatic Concancellation" cause code. | c Conflict<br>to conflict<br>rence |          | Awaiting sizing from NPAC vendors, and valid functionality (reference existing requirements) to conflict.  SOA vendors heard from to date do not have a cause code not being present.  This is an "OLD" Release 2.0 change order, that into the "Accepted" category, awaiting prioritized Refer to R4 Change Orders for current propose.  01/02/02 – NPAC R4.0 as submitted to the LLC going forward. This change order has been mo "accepted" section of this document. | problem wat has been ation d resolution | n moved on.   |
| NANC<br>151            | Bellcore<br>9/4/97 | TN and Number Pool Block addition to notifications It has been requested that the TN for the subscription version be added to all notifications that currently contain SV-ID but not TN from the NPAC SMS. It is possible for a SOA in a disconnect or modify-active situation, to not have the SV   | Low                                | IIS      | Func Backwards Compatible: NO  This would be a deviation from the standard since the TN would not have been an attribute that has changed.   | Low                                     | Low /<br>N/A  |

|                   |                  | Accepted  | Change ( | Orders   |  |      |               |
|-------------------|------------------|---|----------|----------|--|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date  | Description   | Priority | Category | Proposed Resolution  |      | el of<br>fort |
|                   |                  |   |          |          |  | NPAC | SOA<br>LSMS   |
|                   |                  | record in their database. Therefore, when the attribute/status change notification comes from the NPAC SMS, there is no way to correlate its version id with the TN on the disconnect or modify request in SOA.  Jun 00 LNPA-WG meeting, additionally, the same type of change should be done for Number Pool Block (i.e., add the NPA-NXX-X to all notifications that currently contain Block-ID but not NPA-NXX-X).   |          |          | This is an "OLD" Release 2.0 change order, that has been moved into the "Accepted" category, awaiting prioritization   |      |               |
| NANC<br>169       | Bellcore 5/23/97 | Delta Download File Creation by Time Range for SVs It has been requested that requirements be added to the FRS to allow for creation of a delta download file by date and time range, for SVs.  During Dec '98 Natl N Pool meeting, discussed need to change functionality when requesting SV BDD with a time range. Currently, the NPAC provides all "active" SVs based on Activation Broadcast Complete-Timestamp. This creates an issue for modifications that are within the specified time range window, but the Activation was prior to the specified time range. There is also an issue for Activation Failures.  During Jan LNPAWG meeting, proposed changes to handle two issues, include:  1. Incorporate the start and end time ranges into the file name.  2. Need to capture all SV activity (activation, modification, disconnect) into the file, when doing time range.  (continued) | Medium   | FRS      | Pure Backwards Compatible: YES  This item is on hold until further experience is gained with download. This change is expected to help a service provider catch-up faster after an extend outage when the database becomes large.  It was indicated that this functionality is already available in the Lockheed Martin NPAC SMS implementation. Delete Pending  This change order was re-opened for discussion during the Dec '98 LNPAWG meeting.  Dec LNPAWG (Atlanta), verify start and end timestamps embedded in filename. Update documentation to state Activation Broadcast Complete Timestamp is used for comparison.  Update: The start and end timestamps are NOT embedded in the filename.  The proposal from the Natl N Pool Sub-Committee is to use the Last Modified Timestamp attribute in the SV, to determine whether or not an SV fits in the specified time | Med  | N/A/<br>N/A   |

|                        |                 | Accepted   | Change (  | Orders |   |  |  |
|------------------------|-----------------|--|---|--------|---|--|--|
| Chg<br>Order<br>#      | Orig. /<br>Date | Description  | Priority  |        | Proposed Resolution   |  | el of<br>fort  |
|                        |                 |  |   |        |   | NPAC   | SOA<br>LSMS  |
| NANC<br>169<br>(con't) | Continued       | For #1 (new words in <i>larger print italics</i> ), in FRS Appendix Download File Examples, Subscription versions in the download file are selected by an N begin and end range. The file name for the Subscriptions down where a time range is NOT selected, will be in the form NPANXX-NPANXX.DD-MM-YYYYHH24MISS The NPANXX-NPANXX values map to the selection criteria at stamp maps to the current time (Central Time - standard/a The Subscriptions file given in the example would be named:  303123-303125.10-13-1996081122  In the case where a time range is selected, the file nat the Subscriptions download file with a time range, we the format:  NPANXX-NPANXX.DD-MM-YYYYHH24MISS. DD-MYYYYHH24MISS. DD-MYYYYHH24MISS. DD-MM-YYYYHH24MISS. TIMEZ The NPANXX-NPANXX values map to the selection of the first time stamp maps to the current time (when the generated), the second time stamp maps to the start to range, and the third time stamp maps to the end time All three time stamps are represented in Central Time (standard/daylight), even though the Subscription Ve are stored in the NPAC in Greenwich Mean Time. The | PA-NXX aload file, at: at: ad the time laylight).  The for ill be in  MM-CONE criteria, the file is time range. are range. be rrsions |        | range.  (continued)  Jan LNPAWG (Atlanta), proposed changes we will include proposed changes in next version management list.  Feb LNPAWG (San Ramon), updated multiple change order (both file name and requirements NOTE: The baseline for this change order is R this change order gets merged into R3, need to reflect the EDR Flag, and filter out LNP Type of 521).  ACTION ITEM: Jim will look at the broadcast SV Object, and how the NPAC Data Model att the broadcast to the LSMSs.  CLOSED, Mar 99. Activations are using the A Timestamp in SV Data Model.  Mar LNPAWG (Denver), reviewed updated wo will be reviewed in Apr.  Apr LNPAWG (DC), reviewed updates. Move Refer to R4 Change Orders for current proposed | points for ).  2. Therefore change record POOL (at timestame ributes maintained activation I bords. Modification Acceptor (at the Acceptor (at | the core, when a 9 to ref. SV-ref. SV-ref. sp for the tch up to Broadcast diffications and List. |
|                        |                 | TIMEZONE value will contain one of two values, eithor CDT, depending on the current time zone in the Continue Zone (when the file is generated).  The Subscriptions file with a time range given in the would be named:  303123-303125.10-13-1996081122.10-10-19960000000.10-12-1996115959.CST   | her CST<br>entral   |        |   |  |  |

|                        |                 |  | A   | ccepted Change (     | Orders             |  |                        |  |  |  |  |  |
|------------------------|-----------------|--|---|----------------------|--------------------|--|------------------------|--|--|--|--|--|
| Chg<br>Order<br>#      | Orig. /<br>Date |  | Description   | Priority             | Category           | Proposed Resolution  | Level of<br>Effort     |  |  |  |  |  |
|                        |                 |  |   |                      |                    |  | NPAC SOA<br>LSMS       |  |  |  |  |  |
|                        |                 | (continued)  |   | ÷                    |                    |  | *                      |  |  |  |  |  |
| NANC<br>169<br>(con't) | Continued       | Also for #1, no functional requirements or IIS flows are affected by this change.  For #2, new requirements are proposed (see below)   |   |                      |                    |  |                        |  |  |  |  |  |
|                        |                 | Req 1 Subscription Version Information Bulk Download File Creation – Subscription Versions   |   |                      |                    |  |                        |  |  |  |  |  |
|                        |                 |  | NPAC SMS shall allow NPAC personnel to request a bulk data download file for Subscription Version data via the NPAC Administrative Interface. (existing NPAC SMS functionality) |                      |                    |  |                        |  |  |  |  |  |
|                        |                 | Req 2  | Req 2 Subscription Version Information Bulk Download File Creation – Selection Criteria   |                      |                    |  |                        |  |  |  |  |  |
|                        |                 | NPAC SMS shall include the Requesting Service Provider, Active/Disconnect Pending/Partial Failure Subscription Versions Only or Latest View of Subscription Version Activity Choice, Time Range in Central Time (standard/daylight), and TN Range as Selection Criteria fields for the Subscription Version bulk data download file via the NPAC Administrative Interface.   |   |                      |                    |  |                        |  |  |  |  |  |
|                        |                 | Req 3  | Subscription Version Information I<br>Only or Latest View of Subscription   |                      |                    | Disconnect Pending/Partial Failure Subs                        | cription Versions      |  |  |  |  |  |
|                        |                 |  | shall allow NPAC Personnel to select eit <i>Version Activity</i> , and shall use the select   |                      |                    | Failure Subscription Versions Only or Lates                    | t View of              |  |  |  |  |  |
|                        |                 | Req 4  | Subscription Version Information I<br>Versions Only Choice  | Bulk Download File C | Creation – Data in | n Active/Disconnect Pending/Partial Failu                      | re Subscription        |  |  |  |  |  |
|                        |                 |  | shall use the Active/Disconnect Pending, tive, Disconnect Pending or Partial Failur   |                      |                    | nly selection to only include Subscription V<br>Download file. | Versions with a status |  |  |  |  |  |
|                        |                 | Req 5  | Subscription Version Information 1  | Bulk Download File C | Creation – Data in | Latest View of Subscription Version Act                        | tivity Choice          |  |  |  |  |  |
|                        |                 | NPAC SMS shall use the <i>Latest View of Subscription Version Activity</i> selection to include all Subscription Versions, regardless of status, in order to capturactivation, modification, and deletion transactions for Subscription Version data, but only include the latest instance of the TN in the Subscription Version Bulk Data Download file, for a given NPA-NXX, when a Subscription Version has more than one activity (e.g., addition, then modification) within the specified time range. |   |                      |                    |  |                        |  |  |  |  |  |
|                        |                 | (continued)  |   |                      |                    |  |                        |  |  |  |  |  |

|                        |  | Accep   | oted Change (       | Orders         |  |                      |  |  |  |  |
|------------------------|--|---|---------------------|----------------|--|----------------------|--|--|--|--|
| Chg<br>Order<br>#      | Orig. /<br>Date  | Description   | Priority            | Category       | Proposed Resolution                              | Level of<br>Effort   |  |  |  |  |
|                        |  |   |                     |                |  | NPAC SOA<br>LSMS     |  |  |  |  |
| NANC<br>169            | Req 6  | Subscription Version Information Bulk Download I  | File Creation – T   | ime Range Fie  | elds   |                      |  |  |  |  |
| (con't)                |  | shall use the Start Time Range entry field as an inclusive are in Central Time (standard/daylight), for Subscription Ver      |                     |                |  | ield as an inclusive |  |  |  |  |
|                        | Req 7  | Subscription Version Information Bulk Download I  | File Creation – T   | N Range Field  | ls   |                      |  |  |  |  |
|                        | NPAC SMS<br>data.  | shall use the first TN Range entry field as an inclusive sta  | rt range, and the s | second TN Ran  | ge entry field as an inclusive ending range, for | Subscription Version |  |  |  |  |
|                        | Req 8 Subscription Version Information Bulk Download File Creation – Selection Criteria Combinations |   |                     |                |  |                      |  |  |  |  |
|                        | NPAC SMS shall edit the selection criteria combination as shown in the table below:                  |   |                     |                |  |                      |  |  |  |  |
|                        | Time Range   TN Range  |   |                     |                |  |                      |  |  |  |  |
|                        | Partial Failu  | onnect Pending/ are SVs Only   Rejected   Optional of SV Activity   Required   Optional                                       |                     |                |  |                      |  |  |  |  |
|                        | Such that a  | combination of:   |                     |                |  |                      |  |  |  |  |
|                        | • Latest \   | with a Time Range shall be rejected. View shall require a Time Range. Toge shall be optional for both Active and Latest View. |                     |                |  |                      |  |  |  |  |
|                        | Req 9  | Subscription Version Information Bulk Data Down   | load – Subscript    | ion Version Re | esults   |                      |  |  |  |  |
|                        | _  | shall provide a bulk data download file, based on the select  | -                   |                |  |                      |  |  |  |  |
|                        | (continued)  | ,   | ŕ                   |                | •  |                      |  |  |  |  |
| NANC<br>169<br>(con't) | Req 10   | Subscription Version Information Bulk Data Down   | load – Subscript    | ion Version Ro | esults Sort Order                                |                      |  |  |  |  |

|                   |                    | Accepted   | Change (      | Orders          |  |              |               |
|-------------------|--------------------|--|---------------|-----------------|--|--------------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date    | Description  | Priority      | Category        | Proposed Resolution  |              | el of<br>Cort |
|                   |                    |  |               |                 |  | NPAC         | SOA<br>LSMS   |
|                   | NPAC SM            | S shall sort the Subscription Version Bulk Data Download file, in  | ascending of  | order based on  | the value in the TN attribute.   |              |               |
|                   | Req 11             | Subscription Version Information Bulk Data Download  | – Filters for | · Subscription  | Versions   |              |               |
|                   | NPAC SM            | S shall apply NPA-NXX Filters to Subscription Versions in the c  | reation of bu | ılk data downlo | oad files.   |              |               |
|                   |                    |  |               |                 |  |              |               |
|                   | Req 12             | Subscription Version Information Bulk Data Download  |               | •               |  |              |               |
|                   | NPAC SM data downl | S shall automatically put the bulk data download file into the FT load file.   | P sub-directo | ory of the Serv | ice Provider, based on SPID, that requested the c  | reation of t | the bulk      |
|                   |                    |  |               |                 |  |              |               |
|                   | Req 13             | Subscription Version Information Bulk Download File G  | Creation – T  | ime Range Fi    | elds and SV Data Model   |              |               |
|                   | Time Stam          | S shall use the Start and End Time Range entry fields to include up, and Disconnect Broadcast Time Stamp, in the NPAC's Subscritivity selection. |               |                 |  |              |               |
|                   | , 6. 5.0 110       |  |               |                 |  |              |               |
| NANC              | AT&T               | Linked Action Replies  | <u>High</u>   | FRS, IIS,       | Func Backwards Compatible: NO  | Med          | Med /         |
| 187               | <u>1/7/98</u>      | It has been requested that all action replies be reviewed to determine if they should be linked replies.   |               | <u>GDMO</u>     | Related to NANC 186 and NANC 183.  |              | Med           |
|                   |                    | Sep 99 LNPA-WG (Chicago), it was requested to merge the  |               |                 | Actions that were identified as issues were the  |              |               |
|                   |                    | NANC 186 text into this change order.  |               |                 | network and subscription version recovery actions. It is suggested that service providers      |              |               |
|                   |                    | NANC 186 text It has been requested that the   |               |                 | that cannot handle large PDUs request  |              |               |
|                   |                    | notification recovery action reply be a linked reply. This would be done to control the size of the response sent back                           |               |                 | network or subscription version recovery in smaller time intervals. A request has been         |              |               |
|                   |                    | to the Local SMS systems.  |               |                 | made to Lockheed to document this in M&P.  |              |               |
|                   |                    |  |               |                 | NANC 186 text Related to ILL 79, NANC  |              |               |
|                   |                    |  |               |                 | 183, and NANC 184. As a work around to the   |              |               |
|                   |                    |  |               |                 | large PDU size in the interim. It is suggested that service providers that cannot handle large |              |               |
|                   |                    |  |               |                 | PDUs request notification recovery in smaller  |              |               |
|                   |                    |  |               |                 | time intervals.  | <u> </u>     |               |

|                   |                     | Accepted   | Change ( | Orders    |   |      |               |
|-------------------|---------------------|--|----------|-----------|---|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date     | Description  | Priority | Category  | Proposed Resolution   |      | el of<br>fort |
|                   |                     |  |          |           |   | NPAC | SOA<br>LSMS   |
| NANC 191          | Ameritech 1/19/1998 | DPC/SSN value edits It has been requested that DPC and SSN values be edited to make sure that if a SSN is specified that the DPC is specified. This functionality was requested due to a problem with a large port were the DPC and SSN information entered by the originator was invalid. Currently the NPAC SMS does no validity checks on the SSN and DPC information other than it is of the format and type defined in the IIS and FRS. | High     | FRS. GDMO | Refer to R4 Change Orders for current proposed resolution.  01/02/02 - NPAC R4.0 as submitted to the LLC in 2000 is not going forward. This change order has been moved back into the "accepted" section of this document.  Pure Backwards Compatible: YES  The edits need to be verified by industry experts to insure they are correct. Gary Sacra has taken an action item to obtain more information from T1/S1.6.  The following information was provided by Gary for DPC/SSN edits:  The 9-digit point code (DPC) is broken down into three components: 3-digit  Network ID - valid range=001-255  3-digit Cluster ID - valid range=000-255  3-digit Member number - valid range=000-255  Subsystem Number (SSN) is a separate three digit number with a valid range of 000-255.  It does not make sense in the network to have a DPC without an SSN or vice versa.  Refer to R4 Change Orders for current proposed resolution. | Low  | N/A /<br>N/A  |

|                   |   | Accepted  | Change (       | Orders   |  |        |               |
|-------------------|---|---|----------------|----------|--|--------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date                         | Description   | Priority       | Category | Proposed Resolution  |        | el of<br>fort |
|                   |   |   |                |          |  | NPAC   | SOA<br>LSMS   |
|                   |   |   |                |          | 01/02/02 – NPAC R4.0 as submitted to the LLC in 2000 is not going forward. This change order has been moved back into the "accepted" section of this document.   |        |               |
| NANC<br>192       | T&O<br>Conferenc<br>e Call<br>1/23/1998 | NPA Split NPAC SMS Load File It was requested that a file be used to load NPA Split information into the NPAC SMS. This would prevent manual data entry that could introduce errors when entering the NPA Split information.  | High           | FRS, IIS | Pure Backwards Compatible: YES  John Malyar from Bellcore gathered some information for the group as to whom, how, and when for files containing the data that are distributed in the industry currently.  John indicated that NANPA identifies and announces the split. The LERG has tools to pull data for a split and distribute it electronically. This is one source from which a file can be obtained.  Refer to R4 Change Orders for current proposed resolution.  01/02/02 – NPAC R4.0 as submitted to the LLC in 2000 is not going forward. This change order has been moved back into the "accepted" section of this document. | Med    | N/A/<br>N/A   |
| NANC<br>193       | NANC<br>T&O<br>1/23/1998                | TN processing during NPAC SMS NPA Split Processing There was group consensus that NPAC behavior would not change until the start of permissive dialing. An example would be an audit that occurred during split processing one-minute before the start of permissive dialing. The NPAC should act as if permissive dialing has not yet started for the audit initiated during split processing. The Split processing should have no effect on operations of the system.  A clarification requirement should be added as follows:  NPAC SMS shall processes requests during split processing | Medium<br>High | FRS      | Pure Backwards Compatible: YES  Lockheed in release 1.2 currently holds requests until the NPA Split processing completes (regardless of the NPA or NPA-NXX). Nortel/Perot rejects the requests during NPA split processing. It was not clear if errors were for all requests or just requests related to the NPA or NPA-NXX being split.  Desired behavior would be to have no errors occur. Requests put on hold or queued would   | High + | N/A/<br>N/A   |

|                        |                 | Accepted   | Change ( | Orders   |  |  |  |
|------------------------|-----------------|--|----------|--|--|--|--|
| Chg<br>Order<br>#      | Orig. /<br>Date | Description  | Priority | Category   | Proposed Resolution  |  | el of<br>ort                                 |
|                        |                 |  |          |  |  | NPAC   | SOA<br>LSMS                                  |
|                        |                 | prior to the start of permissive dialing as if the split processing has not yet occurred.  Additional clarification requirement:  NPAC SMS shall in a download request made after permissive dialing start for subscription version data sent prior to permissive dialing start, return the new NPA-NXX for subscription versions involved in an NPA Split.  The above requirements do not reflect the current Lockheed NPAC SMS implementation. |          |  | only be those related to NPA-NXX's involved in the NPA split being processed.  Lockheed in Release 1.3 will perform NPA-NXX locking.  The following questions need to be answered by vendors:  What will the SOA do if it sends an old NPA-NXX prior to PDP and the NPAC returns the new SV with the new NPA-NXX? What would happen for a create/audit/query?  What will LSMS systems do if an audit is sent for new NPA prior to PDP?  Are there LSMS that will not be able to handle audits on new NPA-NXX right at the start of PDP?  |  |  |
| NANC<br>193<br>(con't) | Continued       |  |          | What is the N If NPAC split NXX not in s After reviewi act as if the s dialing. A matrix of a It was discuss LSMS, and N errors could c and documen a request sent | es it take for NPAC/SOA/LSMS to split an NPA-PAC behavior for recovery spanning time before its starting at midnight and SOA sends new NPA-plit what would happen?  In the above questions. It was determined that to be point had not occurred during split processing prior in the second process of the split start, how should a or LSMS receives a request sent before the split start, how should a or LSMS receives a request sent before the split start, how should a or LSMS receives a request sent before the split start, how should a cor LSMS receives a request sent before the split start, how should a cor LSMS receives a request sent before the split start, how should a cor LSMS receives a request sent before the split start, how should a cor LSMS receives a request sent before the split start, how should a cor LSMS receives a request sent before the split start. | e & after P<br>NXX for a<br>he NPAC s<br>r to permis<br>mented by<br>the window<br>I that we re<br>he NPAC i<br>it respond | should ssive  SOA, when eview receives? Also |

|                   |                         | Accepted  | Change ( | Orders  |   |  |                                 |
|-------------------|-------------------------|---|----------|---|---|--|---------------------------------|
| Chg<br>Order<br># | Orig. /<br>Date         | Description   | Priority | Category  | Proposed Resolution   |  | el of<br>fort                   |
|                   |                         |   |          |   |   | NPAC   | SOA<br>LSMS                     |
|                   |                         |   |          | IIS flows for<br>NPAC SMS to<br>of PDP it will<br>portable NPA<br>requests after<br>reflect the new | error scenarios will be created. If an active is repefore PDP it will be rejected. If the old SP is real be treated as the old NPA-NXX if that NPA-NXX in the NPAC SMS otherwise it will be real the start of PDP for information occurring before NPA-NXX for subscription versions involved as finalized on the 5/22 T&O call.  | ceived afte<br>XX is still<br>jected. Do<br>re PDP sho | er the end<br>a valid<br>wnload |
| NANC 200          | AGCS<br>2/28/1998       | Notification of NPA Splits It has been requested that to facilitate synchronization during NPA split, the NPAC via the mechanized interface should notify the SOA and LSMSs. The preferred method would be to have a new managed object that contains all split information. It would still be up to the respective system to perform the splits, but all systems would be in sync. A second alternative would be to have the NPAC issue a notification that states the NPAC is start/ending split processing.  | High     | FRS, IIS,<br>GDMO,<br>ASN.1   | Func Backwards Compatible: NO  This change order is related to change order NANC 192 that proposes getting the split information from the LERG.  Refer to R4 Change Orders for current proposed resolution.  01/02/02 – NPAC R4.0 as submitted to the LLC in 2000 is not going forward. This change order has been moved back into the "accepted" section of this document.   | Med /<br>Low   | Med /<br>Med                    |
| NANC 217          | <u>Sprint</u> 5/22/1998 | Mass Update of SPID It has been requested that Mass Update functionality be enhanced to allow SPID to be changed for all network data and subordinate subscription data. The current NPAC functionality allows mass updates to LRN, GTT data, and optional data (e.g., billing ID) for all active subscriptions currently serviced by that specific Service Provider, by NPANXX.  Having this functionality would facilitate a situation where one Service Provider (SP1) purchases/merges with another Service Provider (SP2), and all LNP data needs to be consolidated into a single SPID (on the NPAC). | High     | IIS, FRS  | Func Backwards Compatible: NO  After much discussion on the 7/8/98 telecon, it was decided that the scope of this change order is huge, and its frequency of use is undetermined at this point in time (speculation is relatively small).  Additionally, AT&T requested that all SPs look at the possibility of performing some type of database migration/conversion instead of having the NPAC perform all of the updates, then have to broadcast to all SPs. The database migration/conversion could | High   | High /<br>High                  |

LNPA Working Group -23 -Rev 87, January 2, 2002

|                        |                 | Accepted  | Change ( | Orders   |   |   |   |
|------------------------|-----------------|---|----------|--|---|---|---|
| Chg<br>Order<br>#      | Orig. /<br>Date | Description   | Priority | Category   | Proposed Resolution   |   | el of<br>fort                                     |
|                        |                 |   |          |  |   | NPAC  | SOA<br>LSMS                                       |
|                        |                 | Today, the NPAC requires all active subscriptions to be disconnected, and all pending subscriptions to be cancelled, by NPA-NXX for all NPA-NXXs owned by SP2. Next, SP2 would delete all LRNs, then delete all NPA-NXXs. SP1 would then have to add the NPA-NXXs and LRNs that were just deleted by SP2. Finally, the pending and activated SVs would need to be "re-created" under the presumption that SP1 is now the code holder for the NPA-NXXs.  The proposed solution with this change order is the NPAC would perform all of this processing "under the sheets", and not require SP1 and SP2 to perform all of these steps.  The issue of notifications (whether to send or suppress) is NOT addressed at this point in time.  (continued) |          |  | potentially be accomplished by using a new NPAC "bulk download file" to update the local database.  The current position for this change order is to have a brief discussion at the Wed, 7/15 meeting in Chicago. The group will seek volunteers for a sub-committee to further analyze this change order in the context of how to accomplish a "merger" using today's functionality, and investigate potential solutions using a "bulk download file" approach, and a full NPAC solution with notifications across the interface.  July T&O (Chicago). Beth Watkins (AT&T) agreed to coordinate the first telecon for this sub-committee.  (continued) |   |   |
| NANC<br>217<br>(con't) | Continued       | After further analysis it was determined that the current NPAC implementation includes 23 tables that contain a customer SPID. Each will have to addressed (at a business level) to determine correct NPAC processing should the SPID be modified.  The other issues to determine include:  1. length of time to complete this update. 2. which notifications need to be sent out over the SOA interface, since we are modifying numerous objects. 3. what do we do with current Network and Subscription records (update them with new SPID; or create new ones for the new SPID, and move the previous ones to OLD).  |          | hours. In this discussion, ar Participants in (Gustavo), Participants in (G | G (Seattle), a telecon has been scheduled for 9/29 initial telecon, the sub-committee will determined set ground rules for subsequent meetings on the nelude, AT&T (Beth), Bellcore (John), ESI (Jim) and Sprint (Dave). Others are we need to talk about the potential of a "partiner (possibly do on a market by market basis, or see the committee of the send out bridge info.  G (Dallas), The 10/21 call did not have any Locker, so discussion did not get far. The next call is sentral, 2 hours.   | e the scopnis change  GTE (Geelcome to just all cut" fro NPA by N  The make | e of the order. ene), MCI oin. m one PA e-up call |

|                        |                 | Accepted    | Change ( | Orders  |   |   |   |  |
|------------------------|-----------------|-------------|----------|---|---|---|---|--|
| Chg<br>Order<br>#      | Orig. /<br>Date | Description | Priority | Category  | Proposed Resolution                                 | Leve<br>Eff   | el of<br>Fort                                 |  |
|                        |                 |             |          |   |   | NPAC  | SOA<br>LSMS                                   |  |
|                        |                 |             |          | During the 11/23 telecon, it was determined that Beth's proposed short term solution would not be easy to accomplish. Details on the telecon will be available at the Dec LNPAWG meeting.  Dec LNPAWG (Atlanta), Mass update is the long term solution, but wanted have short term solution. In the case of MCI and Brooks, they deleted the deleted the network data, then put it back out there under the new SPID.  What we looked at for an NPAC manual update, then produce BDD, would require code changes. Plus, BDD would be all records instead of just chardones. Also, SVs would be modified instead of activated, so the current BI time range would NOT pick these up.  (continued)  |   |   |   |  |
| NANC<br>217<br>(con't) | Continued       |             |          | mass update of SPID, then or range.  Leave on oper Jan LNPAWO discuss next so During follow bandwidth (for Feb LNPAWO Refer to R4 CO December 20 a result of the Need and Deserge 1 and 1 | G (Atlanta), Beth to set up another telecon (possil | bly end of analysis gangs.  commitments change or both the Bugle SPID 1 | Jan) to group,  nts.  rder. As susiness being |  |

|                   |                        | Accepted  | Change ( | Orders   |  |  |  |
|-------------------|------------------------|---|----------|--|--|--|--|
| Chg<br>Order<br># | Orig. /<br>Date        | Description   | Priority | Category   | Proposed Resolution  |  | el of<br>fort                                  |
|                   |                        |   |          |  |  | NPAC   | SOA<br>LSMS                                    |
|                   |                        |   |          | WG decided to SPIDs. A new update of a St moved into the to cover the sacquisition).  01/02/02 – N | 1 meeting: After much discussion on this change that it would be best to have two change orders for change order, NANC 323, would be created to PID and most of the information in this change on the new change order. This change order, NANC imple case where a SPID is being completely returned as submitted to the LLC in 2000 is not order has been moved back into the "accepted" see  | or updating cover the rder would 217, would ired (mergot going for | g of<br>partial<br>d be<br>d be used<br>ger or |
| NANC 218          | <u>Sprint</u> 6/5/1998 | Conflict Timestamp Broadcast to SOA  It has been requested that when a subscription gets placed in conflict, that the time that the subscription version was placed into conflict be broadcast in the status attribute value change notifications to the SOA. Currently it is defined in the IIS on page 262 (version 1.8) that NPAC is not required to send the timestamp information. This change would prevent the service provider SOA from having to query the NPAC anytime they need to retrieve a timestamp. This conflict timestamp is needed so that the new service provider knows when the 6-hour timer has expired and so that they can remove it from. Also the presence of this timestamp indicates if the subscription has been placed into conflict before. | Med      | IIS  | Pure Backwards Compatible: NO Func Backwards Compatible: YES  It was noted that a SOA could work around this issue, by automatically querying the NPAC for the conflict timestamp, anytime the SP receives a conflict status for an SV.  Leave on open list for now.  Refer to R4 Change Orders for current proposed resolution.  01/02/02 – NPAC R4.0 as submitted to the LLC in 2000 is not going forward. This change order has been moved back into the "accepted" section of this document. | Low  | Low /<br>N/A                                   |
| NANC<br>219       | AT&T<br>6/5/1998       | NPAC Monitoring of SOA/LSMS Associations It has been requested that NPAC Monitoring of SOA and LSMS associations be put into the NPAC SMS at the application (CMIP) layer. The approach suggested by the requestor would be to alarm whenever aborts are received or sent by the NPAC. When these alarms occur, the NPAC Personnel would contact the affected Service Provider to   | High     | FRS  | Pure Backwards Compatible: YES  Sep LNPAWG (Seattle), discussed various options for working the problem of dropped associations (i.e., causes partial failures for the new SP trying to activate).   | Low (alarm abort)  Med (heartbe at                                 | N/A /<br>N/A                                   |

|                        | Accepted Change Orders |  |          |          |  |   |               |  |  |  |
|------------------------|------------------------|--|----------|----------|--|---|---------------|--|--|--|
| Chg<br>Order<br>#      | Orig. /<br>Date        | Description  | Priority | Category | Proposed Resolution  |   | el of<br>fort |  |  |  |
|                        |                        |  |          |          |  | NPAC                                    | SOA<br>LSMS   |  |  |  |
|                        |                        | work the problem and ensure the association is brought back up.  From this point forward, this change order will deal with the alarm abort option. The heartbeat abort option is NANC 299. |          |          | Options include,  1.) sending a notification to all SPs that "an SP is currently not associated", then another notifications once it is back up, "all SPs associated".  2.) stopping an activation request, because an association is down.  3.) sending a notification to the New SP when an activate is received, that an association is down, "do you still want to activate?".  NEXT STEP: all SPs should consider issues and potential options for activates during a missing association that will cause a partial failure.  Oct LNPAWG (Kansas City), the conversation migrated away from the three options discussed in Seattle, and back to the NPAC proactively monitoring the association. This would require the NPAC to provide an attendant notification that a Service Provider is down, then notifying them of their missing association.  (continued) | abort) High (ops costs for all options) |               |  |  |  |
| NANC<br>219<br>(con't) | Continued              |  |          |          | So, anytime the NPAC receives an abort from a an NPAC alarm should be triggered, and an M& where NPAC personnel notify the downed SP.  This has been moved into the "Accepted" categorioritization.  Refer to R4 Change Orders for current proposed 01/02/02 – NPAC R4.0 as submitted to the LLC.  | ory, awaiti                             | ing           |  |  |  |

|                        |                 | Accepted   | Change C | Orders       |  |           |                      |
|------------------------|-----------------|--|----------|--------------|--|-----------|----------------------|
| Chg<br>Order<br>#      | Orig. /<br>Date | Description  | Priority | Category     | Proposed Resolution  |           | el of<br>fort        |
|                        |                 |  |          |              |  | NPAC      | SOA<br>LSMS          |
|                        |                 |  |          |              | "accepted" section of this document.   | ·         |                      |
| NANC 227               | MCI<br>8/7/98   | 10-digit TN Filters (previously know as "Ability to Modify/Delete of Partial Failure SV")  OLD TEXT: The NPAC SMS currently rejects a request to "modify active" or "delete" an SV that has a partial failure status. Nothing can be done to the SV until the discrepant LSMS(s) come back on line, and either recover the broadcast, or accept a re-send from the NPAC.  OLD TEXT: A business scenario arose whereby a partial failure was affecting a customer's main number, and the New SP couldn't do anything to the SV until the partial failure was resolved.  NEW TEXT: The NPAC should provide a mechanism that allows 10-digit filters, in order to clean up partial failure SVs that need to be subsequently modified or deleted, by the New SP.  Jun 99, during the Pooling Assumptions walk-thru, four SV requirements were modified, and the functionality was moved into this change order. Basically, the "partial failure/failed" text is moved to this change order. The affected requirements are listed below:  SV-230 Modification of Number Pooling Subscription Version Information — Subscription Data SV-240 Modification of Number Pooling Subscription Version Information — Status Update to Sending SV-270 Modification of Number Pooling Subscription Version Information — Status Update SV-280 Modification of Number Pooling Subscription Version Information — Failed SP List  This change order is related to NANC 254 | High     | FRS,<br>GDMO | Func Backwards Compatible: NO  Discussed during 8/12/98 face-to-face T&O meeting (Detroit).  OLD TEXT: It was determined that the business scenario was primarily human error, and the NPAC should NOT be modified to allow a partial failure to go to active, but still have out-of-sync LSMS(s).  OLD TEXT: A workaround (available with 1.3 [with the exception of PTO]) would be to temporarily set up a filter for the discrepant LSMS(s), do a re-send which would clear up the failed-SP-List and set the SV to active, then remove the filter.  OLD TEXT: NEXT STEP: all SPs and vendors should evaluate if this is an acceptable solution.  OLD TEXT: Sep LNPAWG (Seattle), this potential M&P work-around has been forwarded to NPAC Operations (Jan Trout-Avery) for further analysis, and will be discussed at the x-regional in New Orleans.  (continued) | High      | Med-<br>Low /<br>N/A |
| NANC<br>227<br>(con't) | Continued       | This change order is related to NANC 254.  |          |              | OLD TEXT: This change order will be left op discussion in New Orleans.   | en pendin | g the                |

|                        |                 | Accepted    | Change C | Orders   |   |   |
|------------------------|-----------------|-------------|----------|----------|---|---|
| Chg<br>Order<br>#      | Orig. /<br>Date | Description | Priority | Category | Proposed Resolution   | Level of<br>Effort  |
|                        |                 |             |          |          |   | NPAC SOA<br>LSMS  |
| NANC<br>227<br>(con't) | Continued       |             |          |          | Oct LNPAWG (Kansas City), after discussions the x-reg meeting, it was requested by Service Lockheed use the M&P for "partial failures whout of service" only.  Jan will be doing an M&P on this, and will acc frequency of this situation. Everyone should be for the M&P is that any other SVs that are com NPA-NXX will NOT be sent to the LSMS. Fro functional perspective, a potential problem is the having to keep "versions" of versions, when you that fails, then allow a modify on top of this.  Jim Rooks provided info on this, to state that he with the modify of a partial failure. We further potential of a 10-digit filter that would override filter. This should be the same change order, but title from modify partial failure to 10-digit filter.  Nov LNPAWG (Dallas), re-capped discussion this functionality is to have NPAC Personnel per (of putting up 10-digit filters), and NOT allow over the interface.  This has been moved into the "Accepted" categorioritization. The group will flush out the detaplaced into a specific release.  (continued)  Jul LNPAWG (Ottawa), no comments on pooling Refer to R4 Change Orders for current propose | in New Orleans at Providers that ere the customer is  umulate data on the e aware that the risk ing down in the om an NPAC ne complexity of ou have an activate  e is uncomfortable discussed the e the existing 6-digit ut will replace the erform KC. Desire of erform this activity SPs to send this gory, awaiting ails once this gets  ng additions. |
|                        |                 |             |          |          | 01/02/02 – NPAC R4.0 as submitted to the LL0 going forward. This change order has been mo "accepted" section of this document.  | C in 2000 is not_   |

|                         |                       | Accepted  | Change ( | Orders         |   |      |               |
|-------------------------|-----------------------|---|----------|----------------|---|------|---------------|
| Chg<br>Order<br>#       | Orig. /<br>Date       | Description   | Priority | Category       | Proposed Resolution   |      | el of<br>Fort |
|                         |                       |   |          |                |   | NPAC | SOA<br>LSMS   |
| NANC 230                | <u>Sprint</u> 8/12/98 | Allow a Donor SOA to Create a Port-to-Original on an intraservice provider port The current NPAC SMS functionality does not allow a Donor SOA to create a PTO SV with LNPType = LISP.  The business scenario is that a customer is "home'd" to switch A, then moves down the street and is "home'd" to switch B (still in same rate center, so was LISP-ed to switch B), then moves back up the street (and needs to be re "home'd" to switch A, but is still a working number).  In this scenario, the SP should send an LISP PTO create and activate. | High     | FRS, IIS, GDMO | Func Backwards Compatible: NO  August T&O (Detroit). This change order was opened to replace its "sister" change order, NANC 223.  NEXT STEP: all SPs and vendors should evaluate if this is an acceptable solution, or if there are any operational issues with sending an LISP PTO.  Sep LNPAWG (Seattle), All SPs are O.K. with this change order.  Jim Rooks will look at this, since there may be an NPAC issue. In some current processing the NPAC needs the LNP type and if it is not available, the NPAC looks at the SPID values, and if they are the same, then the NPAC assumes it is LISP. Jim's point is that there may be an interface change. He will report at the next meeting.  Oct LNPAWG (Kansas City), Jim reported that this will NOT require an interface change. It does, however, require a change to the NPAC processing rules. Some of the changes for Pooling help to minimize changes to the NPAC.  (continued) | Med  | Med /<br>N/A  |
| NANC<br>230<br>(cont'd) |                       |   | _        |                | This should be moved into the "Accepted" category, awaiting prioritization  Refer to R4 Change Orders for current proposed resolution.  "accepted" section of this document.  |      |               |

|                   |   | Accepted   | Change ( | Orders   |   |      |               |
|-------------------|---|--|----------|----------|---|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date   | Description  | Priority | Category | Proposed Resolution   |      | el of<br>fort |
|                   |   |  |          |          |   | NPAC | SOA<br>LSMS   |
|                   |   |  |          |          | 01/02/02 – NPAC R4.0 as submitted to the LLC in 2000 is not going forward. This change order has been moved back into the "accepted" section of this document.  |      |               |
| NANC 232          | MetroNet 8/14/98  | Web Site for first port notifications Currently all SOAs and LSMSs receive "first port" notifications. A request has been submitted to provide this information on the NPAC Web Site.  Sep LNPAWG (Seattle). This change order was introduced by MetroNet as a means for LTI users to obtain "first port" notifications.  The current process does NOT send this information to the LTI user (unlike SPs that have a CMIP-based SOA), but requires the LTI user to "query" the NPAC for notifications contained in the NPAC notification log (for that specific SP). Currently, this log contains the most recent 25 notifications for that SP. The user may also generate an NPAC report of all notifications for that SP.  The desire is to have these "first port" notifications on the web, similar to the NPA-NXX openings that are on the web today. | High     | FRS      | Pure Backwards Compatible: YES  Sep LNPAWG (Seattle). This change order was discussed by those in attendance. It was agreed that this change order was acceptable, and should be moved to the "Future Release CLOSED" List, and await prioritization from the group.  NOTE: This change order is similar to the existing requirements, R3-10 and R3-11 (Web bulletin board updates of NPA-NXXs and LRNs).  Refer to R4 Change Orders for current proposed resolution.  01/02/02 – NPAC R4.0 as submitted to the LLC in 2000 is not going forward. This change order has been moved back into the "accepted" section of this document. | Low  | N/A/<br>N/A   |
| NANC<br>246       | National<br>Number<br>Pooling<br>Sub-<br>Committe<br>e 11/19/98 | NPA-NXX Filters for Bulk Data Download files of SVs When the NPAC generates Bulk Data Download (BDD) files of SV data, NPA-NXX filters for a Service Provider are NOT incorporated in the BDD file generation process.  It has been requested that the NPAC be changed to incorporate the filters when generating the SV BDD files.  This change order is a subset of NANC 169 (same as requirement 11 in 169), which is shown below.  | Low      | FRS      | Pure Backwards Compatible: YES  Dec LNPAWG (Atlanta), accepted as is. However, low priority.  December 2000 Meeting: This change order had been merged into NANC 169. At the December 2000 LNPA WG meeting it was decided to break out use it to apply filters to the Bulk Data Download files. NANC 169  | Low  | N/A /<br>N/A  |

|                   |                 | Accepted  | Change ( | Orders         |   |                    |              |
|-------------------|-----------------|---|----------|----------------|---|--------------------|--------------|
| Chg<br>Order<br># | Orig. /<br>Date | Description   | Priority | Category       |   | Level of<br>Effort |              |
| "                 |                 | Reg 1 Subscription Version Information Pulls  |          |                |   | NPAC               | SOA<br>LSMS  |
|                   |                 | Req 1 Subscription Version Information Bulk Data Download – Filters for Subscription Versions  NPAC SMS shall apply NPA-NXX Filters to Subscription Versions in the creation of bulk data download files.                                   |          |                | has a requirement to apply filters to the Delta<br>Bulk Data Download files and the group<br>wanted the same function applied to the<br>regular Bulk Data Download files.   |                    |              |
| NANC<br>249       | Sprint 12/9/98  | Modification of Dates for a Disconnect Pending SV The NPAC should be changed to allow a Service Provider to modify the CDD (Customer Disconnect Date) and ERD (Effective Release Date) for an SV that has a status of "disconnect pending". | High     | FRS, IIS, GDMO | Func Backwards Compatible: NO  The current Service Provider would send a subscriptionVersionModify using an M-ACTION.  subscriptionCustomerDisconnectDate and subscriptionEffectiveReleaseDate would need to be added as modifiable attributes.  A new IIS flow needs to be developed (Subscription Version Modify Disconnect Pending Version Using M-ACTION by a Service Provider SOA).  If the newly modified ERD is the current date or a previous date, the NPAC will follow the "immediate disconnect" flow (6.5.4.1). Otherwise, it's BAU for the future dated ERD (6.5.4.2).  R5-25 needs to be changed to allow for a modification of an SV with a status of disconnect pending.  R5-36 and R5-38.1 needs the CDD and ERD attributes added to the list.  R5-41 and RR5-41.x need to perform exception processing (i.e., NOT send to | Low                | Med /<br>N/A |

|                        |                 | Accepted   | Change ( | Orders   |   |                        |               |
|------------------------|-----------------|--|----------|----------|---|------------------------|---------------|
| Chg<br>Order<br>#      | Orig. /<br>Date | Description  | Priority | Category | Proposed Resolution   |                        | el of<br>fort |
|                        |                 |  |          |          |   | NPAC                   | SOA<br>LSMS   |
|                        |                 |  |          |          | the new ERD is a future date.  (continued)  |                        |               |
| NANC<br>249<br>(con't) | Continued       | NPAC Requirements - Subsequent Ports of Active SV with a   |          | FRS.     | New requirements:  1. NPAC SMS shall reject a modification req a status of disconnect pending, where the O Jan LNPAWG (Atlanta), group O.K. with this o to accepted list.  Refer to R4 Change Orders for current propose  01/02/02 – NPAC R4.0 as submitted to the LLO going forward. This change order has been mo "accepted" section of this document.  Func Backwards Compatible: NO   | change ord d resolutio | er. Move on.  |
| 254<br>254             | WG<br>1/12/99   | Failed SP List The Failed SP List should be zeroed out (on the old SV), once the new SV gets activated.  Req 1 – NPAC SMS shall remove a Service Provider from a Subscription Version's Failed SP List, where the Subscription Version's status is Old, once a subsequent port for that TN has started the broadcast of subsequent activity to the LSMSs.  NOTE: For Req 1 above, "subsequent activity" refers to activations, modify actives, disconnects, and PTO of a TN that has been previously ported.  A Service Provider should only be allowed on the Failed SP List for 1 (one) SV for any given TN.  Req 2 – NPAC SMS shall allow a Service Provider to only be on the Failed SP List for one Subscription Version, for a given TN, at any given point in time. |          | GDMO     | Jan LNPAWG (Atlanta). This change order was opened to replace its "sister" change order, NANC 245.  Feb LNPAWG (San Ramon), leave on open list for now. BST evaluating 245 and 254, to see if O.K. with clearing out the Failed List on previous port, when they are the Old SP.  Mar LNPAWG (Denver), BST O.K. with this. Move to accepted category.  This change order is related to NANC 227.  Refer to R4 Change Orders for current proposed resolution.  01/02/02 – NPAC R4.0 as submitted to the LLC in 2000 is not going forward. This | THEIL                  | Low/<br>N/A   |

|                   |                       | Accepted  | Change ( | Orders         |  |      |                                |
|-------------------|-----------------------|---|----------|----------------|--|------|--------------------------------|
| Chg<br>Order<br># | Orig. /<br>Date       | Description   | Priority | Category       | Proposed Resolution  |      | el of<br>fort                  |
|                   |                       |   |          |                |  | NPAC | SOA<br>LSMS                    |
|                   |                       | A Service Provider should be capable of recovering an SV download, even though the Failed SP List has been cleaned up for the previously active SV.   |          |                | change order has been moved back into the "accepted" section of this document.   |      |                                |
|                   |                       | Req 3 — NPAC SMS shall support the recovery of subscription data for a Service Provider over an NPAC SMS to Local SMS association, for a previously active Subscription Version which contained that given Service Provider on the Failed SP List, then had that given Service Provider removed from the Failed SP List as a result of a subsequent port, all which occurred while that given Service Provider did NOT have an active association to the NPAC SMS.  |          |                |  |      |                                |
| NANC 285          | LNPA<br>WG<br>5/12/99 | SOA/LSMS Requested Subscription Version Query Max Size A SOA/LSMS request for a Subscription Version query that exceeds the maximum size tunable ("Maximum Subscriber Query"), returns an error message to the SOA.  Similar to the processing in NANC 273, it has been requested the NPAC return SVs up to the max tunable amount instead. The SOA/LSMS would accept this message, then use it's contents to send another query to the NPAC, starting with the next TN, and so on until all SVs are returned to the SOA/LSMS.  It will be up to the SOA/LSMS to manage the data returned from the NPAC and determine the next request to send to the NPAC in order to get the next set of SVs.  The NPAC will continue to return SVs that meet the selection criteria. However, the NPAC will not return a "count" to the SOA/LSMS for number of records that match the selection criteria.  This solution will resolve the problem described in NANC 279 (SOA Resynchronization for Large Ranges), where a problem exists for recovering the SOA for large ranges, because the SV time stamp that the NPAC users for recovery is the same for large ranges. | High     | FRS, IIS, GDMO | Func Backwards Compatible: NO  June LNPAWG (San Ramon), discussed in conjunction with NANC 279. Group decided to close out 279, and merge the requested functionality into this change order, since this is query functionality issue, and not just a recovery issue.  Jim Rooks will provide additional information on a proposed solution given the inclusion of NANC 279 into this change order.  Jim's response is shown below:  This change order requests the 'more' capability that will be supported by queries in the LTI. This implementation requires 2 changes.  #1, the NPAC must be modified to always return the first n (tunable) records on the SV query. Currently, the NPAC determines that the query will return more than n records and returns an error. | Low  | Med-<br>High /<br>Med-<br>High |

|                   |                                   | Accepted   | l Change ( | Orders   |  |  |  |
|-------------------|-----------------------------------|--|------------|----------|--|--|--|
| Chg<br>Order<br># | Orig. /<br>Date                   | Description  | Priority   | Category | Proposed Resolution  | Leve<br>Effe   |  |
|                   |                                   |  |            |          |  | NPAC   | SOA<br>LSMS  |
|                   |                                   | The example used for NANC 279 was, if all the TNs in the range contain the same time stamp (e.g., 17 minutes and 20 seconds after 3p, 15:17:20), and the number of TNs in the range exceeds the tunable allowed for queries, the SOA cannot recover since the NPAC, for any time range, will respond with an error for maximum TN query reached. |            |          | (continued)  |  |  |
| NANC 285 (con't)  | continued                         |  |            |          | <ul> <li>#2, the service providers should modify their sy the following SV query operations to the NPAC a. When data is returned from an SV Query an (tunable) records returned, the SP must a didn't get all the data from their query.</li> <li>b. After processing the first n records, they sh query that picks up where the data from the NPAC for S sorted by TN and then by SVID so a filter pick up where the prior query ended.</li> <li>d. For example, if a SOA query to the NPAC records and the last SV returned was TN '3 SVID of 1234. The filter used on the next All SVs where ((TN &gt; 303-(TN = 303-555-0150 AND SV)) The NPAC does support OR</li> <li>e. Once the results from the NPAC returns less the SP can assume they received all recordiquery.</li> <li>Refer to R4 Change Orders for current propose</li> <li>01/02/02 - NPAC R4.0 as submitted to the LLC going forward. This change order has been mo "accepted" section of this document.</li> </ul> | nd there are ssume that a could send a could be se | e exactly they a new ry ended. will be ted to solvetly 150 50' with ld be: records, uested  n. s not |
| NANC<br>287       | <u>AT&amp;T</u><br><u>5/27/99</u> | ASN.1 Change for required field in VersionNewNPA-NXX and VersionNewNPA-NXX-Recovery notification The current ASN.1 has incorrect field definition. The   | Med        | ASN.1    | Pure Backwards Compatible: NO Func Backwards Compatible: YES   | Low  | Low /<br>Low   |

|                         |                 | Accepted  | Change ( | Orders   |   |      |               |
|-------------------------|-----------------|---|----------|----------|---|------|---------------|
| Chg<br>Order<br>#       | Orig. /<br>Date | Description   | Priority | Category | Proposed Resolution   |      | el of<br>Fort |
|                         |                 |   |          |          |   | NPAC | SOA<br>LSMS   |
|                         |                 | requested change is to make the service-prov-npa-nxx-value of the VersionNewNPA-NXX notification and VersionNewNPA-NXX-Recovery notification a required field instead of 'optional'.  Current asn.1:  VersionNewNPA-NXX ::= SEQUENCE {     service-prov-npa-nxx-id NPA-NXX-ID,     service-prov-npa-nxx-value NPA-NXX OPTIONAL,     service-prov-npa-nxx-effective-time-stamp GeneralizedTime,     service-prov-id ServiceProvId, |          |          | June LNPAWG (San Ramon), this also applies to the recovery notification (in addition to the first port notification that is listed in the change order). Update to add recovery notification and review next month.  Jul LNPAWG (Ottawa), it was noted that this is not considered backwards compatible, since it requires a recompile. Move to accepted category.  Refer to R4 Change Orders for current |      |               |
|                         |                 | access-control LnpAccessControl }  Proposed: VersionNewNPA-NXX ::= SEQUENCE {     service-prov-npa-nxx-id NPA-NXX-ID,     service-prov-npa-nxx-value NPA-NXX,     service-prov-npa-nxx-effective-time-stamp GeneralizedTime,     service-prov-id ServiceProvId,     access-control LnpAccessControl }   |          |          | proposed resolution.  01/02/02 – NPAC R4.0 as submitted to the LLC in 2000 is not going forward. This change order has been moved back into the "accepted" section of this document.  |      |               |
|                         |                 | Current asn.1:  VersionNewNPA-NXX-Recovery ::= SEQUENCE {     service-prov-npa-nxx-id NPA-NXX-ID,     service-prov-npa-nxx-value NPA-NXX OPTIONAL,     service-prov-npa-nxx-effective-time-stamp GeneralizedTime,     service-prov-id ServiceProvId }  (continued)  |          |          |   |      |               |
| NANC<br>287<br>(cont'd) |                 | Proposed:  VersionNewNPA-NXX-Recovery ::= SEQUENCE {     service-prov-npa-nxx-id NPA-NXX-ID,     service-prov-npa-nxx-value NPA-NXX,     service-prov-npa-nxx-effective-time-stamp GeneralizedTime,     service-prov-id ServiceProvId   |          |          |   |      |               |

|                        |                                       | Accepted  | Change ( | Orders   |  |      |               |
|------------------------|---------------------------------------|---|----------|----------|--|------|---------------|
| Chg<br>Order<br>#      | Orig. /<br>Date                       | Description   | Priority | Category | Proposed Resolution  |      | el of<br>fort |
|                        |                                       | }   |          |          |  | NPAC | SOA<br>LSMS   |
| NANC<br>291            | Bell<br>Atlantic/<br>Sprint<br>7/7/99 | SSN Edits in the NPAC SMS  The NPAC SMS should edit and prevent a new Service Provider CREATE message from specifying final Global Title Translations for CLASS, LIDB, CNAM, ISVM MWI, and WSMSC.  Description of Issue: There have been instances when the new Service Provider, upon sending the new SP CREATE message to NPAC, has provided final Global Title Translation data for the Destination Point Codes and Subsystem Numbers for CLASS, LIDB, CNAM, and/or ISVM MWI. This final GTT data is broadcasted by NPAC to all applicable subtending service providers in the Region. This has resulted in TCAP routing errors for subtending service providers who do not have route sets built based on final GTT to the new SP.  Proposed Change Order: Implement an edit in NPAC that will reject a new SP CREATE message if the message contains a Destination Point Code with a non-zero (000) Subsystem Number for CLASS, LIDB, CNAM, ISVM MWI, or Wireless Short Message Service. This edit shall be settable (active or inactive) on a Regional NPAC basis. It shall apply to all DPCs associated with ported and pooled DNs. For 1K block pooling, the NPAC SMS will reject creation of block data containing a non-zero Subsystem Number, whether by NPAC personnel or via the new SP's SOA, if the edit is active.  (continued) | High     | FRS,GDMO | Pure Backwards Compatible: YES  Jul LNPAWG (Ottawa), lots of discussion. Some SPs using final, but not sure how much of a problem this is creating. In all cases discussed, led to new SP changing SSN to gateway value instead of final value.  Homework for all SPs for next month. Figure out requirement to broadcast final GTT instead of gateway, and willingness to change this approach. SPs will need to substitute final in their own network. SPs should understand that if no arrangement is set up between the providers, then routing errors (to the new SP's customer) will occur. This affect creates, modifies, and mass updates. | Low  | N/A/<br>N/A   |
| NANC<br>291<br>(con't) | continued                             |   |          |          | Aug LNPAWG (Portland), since the conference bridge was not available at the time this was discussed, the group agreed to postpone the discussion until September (assuming a conference bridge was available at that point in time).   |      |               |

|                   |                 | Accepted   | Change ( | Orders       |  |             |               |
|-------------------|-----------------|--|----------|--------------|--|-------------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date | Description  | Priority | Category     | Proposed Resolution  |             | el of<br>fort |
|                   |                 |  |          |              |  | NPAC        | SOA<br>LSMS   |
|                   |                 |  |          |              | Sep LNPAWG (Chicago), much discussion.  A vote 10 (for) to 1 (against) was taken to move this change order into the accepted category.   |             |               |
|                   |                 |  |          |              | Refer to R4 Change Orders for current proposed resolution.   |             |               |
|                   |                 |  |          |              | 01/02/02 – NPAC R4.0 as submitted to the LLC in 2000 is not going forward. This change order has been moved back into the "accepted" section of this document.   |             |               |
| NANC 297          | Sprint 9/15/99  | Sending SV Problem During Recovery If an LSMS is down during the broadcast, and the NPAC SMS has sent out the final retry, the LSMS will not be able to recover this broadcast (either in recovery or once recovery is complete and normal processing continues).  It was discussed that the way to ensure the recovering LSMS gets the sending SVs, is to include any of these SVs. By including these, along with the appropriate download reason; the LSMS would be able to recover sending SVs.  New Requirements:  NPAC SMS shall include Subscription Versions with a status of sending, at the time subscription data recovery is requested by the LSMS.  NPAC SMS shall remove a Service Provider from the Failed SP List of a Subscription Version with a status of sending, even if there are additional retry attempts, at the time subscription data recovery is requested by the LSMS of that Service Provider. | High     | FRS,<br>GDMO | Pure Backwards Compatible: YES  Sep LNPAWG (Chicago), need to add priority during Oct meeting in KC.  Oct LNPAWG (KC), could have a problem if the SV is sent twice (once for the recovery, and once at the next retry attempt), so the group wants the failed list updated for the recovering SP.  Refer to R4 Change Orders for current proposed resolution.  01/02/02 — NPAC R4.0 as submitted to the LLC in 2000 is not going forward. This change order has been moved back into the "accepted" section of this document. | Med-<br>Low | N/A/<br>N/A   |

|                        |                        | Accepted  | Change ( | Orders                      |  |      |                                 |
|------------------------|------------------------|---|----------|-----------------------------|--|------|---------------------------------|
| Chg<br>Order<br>#      | Orig. /<br>Date        | Description   | Priority | Category                    | Proposed Resolution  |      | el of<br>fort                   |
|                        |                        |   |          |                             |  | NPAC | SOA<br>LSMS                     |
| NANC<br>299            | LNPA-<br>WG<br>9/15/99 | NPAC Monitoring of SOA and LSMS Associations via Heartbeat This is an extension of NANC 219 and NANC 301. Instead of utilizing a TCP Heartbeat and an abort message, the NPAC SMS would utilize an application level heartbeat message on every association. If a response was not returned for any given application level heartbeat message, an alarm would be initiated for NPAC Personnel.  Oct LNPAWG (KC), this change order is designed to establish the application level heartbeat process (which requires an interface change to both the NPAC and the SOA/LSMS). This process will allow two-way communication and allow either side to initiate the application level heartbeat message. The application level heartbeat process should be set up so that the functionality can be optionally set up per association.  The alarming process is the same as 219, such that an alarm would be initiated whenever application level heartbeat responses are not sent by the NPAC or SOA/LSMS. When these alarms occur, the NPAC Personnel would contact the affected Service Provider to work the problem and ensure the association is brought back up. | High     | FRS, IIS,<br>GDMO,<br>ASN.1 | Func Backwards Compatible: NO  The current working assumption is that this heartbeat would be a new message, it would not have any access control, it would be at a low level in the protocol stack, this heartbeat would occur on the same port as the association, this message would only occur if no traffic was sent/received after a configurable period of time, and this heartbeat would be two-way to allow either side to initiate this message.  All parties still need to examine if there might be an issue with filtering in their firewalls. The need for both a network level heartbeat and application level heartbeat still needs to be decided.  Jan 00 LNPAWG meeting, the group has not been able to determine the feasibility of implementing an application level heartbeat. It was agreed to put this change order on hold, pending the outcome of NANC 301 (NPAC TCP Level Heartbeat [transport layer]). The functionality documented in this change order needs further review before this change order can be considered "accepted and ready for selection into a release". | Med  | Med<br>-High /<br>Med -<br>High |
| NANC<br>299<br>(con't) | continued              |   |          |                             | May 00 LNPAWG (Atlanta), leave open until further analysis of NANC 219 and NANC 301 (i.e., after R4 implementation).  June 00 LNPAWG meeting, group consensus (during R5 discussion) is to move to cancel-   |      |                                 |

|                   |                        | Accepted  | Change ( | Orders   |   |      |               |
|-------------------|------------------------|---|----------|----------|---|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date        | Description   | Priority | Category | Proposed Resolution   |      | el of<br>fort |
|                   |                        |   |          |          |   | NPAC | SOA<br>LSMS   |
|                   |                        |   |          |          | pending.  July 2000 meeting – LNPA WG consensus is that they do not want to cancel this change order but move it back to an accepted change order for a future release. Metrics and reports that will be provided after R4.0 will give more information to determine whether or not this change order is needed.  01/02/02 – The CMA has not included this change order in the "Future Release Change Orders" document that was published on 12/21/01.  |      |               |
| NANC<br>300       | LNPA-<br>WG<br>12/6/99 | Resend Exclusion for Number Pooling This is an extension of NANC 227. During the Dec 99 LNPA-WG meeting, it was proposed to remove Number Pooling functionality from NANC 227, and create a new change order for this functionality.  |          | FRS/GDMO | Functional Backwards Compatible: NO   | Med  | Med-<br>Low   |
| NANC<br>311       | GTE<br>6/5/00          | Query Message of SP Association Status Provide information of the current service status (TBD) for all LSMS associations in each NPAC region. This query would be initiated by SOAs only. This would be an enhancement to NANC 219 and 301 (Association Monitoring) which both will be fully deployed in NPAC SMS Release 4.0.  Jun 00 LNPAWG meeting, at the suggestion of the CMA, the group discussion migrated away from a dynamically updated web site, to a query message that could be used by the soon- to-be-activating Service Provider, to determine if all associations are available. This new query would be a CMIP message (M-ACTION) that would allow a query on an NPA- NXX, where the NPAC SMS would take into account all filters for that given NPA-NXX, and return a list of all SPIDs that are currently not available that should be available (i.e., the New SP is expecting an empty unavailable SP List). |          | FRS      | Functional Backwards Compatible: NO  December 2000 meeting: LNPA WG decided to remove this change order from the Release 5.0 group but to keep it as an active change order until the results of the association monitoring that are being implemented in Release 4.0 (NANC 219) can be evaluated. This change order, as it currently exists in the Release 5.0 package, will be removed from the Release 5.0 package and kept as a separate document until such time as it is determined if this change order should be implemented or closed. | Med  | Med /<br>N/A  |

|                   |                       | Accepted   | Change ( | Orders   |   |      |               |
|-------------------|-----------------------|--|----------|----------|---|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date       | Description  | Priority | Category | Proposed Resolution   |      | el of<br>fort |
|                   |                       |  |          |          |   | NPAC | SOA<br>LSMS   |
| NANC<br>312       | Nextlink<br>6/14/00   | Different User Levels on the LTI Provide two user <b>security</b> levels for the LTI. One would have access to the reports option, and the second would not have this access. All other access would be identical for the two user levels.   |          | FRS      | Pure Backwards Compatible: Yes  | Med  | N/A           |
| NANC<br>316       | LNPA<br>WG<br>8/16/00 | Change the NSAP Field Size Declaration in ASN.1 – ASN.1 Recompile  As described in change order NANC 315, the NSAP field currently uses only 12 of the 20 octets declared as the field size. The other 8 are for a port number but this is not currently used. The ASN.1 should be updated to be a field of size 12 octets. This would eliminate the need for the NPAC software to truncate the data sent by the SOAs and LSMSs.  ASN.1 Update:  OSI-Address ::= SEQUENCE {    nsap    OCTET STRING(SIZE(2012)),    tsap    OCTET STRING(SIZE(14)),    ssap    OCTET STRING(SIZE(14)),    psap    OCTET STRING(SIZE(14)) } | ?LOW     | ASN.1    | Func Backwards Compatible: NO  Need to determine when to implement this change order  This change affects the Modify Customer Profile only.  October 2000 meeting: Move to Accepted  01/02/02 – The CMA did not include this change order in the "Future Release Change Orders" document that was published on 12/21/01 as it is a recompile of ASN.1 only.   | ???  | ???           |
| NANC<br>319       | Verizon<br>10/25/00   | NPAC Edit to Ensure NPA-NXX of LRN is in Same LATA as NPA-NXX of Ported TN  Local Number Portability (LNP) standards require that service providers assign at least one Location Routing Number (LRN) per switch per LATA that the switch serves. Post-query LNP call processing in the various switch types requires that the NPA-NXX of an LRN that is returned from the database must be in the same LATA as the NPA-NXX of the dialed number.  |          | FRS      | Func Backwards Compatible: ???  November 2000 meeting: Currently the NPAC has no concept of a LATA. When a new NPA-NXX is opened the LERG assigns a LATA ID. An NPA can cross LATAs. Every NPA-NXX has a LATA association. It is a 3-digit number. There is one LRN per LATA but there can be multiple NPAs in a LATA and multiple LATAs in an NPA. This edit would ensure that the NPA-NXX of the TN and the NPA-NXX of the LRN is the same. LATAs | ???  | N/A /<br>N/A  |

|                   |                      | Accepted   | Change ( | Orders   |  |      |               |
|-------------------|----------------------|--|----------|----------|--|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date      | Description  | Priority | Category | Proposed Resolution  |      | el of<br>fort |
|                   |                      |  |          |          |  | NPAC | SOA<br>LSMS   |
|                   |                      | Currently, the NPAC does not perform any edits on a New Service Provider CREATE or MODIFY messages in order to ensure that the NPA-NXXs of both the LRN and the ported TN are in the same LATA.  When a call is placed to a ported TN associated with an LRN from an NPA-NXX in a different LATA, the call fails in the originating switch, resulting in a service-affecting condition that is predominantly identified only after customer complaints.  This proposed Change Order is a request for an NPAC edit on New Service Provider CREATE and MODIFY messages that would reject any CREATE or MODIFY if the NPA-NXXs of the LRN and ported TN contained in the CREATE or MODIFY are not in the same LATA. This edit would eliminate this particular service-affecting condition as well as the expense of trouble-shooting the cause and working with the New Service Provider to modify their LRN. |          |          | can cross NPAC regions. The LERG would be the source of the LATA information rather than the Service Providers. If there is no LATA in the LERG information for the NPANXX or the LRN then the NPAC would reject the create request. If there were a modification of an LRN to active SVS or in a Mass Update this edit would have to be applied. This would also apply to Pooled Blocks. LATA should not be criteria for Mass Update.  December 2000 Meeting: Group accepted this change order. It was also determined that the change order needed to cover Modifies as well as Creates. |      |               |
| NANC<br>321       | WorldCom<br>12/13/00 | Regional NPAC NPA Edit of Service Provider Network Data - NPA-NXX Data <b>Business Need:</b> When a service provider submits a message to the NPAC in order to create a pending subscription version, the NPAC verifies that the old service provider identified in the message is the current service provider and that the number to be ported is from a portable NPA-NXX. If the telephone number already is a ported number, the NPAC will look at the active SV for that number to determine the identity of the current SP as shown in the active SV. If no active SV exists, then the number is not currently ported and the NPAC determines the current SP instead based on NPA-NXX ownership as shown in the NPAC's network data for each service provider. The NPAC also looks at the network data to confirm that the NPA-NXX has been identified as open to portability.                       | ???      | FRS      | Functional Backwards Compatible: Yes  January 2001 meeting: Accepted pending review of the final write-up in February.  February 2001 meeting: Accepted  | ???  | N/A/<br>N/A   |

|   |                 | Accepted  | Change (                                      | Orders                         |   |                             |                      |
|---|-----------------|---|---|--------------------------------|---|-----------------------------|----------------------|
| Chg<br>Order<br>#   | Orig. /<br>Date | Description   | Priority                                      | Category                       | Proposed Resolution   |                             | el of<br>fort        |
|   |                 |   |   |                                |   | NPAC                        | SOA<br>LSMS          |
|   |                 | If a service provider has entered an NPA-NXX in its network data but has done it for its network data associated with the wrong region, then the correct NPAC region, when receiving create messages involving numbers in that NPA-NXX, will be unable to see that the TNs involve a portable NPA-NXX; in this case the create message will be rejected by NPAC. Furthermore, another service provider could erroneously enter the NPA-NXX in its network data for the correct NPAC region. Then the NPAC's portable NPA-NXX validation would pass, but the current service provider validation would fail. In either case the telephone number could not be ported until the service provider network data error were corrected.   |   |                                |   |                             |                      |
| NANC 321 It is important therefore to assure that service provider NPA-NXX network data be populated only in the proper NPA- assignee to populate the data. The introduction of an NPA edit function, to validate that an NPA-NXX input is to network to region encompassing the involved NPA will effectively serve both functions. Such an edit function would not allow a data in the wrong NPAC region's database and it consequently would not allow the improper LERG-assignee entries to |                 |   |   |                                |   | with the N<br>put its NPA   | PAC                  |
|   |                 | Description of Change:  Network Data is submitted by service providers over their SOA required to enter each portable NPA-NXX for which it is the LI functions of subscription version data to confirm current SPI situations.  Detailed requirements are as follows:  1. The NPAC will reject an NPA-NXX network data entry atte submitted.  2. A table of valid NPAs will be established for each regional Nature of the NPAC service area will be considered to the NPAC service area. | ERG assigne D correct and mpt if the NI NPAC. | e. The NPAC of that TN is from | uses this service provider network data to perform portable NXX and to determine TN owner on portable NXX by and to determine TN owner on the necessary of the NPAC region to which | rm certain v<br>ship in sna | validation<br>p-back |
|   |                 | 4. The NPAC will obtain information on new NPAs from the I 5. The change order would be implemented on a regional basis   |   |                                |   |                             |                      |

|                   |                        | Accepted   | Change ( | Orders   |   |      |               |
|-------------------|------------------------|--|----------|----------|---|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date        | Description  | Priority | Category | Proposed Resolution   |      | el of<br>fort |
|                   |                        |  |          |          |   | NPAC | SOA<br>LSMS   |
| NANC<br>322       | LNPA<br>WG<br>12/13/00 | Clean Up of Failed SP Lists based on Service Provider BDD Response File  Business Need: During discussion of change order NANC 169 at the December 2000 LNPA WG meeting it was decided to write a new change order to address the clean up of Failed SP Lists once a service provider received and processed a Bulk Data Download File or a Delta Bulk Data Download File and responded to the NPAC with its Service Provider Response File.  Description of Change: It has been requested that NPAC clean up Failed SP Lists using data received in the Service Provider Response File resulting from the processing of a Bulk Data Download File or a Delta Bulk Data Download File. | ???      | FRS      | Pure Backwards Compatible: Yes  January 2001 meeting: Accepted  | ???  | N/A / ??<br>? |
| NANC<br>323       | LNPA<br>WG<br>01/10/01 | Partial Migration of a SPID via Mass Update  During the January 2001 LNPA WG meeting there was much discussion on the NANC 217 change order and it was decided that it would be best to have two change orders for updating of SPIDs. NANC 217 would be retained and used to cover the simple case where a SPID is being completely retired (merger or acquisition) and a new change order created to cover the partial update of a SPID.  | ???      | FRS      | When there is a need to migrate a portion of one SPIDs data to another SPID a mass update with Service Provider notifications suppressed will be used. Service Providers receive a file from NPAC with information they can use to update their databases.  February 2001 meeting: Accepted | High | ???/???       |
|                   |                        |  |          |          |   |      |               |

Next Documentation Release Change Orders

|                   |                     | Next Documentation  |            | Change Or  |  |      |               |
|-------------------|---------------------|---|------------|------------|--|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date     | Description   | Priority   | Category   | Proposed Resolution  | 1    | el of<br>fort |
|                   |                     |   |            |            |  | NPAC | SOA<br>LSMS   |
| NANC<br>332       | NeuStar<br>09/10/01 | Doc Only Change Order for FRS: Clarification of requirement RR5-42.1  Currently reads:  RR5-42.1 Conflict Subscription Version - Old Service Provider Number Restriction  NPAC SMS shall only allow a subscription version to be placed into conflict by the Old Service provider one time.  Change to read:  RR5-42.1 Conflict Subscription Version - Old Service Provider Number Restriction  NPAC SMS shall only allow a subscription version to be placed into conflict by the Old Service provider one time, which includes the changing of the cause code on a subscription version.  | High       | FRS        | Incorporate the correction into the FRS and- publish with the next release.  October 2001 meeting: Accepted by LNPA WG. To be included in next release of FRS. Move to "Next Documentation Release Change Orders" sub-section of the "Accepted Change Orders" section of this document.                          | N/A  | N/A /<br>N/A  |
| NANC<br>333       | TSE<br>09/26/01     | Doc Only Change Order for GDMO & IIS:  Clarification needed in the GDMO & two IIS Flows for the subscriptionVersionRangeObjectCreation notification (one of the new range notifications in change order NANC 179 for NPAC SMS Release 3.1).  In the ObjectInfo for subscriptionVersionRangeObjectCreationInfo there are attribute assertions for subscriptionVersionId and subscriptionTN as is done for the single objectCreation notification for a subscription version. These values would be the SVID and TN for the first TN in the list or range for the subscriptionVersionRangeObjectCreation notification.  (continued) | HIGH       | GDMO/IIS   | Incorporate into the GDMO and IIS immediately and re-publish these documents as Release 3.1.1  October 2001 meeting: Accepted by LNPA WG. To be included in next release of GDMO & IIS. Move to "Next Documentation Release Change Orders" sub-section of the "Accepted Change Orders" section of this document. | N/A  | N/A /<br>N/A  |
| NANC              |                     | GDMO changes needed for clarification of the sul  | bscription | VersionRar | geObjectCreation notification:   |      |               |

|                         |                 | Next Documentation   | n Release  | Change Or   | ders   |      |                |
|-------------------------|-----------------|--|--|---|--|------|----------------|
| Chg<br>Order<br>#       | Orig. /<br>Date | Description  | Priority   | Category  | Proposed Resolution  |      | vel of<br>fort |
|                         |                 |  |  |   |  | NPAC | SOA<br>LSMS    |
| 333<br>(cont'd)         |                 | InpSubscriptionsBehavior BEHAVIOUR  DEFINED AS!  Local SMS and NPAC SMS Managed Object  The Local SMS (Data Download Association provider SOA (SOA Management Association provider SOA (SOA Management Association InpSubscriptions object. The InpSubscriptions object. The InpSubscription is read only and can not be changed via once the object has been created. The InpSubscriptionsName will always be "Information on the NPAC SMS. The subscription used to send the subscription of the TRUE on the NPAC SMS. The subscription used to send the subscription of the TN range, plus a paired list of TN, combinations. If the feature data does range, notifications will be broken up Notifications such that the feature data smaller TN Range, and will be sent in some the Company of | on Function fiptions Na the Local value of appSubscript applies of the Local value of appSubscript applies applies separate much the old tin the state of the Local value on the Local value on the Local value of the Local v | me attribut l SMS Inter tions".  reation not Indicator i geObjectCre reation not et of infor ion Version to all TNs ler TN Rang to all TNs essages.  ame data and new s e single of | ifications s set to ationPkg is ification. mation for ID in the e in the service provider. The object creation |      |                |
| NANC<br>333<br>(cont'd) |                 | 16.0 LNP Subscription Version Range Object (subscriptionVersionRangeObjectCreation NOTIFICA  |  | otification   |  |      |                |

|                         |                 | Next Documentation  | n Release  | Change Or  | ders   |      |               |
|-------------------------|-----------------|---|--|--|--|------|---------------|
| Chg<br>Order<br>#       | Orig. /<br>Date | Description   | Priority   | Category   | Proposed Resolution  |      | el of<br>fort |
|                         |                 |   |  |  |  | NPAC | SOA<br>LSMS   |
| NAMO                    |                 | BEHAVIOUR subscriptionVersionRangeObjectCr WITH INFORMATION SYNTAX LNP-ASN1.VersionRa AND ATTRIBUTE IDS     range-object-creation-info subscription     access-control accessControl; REGISTERED AS {LNP-OIDS.lnp-notification 16 subscriptionVersionRangeObjectCreationBehavior DEFINED AS !  This notification type is used to report versions for range operations. It uses notification as defined in M.3100.  The service provider supports this notification as defined in M.3100.  The service provider supports this notification Indicated the service provider will no longer recobject creation notification for a subscription for a subscription for a subscription version id for the subscription version id for the subscription version id for the subscription to its SOA Notification Priorisms.  IIS changes need for clarification subscriptionVersions Sould be changed as follow (continued) | mgeObject NVersionRa  S);  BEHAVIOUR  It creation It the object  If cation If is set If cation If the series an in the series an in the series and in the se | n of subscr<br>ct creation<br>if the Serv<br>on the NPAC<br>version.<br>ame data<br>he old and<br>he sent in<br>in the TN<br>in the r<br>e in the NP | ice SMS and  as the current new service the single and cange or list.  AC  ation notification: |      |               |
| NANC<br>333<br>(cont'd) |                 | <ol> <li>If the M-ACTION was successful, the NPAC SMS iss<br/>objectCreation or subscriptionVersionRangeObjectCre<br/>subscriptionVersionNPAC creation:</li> <li>subscriptionVersionId</li> </ol>   |  |  |  |      | SOA of        |

|                   |                        | Next Documentati   | on Release   | Change O     | rders   |             |               |
|-------------------|------------------------|--|--------------|--------------|---|-------------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date        | Description  | Priority     | Category     | Proposed Resolution   |             | el of<br>fort |
|                   |                        |  |              |              |   | NPAC        | SOA<br>LSMS   |
|                   |                        | subscriptionTN subscriptionOldSP subscriptionNewCurrentSP subscriptionOldSp-DueDate subscriptionOldSP-Authorization subscriptionOldSP-AuthorizationTimeStam subscriptionStatusChangeCauseCode (if subscriptionOldSP-Authorization set to f subscriptionVersionStatus | -            |              |   |             |               |
|                   |                        | If the notification is a subscriptionVersionRangeO the range or list.  | )bjectCreat  | ion then the | e TN and SVID are the TN and SVID o   | f the first | t TN in       |
|                   |                        | For flow B.5.1.2, step 5 should be changed as follow   | ws.          |              |   |             |               |
|                   |                        | 5. If the M-ACTION was successful, NPAC SMS issue or subscriptionVersionRangeObjectCreation M-EVE subscriptionVersionNPAC creation:  | s, depending |              |   |             | ctCreation    |
|                   |                        | subscriptionVersionId  |              |              |   |             |               |
|                   |                        | subscriptionTN subscriptionOldSP subscriptionNewCurrentSP subscriptionNewSP-CreationTime subscriptionVersionStatus subscriptionNewSP-DueDate   | eStamp       |              |   |             |               |
|                   |                        | If the notification is a subscriptionVersionRangeO the range or list.  | )bjectCreat  | ion then the | e TN and SVID are the TN and SVID o   | f the first | t TN in       |
| NANC<br>335       | LNPA<br>WG<br>10/10/01 | <b>Doc Only Change Order for GDMO:</b> Update GDMO to explain how the Primary/Secondary Service Provider situation works with Range notifications.   | Medium       | GDMO/IIS     | Incorporate into next release of GDMO and IIS.  | N/A         | N/A /<br>N/A  |
|                   |                        | At the end of section 14.0 LNP Subscriptions Managed<br>Object Class add the following text:   |              |              | 11/14/01 – Reviewed at November 2001 LNPA WG meeting. Service Providers to verify internally that this change order does not have an impact on their local systems. |             |               |
|                   |                        | Range notifications are formatted according to the Service   |              |              | Leave in "open" status until December 2001  |             |               |

|                   |                 | Next Documentation  | n Release | Change Or | ders   |      |               |
|-------------------|-----------------|---|-----------|-----------|--|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date | Description   | Priority  | Category  | Proposed Resolution  |      | el of<br>fort |
|                   |                 |   |           |           |  | NPAC | SOA<br>LSMS   |
|                   |                 | Provider Profile. If a Service Provider is an associated Service Provider to a primary Service Provider then the primary Service Provider SOA must be able to accept the notifications in the format indicated in the associated Service Provider Profile.  |           |           | meeting.  12/12/01 – Move to 'accepted'.   |      |               |
| NANC<br>336       | CMA<br>10/25/01 | Doc Only Change Order for IIS: Flows B.4.4.3 and B.4.4.6 have typos that need to be corrected.  The notes at the end of the diagram and the end of the text need to be corrected as follows:  Note at end of diagram currently reads:  NPAC SMS waits for all the subscriptionVersionLocalSMS-CreateResults notifications (default 1 hour)  Should read:  NPAC SMS waits for all the subscriptionVersionLocalSMS-ActionResults notifications (default 1 hour)  Note at end of text currently reads:  The NPAC SMS now waits for all the subscriptionVersionLocalSMS-CreateResults M-EVENT-REPORTs a tunable amount of time (default 1 hour)  Should read:  The NPAC SMS now waits for all the subscriptionVersionLocalSMS-ActionResults M-EVENT-REPORTs a tunable amount of time (default 1 hour) | Low       | IIS       | Incorporate into next release of IIS.  11/14/01 – Reviewed at November 2001 LNPA WG. Service Providers to verify internally that this change order does not have an impact on their local systems. Leave in "open" status until December 2001 meeting.  12/12/01 – Move to 'accepted'. | N/A  | N/A /<br>N/A  |

|                   |   | Next Documentation  | n Release | Change Or | ders   |                    |             |
|-------------------|---|---|-----------|-----------|--|--------------------|-------------|
| Chg<br>Order<br># | Orig. /<br>Date                         | Description   | Priority  | Category  | Proposed Resolution  | Level of<br>Effort |             |
|                   |   |   |           |           |  | NPAC               | SOA<br>LSMS |
| NANC<br>337       | CMA<br>10/25/01                         | Doc Only Change Order for IIS: Flow B.8.3 – note at the beginning of the text needs to be updated.  Currently reads:  Search the subscription database for subscription versions that match the specified mass update criteria. Perform steps c-through-f for the allowable range of subscription versions. The NPAC logs as errors subscription versions that match the mass update criteria but are in the wrong state.  Should read:  Search the subscription database for subscription versions that match the specified mass update criteria. Perform steps <i>I</i> through 4 for the allowable range of subscription versions. The NPAC logs as errors subscription versions that match the mass update criteria but are in the wrong state. | Low       | IIS       | Incorporate into next release of IIS.  11/14/01 – Reviewed at November 2001 LNPA WG. Service Providers to verify internally that this change order does not have an impact on their local systems. Leave in "open" status until December 2001 meeting.  12/12/01 – Move to 'accepted'.   | N/A                | N/A/<br>N/A |
| NANC<br>338       | R3.1 Test<br>Review<br>Group<br>10/5/01 | Doc Only Change Order for FRS: Add requirement for NPAC SMS sending subscriptionVersionDonorSP-CustomerDisconnectDate notifications to the Donor SP SOA when a Number Pool Block De-Pool occurs and update the note in requirement RR5-85.  RR5-85 Currently reads:  RR5-85 Number Pooling Subscription Version Information – Suppression of Notifications  NPAC SMS shall suppress status change and attribute value change notifications to the old and new/current service provider SOA systems for Subscription Versions with LNP Type of POOL. (Previously SV-2)  NOTE: This includes creation, modification, deletion, resend, resync, audits, and mass update. An exception to the   | High      | FRS       | Corresponding IIS Doc Only Change Order is NANC 339  Incorporate into next release of FRS.  11/14/01 – Reviewed at November 2001 LNPA WG. NeuStar has verified that the implementation supports the new requirement. Service Providers to verify internally that this change order does not have an impact on their local systems. Leave in "open" status until December 2001 meeting.  12/12/01 – Move to 'accepted'. | N/A                | N/A/<br>N/A |

|                         |                              | Next Documentation   | n Release     | Change Or                 | ders   |              |               |  |  |  |
|-------------------------|------------------------------|--|---------------|---------------------------|--|--------------|---------------|--|--|--|
| Chg<br>Order<br>#       | Orig. /<br>Date              | Description  | Priority      | Category                  | Proposed Resolution  |              | el of<br>fort |  |  |  |
|                         |                              |  |               |                           |  | NPAC         | SOA<br>LSMS   |  |  |  |
|                         |                              | deletion is the donor disconnect notification in a de-pool situation. This notification will still be sent to the Code Holder, which informs the Code Holder of the responsibility to provide vacant number treatment upon a de-pool of a 1K Block. This notification is the same that is sent for a disconnect of a ported SV in a non-pooling environment. |               |                           |  |              |               |  |  |  |
|                         |                              | (continued)  |               |                           |  |              |               |  |  |  |
| NANC<br>338<br>(cont'd) |                              | RR5-85 is amended to read:   |               |                           |  |              |               |  |  |  |
|                         |                              | 5-85 Number Pooling Subscription Version Information – Suppression of Notifications  |               |                           |  |              |               |  |  |  |
|                         |                              | NPAC SMS shall suppress status change and attribute value ch<br>Versions with LNP Type of POOL. (Previously SV-2)  | ange notifica | tions to the old          | d and new/current service provider SOA systems   | for Subsc    | ription       |  |  |  |
|                         |                              | NOTE: This includes creation, modification, deletion, re-send notification in a de-pool situation. This notification will still b vacant number treatment upon a de-pool of a 1K Block. This renvironment.   | e sent to the | <del>Code Holder, v</del> | which informs the Code Holder of the responsibi  | lity to prov |               |  |  |  |
|                         |                              | Requirement to be added:   |               |                           |  |              |               |  |  |  |
|                         |                              |  |               |                           |  |              |               |  |  |  |
|                         |                              | RR5-85.5 Number Pooling Subscription Version Infor   |               |                           |  |              |               |  |  |  |
|                         |                              | NPAC SMS shall send donor disconnect notifications to the Do   | onor Service  | Provider (Cod             | e Holder) when a Number Pool Block De-pool o   | ccurs.       |               |  |  |  |
| NANC<br>339             | R3.1 Test<br>Review<br>Group | <b>Doc Only Change Order for IIS:</b> Flow B.4.4.24 to include the Donor Disconnect notifications that get sent to the Donor SOA when a Number Pool Block De-pool occurs.  | High          | IIS                       | Corresponding FRS Doc Only Change Order is NANC 338.   | N/A          | N/A /<br>N/A  |  |  |  |
|                         | 10/5/01                      | _  |               |                           | Incorporate into next release of IIS.  |              |               |  |  |  |
|                         |                              | Steps will be inserted in the flow diagram and the flow text between the existing steps 8 and 9 as follows:  |               |                           | 11/14/01 – Reviewed at November 2001<br>LNPA WG. NeuStar has verified that the                 |              |               |  |  |  |
|                         |                              | NPAC SMS sends, depending upon the donor service   |               |                           | implementation supports the new requirement.   |              |               |  |  |  |
|                         |                              | provider's TN Range Notification Indicator, a subscriptionVersionDonorSP-CustomerDisconnectDate or   |               |                           | Service Providers to verify internally that this change order does not have an impact on their |              |               |  |  |  |
|                         |                              | subscription version Donorsi - Customer Disconnect Date of   |               |                           | change order does not have an impact on their  |              | ļ             |  |  |  |

|                   | Next Documentation Release Change Orders    Description   Description |  |          |          |  |                    |              |  |  |  |  |
|-------------------|---|--|----------|----------|--|--------------------|--------------|--|--|--|--|
| Chg<br>Order<br># | Orig. /<br>Date   | Description  | Priority | Category | Proposed Resolution  | Level of<br>Effort |              |  |  |  |  |
|                   |   | subscriptionVersionRangeDonorSP-CustomerDisconnectDate notification to the donor service provider SOA that the subscription version is being disconnect with the customer disconnect date.  The donor service provider SOA confirms the M-EVENT-REPORT.  |          |          | local systems. Leave in "open" status until December 2001 meeting.  12/12/01 – Move to 'accepted'.   | NPAC               | SOA<br>LSMS  |  |  |  |  |
| NANC<br>341       | CMA<br>11/6/01  | Doc Only Change Order for GDMO: Section 7.0 LNP Subscription Version Modify Action – Clarification of allowable modify activities for subscription versions with status of 'conflict'.  Currently reads:  Old service providers can only modify the following attributes for pending or conflict subscription versions:  subscriptionOldSP-DueDate subscriptionStatusChangeCauseCode  Change to read:  Old service providers can only modify the following attributes for pending or conflict subscription versions:  subscriptionOldSP-DueDate subscription versions:  subscriptionOldSP-DueDate subscriptionOldSP-Authorization subscriptionOldSP-Authorization subscriptionStatusChangeCauseCode  If the subscription version has a status of conflict, only the subscriptionOldSP-DueDate can be modified because a subscription version can only be put into conflict one time. | High     | GDMO/IIS | This change order is in conjunction with the NANC 332 FRS Doc Only change order which clarifies requirement RR5-42.1 Conflict Subscription Version – Old Service Provider Number Restriction.  Incorporate into next release of GDMO and IIS.  11/14/01 – Reviewed at November 2001 LNPA WG. Service Providers to verify internally that this change order does not have an impact on their local systems. Leave in "open" status until December 2001 meeting.  12/12/01 – Move to 'accepted'. | N/A                | N/A /<br>N/A |  |  |  |  |
| NANC              | CMA   | <b>Doc Only Change Order for IIS:</b> Flow B.5.1.5 – Text at end   | Low      | IIS      | Incorporate into next release of IIS.  | N/A                | N/A/         |  |  |  |  |

|                   |                 | Next Documentation  | n Release | Change Or | ders  |      |               |
|-------------------|-----------------|---|-----------|-----------|---|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date | Description   | Priority  | Category  | Proposed Resolution   |      | el of<br>fort |
|                   |                 |   |           |           |   | NPAC | SOA<br>LSMS   |
| 342               | 11/6/01         | Of this flow needs clarification.  Currently reads:  For subscription versions that are not being ported to the original service provider's switch, processing continues in the "Active Subscription Version Create on Local SMSs" flow.  For ports to the original service provider's switch, the flow follows an immediate disconnect scenario. The NPAC SMS sets the broadcast timestamp, notifies the service provider SOA of the status change and proceeds to issue M-DELETES for the subscription Version to the Local SMS.  Change to read:  For subscription versions that are not being ported to the original service provider's switch, processing continues in the Flow B.5.1.6.1 - Active Subscription Version  Create on Local SMSs Using Create Action flow.  For ports to the original service provider's switch, the flow follows an immediate disconnect scenario. The NPAC SMS sets the broadcast timestamp, notifies the service provider SOA of the status change and proceeds to issue M-DELETES for the subscription Version to the Local SMS (PTO) follow Flows B.5.1.12 – 'Subscription Version Port-to-Original: Successful' and B.5.1.12.1 – 'Subscription Version Port-to-Original: Successful (continued)'. |           |           | 11/14/01 – Reviewed at November 2001 LNPA WG. Service Providers to verify internally that this change order does not have an impact on their local systems. Leave in "open" status until December 2001 meeting.  12/12/01 – Move to 'accepted'. |      | N/A           |

Release 3.1 Change Orders

|                   |                                | Release 3.  | 1 Change |                             |   |               |   |
|-------------------|--------------------------------|---|----------|-----------------------------|---|---------------|---|
| Chg<br>Order<br># | Orig. /<br>Date                | Description   | Priority | Category                    | Proposed Resolution   |               | el of<br>fort   |
|                   |                                |   |          |                             |   | NPAC          | SOA<br>LSMS   |
| NANC<br>179       | Lockheed<br>Martin<br>11/25/97 | TN Range Notifications Currently notifications for TN range related operations come as individual notifications for each TN in the range. It has been suggested that the notifications for all TN's in a range be combined into one notification.  After further analysis, it was determined that this should be revised to include all appropriate status attribute value changes and attribute value changes, plus return to donor notifications.   | Medium   | FRS, IIS,<br>GDMO,<br>ASN.1 | Func Backwards Compatible: NO  An additional write-up of this change order implementation was provided to the group. Lockheed is currently doing some preliminary sizing.  SPs should be discussing the downsized version internally.  Refer to R4 Change Orders for current proposed resolution.  July 2001: Change Order moved into R3.1 package.   | Med           | Med-<br>High /<br>N/A                                   |
| NANC<br>240       | LNPA<br>WG<br>10/15/98         | No cancellation of SVs Based on Expiration of T2 Timer During the discussion of NANC 198, it was mentioned that Service Providers end up doing more work if the NPAC cancels an SV, at the expiration of the T2 timer, when a New SP does NOT send up a matching Create message.  Therefore, this change order has been opened to explore the possibility of changing the NPAC to cancel the SV, "at some later date", than the expiration of T2, which is what the current functionality requires (R5-23.4 New Service Provider Fails to Authorize Transfer of Service).  This change order is related to NANC 198.  During the Sep LNPA-WG meeting, another option was proposed by Ameritech. After T2 has expired and the New SP has NOT sent up a matching SV create, the NPAC SMS sets the SV to conflict (instead of cancel). The conflict would go to cancel after a tunable (currently set to 30) number of days (i.e., self cleaning), reference tunable "Conflict Expiration Window". | High     | FRS, IIS,<br>GDMO,<br>ASN.1 | Func Backwards Compatible: NO  Jim will look into NPAC functionality to determine if there are any issues.  Service Providers should evaluate internal issues with the LSR/FOC process, as well as operational impacts that may occur if this change order is implemented. Specifically, the New SP should evaluate if they could use the T1 expiration timer notification, as a mechanism to take an action, and send up the matching Create message to the NPAC.  MCI has requested that the following be considered for the processing steps:  When the T2 timer expires before a new SP Create message is received by NPAC, the NPAC shall: | Med /<br>High | ?/N/A<br>(?<br>depends<br>on<br>implem<br>entation<br>) |

|                        |                       | Release 3.  | 1 Change | Orders  |   |   |                                       |
|------------------------|-----------------------|---|----------|---|---|---|---------------------------------------|
| Chg<br>Order<br>#      | Orig. /<br>Date       | Description   | Priority | Category  | Proposed Resolution   |   | el of<br>fort                         |
|                        |                       |   |          |   |   | NPAC  | SOA<br>LSMS                           |
|                        |                       |   |          |   | 1. send notification to both old SP and new SP that T2 timer has expired, and 2. start the T3 timer (tunable).  Upon receipt of the new SP create before expiration of the T3 timer, the NPAC shall stop the T3 timer.  (continued)   |   |                                       |
| NANC<br>240<br>(con't) | Continued             |   |          | NPAC, the N  1. cancel the second property of the T2 timer. Cancel into second T2 timers.  Move to accedecided on the option propose hashed out with the T2 timer. Cancel into second T2 timers.  Move to accedecided on the option propose hashed out with the T2 timer. | cation to both old SP and new SP that pending S'SP create.  G (Dallas), spirited discussion by the group. On we determine we do NOT want the NPAC to auto T2 (and want some later date), then we need to so Need to add the option that we may need to income type of housekeeping, and not have it schedus.  pted, even though the words are still very uncert e actual solution, and we need to perform further sed by MCI is just one of several potential option then this change order gets prioritized to a specific change Orders for current proposed resolution.  hange Order moved into R3.1 package. | V is canced thing to cancel at eparate this proporate that ain, we have analysis. | keep in the is from is auto oday's T1 |
| NANC<br>294            | LNPA<br>WG<br>8/11/99 | Changing Due Date Edit Functionality in the NPAC SMS for 7pM on Due Date Problems Service Providers involved in last minute emergency porting | High     | FRS, IIS,<br>GDMO   | Pure Backwards Compatible: YES  Aug LNPAWG (Portland), the group talked   | Med   | N/A /<br>N/A                          |

|                   |                 | Release 3.  | 1 Change | Orders   |   |      |               |
|-------------------|-----------------|---|----------|----------|---|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date | Description   | Priority | Category | Proposed Resolution   |      | el of<br>fort |
|                   |                 | situations, cannot create/concur/activate SVs that are created  |          |          | about two options: 1.) change the NPAC SMS  | NPAC | SOA<br>LSMS   |
|                   |                 | after 7p (eastern standard time) on the due date. Since those created after 7p EST, equate to after midnight GMT the next day on the NPAC SMS, the old SP cannot concur to the port, and the new SP cannot activate at this point in time since timers have not expired.  Sep LNPAWG (Chicago), after much discussion the group agreed that this problem exists for initial creates as well as concurs, if either one happens after 7p EST.  Option #1 from Portland is a huge effort, and does not resolve the issue (it just narrows the window). Option #2 from Portland was deemed to be the best solution at this point. However, the back-dating needs to be limited to ensure this functionality does not open the window for "pamming" (port slamming)  Oct LNPAWG (KC), the back-dating capability allows the SP (local side thinks it's still the current date) to send a previous day's date, even though the NPAC has already rolled to the next day.  This back-dating still allows an SP to send up yesterday's date with zeros in the time portion. This will accommodate SPs that always sends all zeros in SV create messages (even though this would be more than the 4-10 hour back-dating range). |          |          | to run and store in central time; 2.) change the NPAC SMS edit to allow a concurrence in the past (i.e., back-dated concurrence). It was noted that the first option still has a problem with ports in the western region, west coast region, and hawaii, albeit the problem window is smaller. This will be discussed in more detail next month.  Sep LNPAWG (Chicago), using option #2, a new tunable ("Back-Dating Due Date Differential") per region would only open the window for back-dating to the largest differential time zone in that region from the NPAC (i.e., from a map perspective, the left most time zone ["prevailing time zone"] in that specific region). The time zone would be adjusted for standard/daylight, and the tunable would have a valid range of 4-10 hours (4 hours is EDT, 10 hours is Hawaiian standard time).  Oct LNPAWG (KC), the desired functionality may require two tunables per region (to account for both standard time and daylight time).  July 2001: Change Order moved into R3.1 package. |      |               |
| NANC<br>305       | CMA<br>1/24/00  | R3 ASN.1 documentation-only updates  1. SystemType ::= ENUMERATED {     soa(0),     local-sms(1),     soa-and-local-sms(2), value not         supported   |          | ASN.1    | Pure Backwards Compatible: YES  July 2001: Document Only change included in ASN.1 Version 3.1.0. Not part of the Release 3.1 SOW.   | N/A  | N/A           |

|                   | Release 3.1 Change Orders |  |          |          |   |      |               |  |  |  |
|-------------------|---------------------------|--|----------|----------|---|------|---------------|--|--|--|
| Chg<br>Order<br># | Orig. /<br>Date           | Description  | Priority | Category | Proposed Resolution   | 1    | el of<br>fort |  |  |  |
|                   |                           |  |          |          |   | NPAC | SOA<br>LSMS   |  |  |  |
|                   |                           | npac-sms(3) value is only valid for AccessControl definition  }  The comment for the second enumeration should be changed from "value not supported" to "it is assumed this value will not be sent by any local system".   |          |          |   |      |               |  |  |  |
| NANC<br>324       | AT&T<br>01/25/01          | IIS Document Only Change – Flow B.5.4.7.3: Subscription Version Disconnect With Effective Release Date  The text in line 5 of the flow is incorrect.  Currently it states  |          | IIS      | February 2001 meeting: Accepted  July 2001: Document Only change included in IIS Version 3.1.0. Not part of the Release 3.1 SOW.  | N/A  | N/A /<br>N/A  |  |  |  |
| NANC<br>325       | AT&T<br>01/25/01          | GDMO Document Only Change – 4.0 LNP Subscription  Version Cancel Action  Need to add some additional text to the subscriptionVersionCancelBehavior BEHAVIOUR  Postconditions to cover the cancellation of a disconnect-pending.  Current text:  subscriptionVersionCancelBehavior BEHAVIOUR  Postconditions: The service provider has set the version status |          | GDMO     | February 2001 meeting: Accepted  July 2001: Document Only change included in GDMO Version 3.1.0. Not part of the Release 3.1 SOW. | N/A  | N/A /<br>N/A  |  |  |  |

|                   |                  | Release 3.  | 1 Change | Orders   |  |      |               |
|-------------------|------------------|---|----------|----------|--|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date  | Description   | Priority | Category | Proposed Resolution  |      | el of<br>fort |
|                   |                  |   |          |          |  | NPAC | SOA<br>LSMS   |
|                   |                  | to cancel-pending if the other service provider has concurred, or to cancel if the other service provider has not concurred. An error will be returned if there is no version that can be canceled or the service provider is not authorized.  Proposed text:  subscriptionVersionCancelBehavior BEHAVIOUR  Postconditions: If the status was pending or conflict, the service provider has set the version status to cancelpending if the other service provider has concurred, or to cancel if the other service provider has not concurred. If the status was disconnect-pending, the service provider has set the version status back to active. An error will be returned if there is no version that can be canceled or the service provider is not authorized. |          |          |  |      |               |
| NANC<br>326       | AT&T<br>02/02/01 | IIS Document Only Change – Flow B.5.6: Subscription Version Query  The query return data list in step 2 is missing one item. It should contain "subscriptionVersionId".  Currently it states:  The query return data includes:  subscriptionTN (SOA, LSMS) subscriptionLRN (SOA, LSMS) subscriptionNewCurrentSP (SOA, LSMS)  Change to:  The query return data includes:  |          | IIS      | February 2001 meeting: Accepted  July 2001: Document Only change included in IIS Version 3.1.0. Not part of the Release 3.1 SOW. | N/A  | N/A /<br>N/A  |

|                         |                    |  | Release 3.  | 1 Change         | Orders            |  |  |      |                |
|-------------------------|--------------------|--|---|------------------|-------------------|--|--|------|----------------|
| Chg<br>Order<br>#       | Orig. /<br>Date    | Descriptio   | on  | Priority         | Category          | Propo  | sed Resolution   |      | vel of<br>fort |
|                         |                    |  |   |                  |                   |  |  | NPAC | SOA<br>LSMS    |
|                         |                    | subscription Version Id<br>subscription TN (SOA, LSM<br>subscription LRN (SOA, LSM<br>subscription New Current SP<br>  | MS)<br>SMS)   |                  |                   |  |  |      |                |
| NANC<br>327             | NeuStar<br>3/19/01 | FRS Document Only Change – Up System Tunables  Currently the Subscription Tunables Short Business Days and Long Busit tunables. Per requirements RR3-11 incorrect. Requirement RR3-11 stat business days shall be Monday throu NPAC operations-defined holidays" states "NPAC SMS long business day through Saturday excluding NPAC of holidays".  (continued) | Table in Appendix C has ness Days listed as and RR3-30 this is es "NPAC SMS short 19th Friday excluding Requirement RR3-30 the sys shall be Monday  |                  | FRS               | Business Days and from the Subscrip Appendix C of the April 2001 Meeti will be made in the date  July 2001: Documents Documents Days and Francisco | tion: Remove the Short d Long Business Days items tion Tunables Table in e FRS.  ng: Accepted. The update e next release of the FRS,  ment Only change included 0. Not part of the Release | N/A  | N/A /<br>N/A   |
| NANC<br>327<br>(cont'd) | Current Tab        | ole:   | SUBSC   | RIPTION          | TUNABLI           | ES   |  |      |                |
|                         |                    |  | Tunable Name  | Default<br>Value | Units             | Valid Range  |  |      |                |
|                         |                    |  | Long Initial<br>Concurrence Window  | 9                | business<br>hours | 1-72   |  |      |                |
|                         |                    |  | The hours subsequent to the time the subscription version was initially created by which both Service Providers using long timers are expected to authorize transfer of service if this is an Inter-Service Provider port. (T1 timer) |                  |                   |  |  |      |                |
|                         |                    |  | •••   |                  |                   |  |  |      |                |

|                   |                 |            | Release 3.1  | 1 Change                       | Orders            |                    |                |      |               |
|-------------------|-----------------|------------|--|--------------------------------|-------------------|--------------------|----------------|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date | Descriptio | n  | Priority                       | Category          | Propo              | sed Resolution |      | el of<br>Fort |
|                   |                 |            |  |                                |                   |                    |                | NPAC | SOA<br>LSMS   |
|                   |                 |            | SUBSC  | RIPTION                        | TUNABLE           | ES                 |                | -    |               |
|                   |                 |            | Tunable Name   | Default<br>Value               | Units             | Valid Range        |                |      |               |
|                   |                 |            |  |                                |                   |                    |                |      |               |
|                   |                 |            | Long Business Day Star<br>Time   | rt TBD                         | hh:mm             | 00:00 - 24:00      |                |      |               |
|                   |                 |            | Parameter tunable to the long business days.   | value specifi                  | ed by the conti   | racting region for |                |      |               |
|                   |                 |            | Short Business Days  | Monday<br>– Friday             |                   | Monday –<br>Sunday |                |      |               |
|                   |                 |            | The business days availal business days.   | ble for Service                | ce Providers us   | sing short         |                |      |               |
|                   |                 |            | <b>Long Business Days</b>  | Monday<br>– Sat.               | Days              | Monday -<br>Sunday |                |      |               |
|                   | (continued)     |            | The business days availabusiness days.   | ble for Service                | ce Providers us   | sing long          |                |      |               |
| NANC              | Revised Tal     | ole:       |  |                                |                   |                    | <u> </u>       |      |               |
| 327 (cont'd)      |                 |            | SUBSC  | RIPTION                        | TUNABLE           | ES                 |                |      |               |
|                   |                 |            | Tunable Name   | Default<br>Value               | Units             | Valid Range        |                |      |               |
|                   |                 |            | Long Initial<br>Concurrence Window   | 9                              | business<br>hours | 1-72               |                |      |               |
|                   |                 |            | The hours subsequent to initially created by which are expected to authorize Provider port. (T1 timer) | both Service<br>transfer of se | e Providers usi   | ing long timers    |                |      |               |

|                   |                               |   | Release 3.1  | Change           | Orders         |  |  |      |                |
|-------------------|-------------------------------|---|--|------------------|----------------|--|--|------|----------------|
| Chg<br>Order<br># | Orig. /<br>Date               | Description   | on   | Priority         | Category       | Propo  | sed Resolution   |      | vel of<br>fort |
|                   |                               |   |  |                  |                |  |  | NPAC | SOA<br>LSMS    |
|                   |                               |   | SUBSCI   | RIPTION          | TUNABLE        | ES   |  |      |                |
|                   |                               |   | Tunable Name   | Default<br>Value | Units          | Valid Range  |  |      |                |
|                   |                               |   | •••  |                  |                |  |  |      |                |
|                   |                               |   |  |                  |                | 1  |  |      |                |
|                   |                               |   | Long Business Day Star<br>Time   | t TBD            | hh:mm          | 00:00 - 24:00  |  |      |                |
|                   |                               |   | Parameter tunable to the volume long business days.  | value specifi    | ed by the cont | racting region for   |  |      |                |
|                   |                               |   |  |                  |                |  |  |      |                |
|                   |                               |   |  |                  |                |  |  |      |                |
|                   |                               | ,   |  |                  |                |  |  |      |                |
| NANC<br>328       | Wireless<br>Ops SC<br>3/20/01 | Business Need: Currently, per RR3 NPAC SMS has Long Business Day through Saturday excluding NPAC of holidays. This means that short time through Saturday. Wireless Service I timers to run on Sundays as well so hour window on all days of the weel Business Days need to be Monday th April 2001 LNPA WG Meeting: AT that the change order include making tunable also. The LNPA WG accept  Description of Change: Wireless S requesting that Long Business Days | -30 in the FRS, the s defined as Monday operations-defined ers only run Monday Providers need short they can port in a 2½ c. To meet this need Long brough Sunday.  & T Broadband requested g Short Business Days a ed this request. | High             | FRS            | requested that the making Short Bus This was accepted CMA was directe accordingly and p 2001 meeting.  May 2001 Meetin Short Business Descriptions | ing: AT&T Broadband change order include siness Days a tunable also. If by the LNPA WG and the doto revise the change order present it again at the May and the May mg: Modifications to include | Low  | N/A /<br>N/A   |

|                         |                     | Release 3.   | 1 Change  | Orders   |  |             |               |
|-------------------------|---------------------|--|---|--|--|-------------|---------------|
| Chg<br>Order<br>#       | Orig. /<br>Date     | Description  | Priority  | Category   | Proposed Resolution  |             | el of<br>fort |
|                         |                     |  |   |  |  | NPAC        | SOA<br>LSMS   |
|                         |                     | with a default value of Monday through Sunday.   |   |  |  |             |               |
|                         |                     | April 2001 LNPA WG Meeting: The change order will be revised to make both Long and Short Business Days a tunable.  |   |  |  |             |               |
|                         |                     | (cont'd)   |   |  |  |             |               |
| NANC<br>328<br>(cont'd) |                     | Initial Requirements:  Req 1 Long Business Days Tunable Parameter NPAC SMS shall provide a Long Business Days tunable parancalculation excluding NPAC operations-defined holidays.  Req 2 Long Business Days Tunable Parameter – Default NPAC SMS shall default the Long Business Days tunable parancer Req 3 Long Business Days Tunable Parameter – Valid Vane NPAC SMS shall use days of the week as valid values for the Insert Req 4 Short Business Days Tunable Parameter NPAC SMS shall provide a Short Business Days tunable parancalculation excluding NPAC operations-defined holidays.  Req 5 Short Business Days Tunable Parameter – Default NPAC SMS shall default the Short Business Days tunable parancer (SMS Shall default the Short Business Days tunable parancer (SMS SMS Shall default the Short Business Days tunable parancer (SMS SMS Shall use days of the week as valid values for the SMS SMS SMS SMS SMS SMS SMS SMS SMS SM | Value meter to Monulues Long Busines meter that def Value meter to Monulues Short Busines | nday through S s Days tunable fines the days of hday through I ss Days tunable | Sunday.  e parameter.  of the week that are valid for operations involving  Friday.  e parameter.  | ng business | time          |
| NANC<br>329             | NeuStar<br>06/13/01 | Prioritization of SOA Notifications  Business Need: With the deployment of the NPAC Release 3.0 in the Northeast region a SOA – NPAC Interface problem has surfaced. The improved performance of NPAC Release 3.0 and the faster hardware platform that this software is   | High  | FRS  | Func Backwards Compatible: YES  June 2001 meeting: CMA to work with NeuStar to develop first draft of the requirements which will be reviewed by the | Med         | N/A /<br>N/A  |

|                       |                 | Release 3.   | 1 Change | Orders   |  |      |               |
|-----------------------|-----------------|--|----------|----------|--|------|---------------|
| Chg<br>Order<br>#     | Orig. /<br>Date | Description  | Priority | Category | Proposed Resolution  |      | el of<br>fort |
|                       |                 |  |          |          |  | NPAC | SOA<br>LSMS   |
|                       |                 | running on is resulting in transactions being processed for broadcast to the industry quicker than the SOA – NPAC interface can transmit them. During peak periods the interface cannot support the volumes of notifications that the NPAC SMS is generating, thus there is a long delay in notification delivery that results in operational issues. At the current time it is the ILEC that is primarily affected by this problem because the ILEC receives the largest volume of SOA notifications but the problem has the potential of affecting any Service Provider. The NAPM, LLC has decided not to go forward with the deployment of NPAC Release 3.0 until this interface problem has been mitigated. NeuStar is proposing that SOA Notifications be prioritized and transmitted over the interface based on priority. This would allow for more timely delivery of Service Providers high priority notifications. |          |          | LNPA WG via Conference Call on Thursday, 06/28/2001.  Jul 2001 meeting: Accepted. Change Order included in R3.1 package. |      |               |
| NANC<br>329<br>cont'd |                 | Description of Change: Currently SOA notifications are not prioritized so they are generated by the NPAC SMS and then transmitted on a 'first in, first out' basis. During a large porting volume peak this model can produce major delays in the transmission of notifications through the SOA – NPAC interface, resulting in operational issues. This change order would prioritize SOA notifications and allow requests and notifications with the highest priority to be transmitted first. The SOA notifications would have five categories: high, medium, low, and none. The category of none would indicate that a Service Provider did not want to receive a particular notification. One of the other three categories would be assigned to each notification on a per region basis. A Service Provider would have the option of overriding the default value.  |          |          |  |      |               |
| NANC<br>330           | TSE<br>07/13/01 | IIS Document Only Changes to Multiple Flows:  Flow B.4.4.3, step 5 of the flow diagram  Correct "subscriptionVersionLocalSMS-CreateResults"  | Low      | IIS      |  | N/A  | N/A<br>/N/A   |

|                         |                 | Release 3.  | 1 Change | Orders   |                     |      |               |
|-------------------------|-----------------|---|----------|----------|---------------------|------|---------------|
| Chg<br>Order<br>#       | Orig. /<br>Date | Description   | Priority | Category | Proposed Resolution |      | el of<br>fort |
|                         |                 |   |          |          |                     | NPAC | SOA<br>LSMS   |
|                         |                 | notification in the flow pictures to be."subscriptionVersionLocalSMS-ActionResults".  |          |          |                     |      |               |
|                         |                 | Flow B.4.4.6, step 5 of the flow diagram Correct "subscriptionVersionLocalSMS-CreateResults" notification in the flow pictures to be."subscriptionVersionLocalSMS-ActionResults".   |          |          |                     |      |               |
|                         |                 | Flow B.4.4.8, step 9 of the flow diagram Correct "subscriptionVersionLocalSMS-CreateResults" notification in the flow pictures to be."subscriptionVersionLocalSMS-ActionResults".   |          |          |                     |      |               |
|                         |                 | Flow B.5.1.6.1, step 3 of the flow diagram Correct "subscriptionVersionLocalSMS-CreateResults" notification in the flow pictures to be."subscriptionVersionLocalSMS-ActionResults".   |          |          |                     |      |               |
|                         |                 | Flow B.5.3.1, steps 5 & 7 of the flow diagram Correct "M-EVENT-REPORT attributeValueChange" to be "M-EVENT-REPORT subscriptionVersionAttributeValueChange".   |          |          |                     |      |               |
|                         |                 | continued   |          |          |                     |      |               |
| NANC<br>330<br>(cont'd) |                 | Flow B.5.3.1.1 Step 4 of the flow picture Correct "subscriptionversionNewSP- CancellationAcknowledge" to be "subscriptionversionOldSP- CancellationAcknowledge". Step 8 of the flow picture Delete "subscriptionVersionStatus=canceled". Step 9 of the flow picture Add "subscriptionVersionStatus=canceled". |          |          |                     |      |               |
|                         |                 | Flow B.5.3.2 Correct the flow picture to match the text steps.  |          |          |                     |      |               |

|                   |                 | Release 3.  | 1 Change | Orders   |                     |      |               |
|-------------------|-----------------|---|----------|----------|---------------------|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date | Description   | Priority | Category | Proposed Resolution |      | el of<br>fort |
|                   |                 |   |          |          |                     | NPAC | SOA<br>LSMS   |
|                   |                 | Flow B.5.5.4 Correct title of flow from "Subscription Version Conflict by Old Service Provider Explicitly Not Authorizing (First Create)" to "Subscription Version Conflict by Old Service Provider Explicitly Not Authorizing (2nd Create)".  Flow B.6.4 Correct the flow picture to match the text steps.   |          |          |                     |      |               |
| NANC<br>331       | TSE<br>08/06/01 | <ul> <li>IIS Document Only Changes - Add missing flow for Subscription Version Create: Failure to Receive Response from New SOA after "Initial Concurrence Window" Expiration</li> <li>This scenario shows no response within "Initial Concurrence Window" by the new service provider.</li> <li>In this case, the old service provider SOA issued the create request. The NPAC SMS has issued the ObjectCreation M-EVENT REPORT back to both the old and new service provider SOAs. No response has yet been received by the new service provider SOA.</li> <li>A new flow will be created to match the following text:</li> <li>NPAC SMS does not receive a response from the new service provider SOA within the "Initial Concurrence Window" for the pending subscriptionVersionNPAC created by the old service provider SOA.</li> <li>NPAC SMS sends the new service provider, depending upon the new service provider's TN Range Notification Indicator, a subscriptionVersionNewSP-CreateRequest M-EVENT-REPORT.</li> <li>The new service provider SOA returns an M-EVENT REPORT confirmation to the NPAC SMS.</li> <li>New service provider has up to the "Final Concurrence</li> </ul> | Low      | IIS      |                     | N/A  | N/A<br>/N/A   |

|                   | Release 3.1 Change Orders |   |          |          |                     |      |               |  |  |  |  |
|-------------------|---------------------------|---|----------|----------|---------------------|------|---------------|--|--|--|--|
| Chg<br>Order<br># | Orig. /<br>Date           | Description   | Priority | Category | Proposed Resolution |      | el of<br>Cort |  |  |  |  |
|                   |                           |   |          |          |                     | NPAC | SOA<br>LSMS   |  |  |  |  |
|                   |                           | Window" to respond to the request.  If the new service provider SOA responds with a valid M-ACTION or M-SET, processing resumes as a successful create. |          |          |                     |      |               |  |  |  |  |

Release 4.0 Change Orders

|                   |                 | Release 4.   | 4.0 Change<br><b>0 Change</b> |                             |   |                    |               |
|-------------------|-----------------|--|-------------------------------|-----------------------------|---|--------------------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date | Description  | Priority                      |                             | <b>Proposed Resolution</b>  | Level of<br>Effort |               |
| TI TI             |                 |  |                               |                             |   | NPAC               | SOA<br>LSMS   |
|                   |                 | 01/02/02 – Since NPAC Release 4.0 is not goi<br>the CMA has removed all change orders fro<br>into the "Accepted"   | <u>om this se</u>             | ction and in                | tegrated in numerical order   |                    |               |
| HLL 130           | AT&T-<br>1/6/97 | Application Level Errors Errors in the SOA and LSMS interfaces are being treated as CMIP errors and it may sometimes be difficult for a SOA to know the true reason for an error from the NPAC SMS and therefore indicate a meaningful error message to its users. It has been requested that application level errors be defined where appropriate and returned as text to the SOA.   | High                          | FRS, IIS,<br>GDMO,<br>ASN.1 | Func Backwards Compatible: NO  Application level errors would be defined in the IIS.  Refer to R4 Change Orders for current proposed resolution.  | High               | High/<br>High |
| NANC<br>138       | CMA<br>8/11/97  | Definition of Cause Code Values — REVISITED  NANC 54 defined the eause code values and the FRS was tobe updated. Due to an oversight this update was not made in the FRS. The change was going to be applied in FRS 1.4 and 2.2. However, a discrepancy as found. The defined values specified in NANC 54 where are as follows:  The values less than 50 were reserved for SMS NPAC internal use.  Other defined values are:  0 — NULL (DO NOT MODIFY) 1 — NPAC automatic cancellation 50 — LSR Not Received 51 — FOC Not Issued 52 — Due Date Mismatch 53 — Vacant Number Port 54 — General Conflict  In the table in the FRS the following cause code is defined:— | Medium<br>Low                 | FRS                         | Fune Backwards Compatible: NO  Update to be made to the FRS.  Pending review by the vendors. Lockheed-does not set a cause code when the NPAC-SMS automatically puts a cancelled order into conflict. Perot is reviewing their implementation.  There is not a requirement in the FRS for a cause code of NPAC SMS Automatic Conflict from Cancellation.  Operations flows are being reviewed. Infigure 6, box 3.  Perot like Lockheed, does not use the cause code in question.  A SOA vendor has been asked to evaluate the | Low                | Low/<br>Low   |

|                        |                 | Release 4.  | 0 Change  | Orders   |  |      |               |  |
|------------------------|-----------------|---|---|--|--|------|---------------|--|
| Chg<br>Order<br>#      | Orig. /<br>Date | Description   | Priority  | Category   | Proposed Resolution  |      | el of<br>fort |  |
|                        |                 |   |   |  |  | NPAC | SOA<br>LSMS   |  |
|                        |                 | NPAC SMS Automatic Conflict from Cancellation  There is no corresponding code defined in Change Order NANC 54. Is there a numeric value or is this cause code valid?  |   |  | impact of not receiving a cause code value with a status of conflict.  Flows in Appendix A also need to be updated.  |      |               |  |
| NANC<br>138<br>(cont.) | Continued       | Requirements for the cause code addition would be as follows:  RR5-36 should be renumbered to RR5-36.2.   |   |  | Awaiting sizing from NPAC vendors, and valid functionality (reference existing requirements) to conflict.  |      |               |  |
|                        |                 | RR5-36.1 Cancel Subscription Version – Cause Code for New Expiration  | SOA vendors heard from to date do not have a problem with the eause code not being present.  This is an "OLD" Pelasse 2.0 change and at that has been recorded. |  |  |      |               |  |
|                        |                 | NANC SMS shall set the cause code to "NPAC SMS Automatifrom Cancellation" after setting the Subscription Version status from cancel-pending when the new Service Provider has not acknowledged cancellation after the Cancellation-Final Concur Window. |   | This is an "OLD" Release 2.0 change order, that into the "Accepted" category, awaiting prioritiz Refer to R4 Change Orders for current propose | eation   |      |               |  |
|                        |                 | 2 will be the value defined for the "NPAC SMS Automatic Con<br>Cancellation" cause code.  | nflict from   |  |  |      |               |  |
| NANC<br>187            | AT&T<br>1/7/98  | Linked Action Replies It has been requested that all action replies be reviewed to determine if they should be linked replies.  | High  | FRS, IIS,<br>GDMO  | Fune Backwards Compatible: NO Related to NANC 186 and NANC 183.  | Med  | Med /<br>Med  |  |
|                        |                 | Sep 99 LNPA-WG (Chicago), it was requested to merge the NANC 186 text into this change order.   |   |  | Actions that were identified as issues were the network and subscription version recovery actions. It is suggested that service providers  |      |               |  |
|                        |                 | NANC 186 text It has been requested that the notification recovery action reply be a linked reply. This would be done to control the size of the response sent back to the Local SMS systems.   |   |  | that cannot handle large PDUs request-<br>network or subscription version recovery in<br>smaller time intervals. A request has been<br>made to Lockheed to document this in M&P. |      |               |  |
|                        |                 |   |   |  | NANC 186 text Related to ILL 79, NANC 183, and NANC 184. As a work around to the large PDU size in the interim. It is suggested  |      |               |  |

|                   |                     | Release 4.   | 0 Change | Orders       |  |      |               |
|-------------------|---------------------|--|----------|--------------|--|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date     | Description  | Priority | Category     | Proposed Resolution  |      | el of<br>fort |
|                   |                     |  |          |              |  | NPAC | SOA<br>LSMS   |
|                   |                     |  |          |              | that service providers that cannot handle large PDUs request notification recovery in smaller time intervals.  |      |               |
|                   |                     |  |          |              | Refer to R4 Change Orders for current proposed resolution.   |      |               |
| NANC<br>191       | Ameritech 1/19/1998 | DPC/SSN value edits It has been requested that DPC and SSN values be edited to make sure that if a SSN is specified that the DPC is specified. This functionality was requested due to a problem with a large port were the DPC and SSN information entered by the originator was invalid. Currently the NPAC SMS does no validity checks on the SSN and DPC information other than it is of the format and type defined in the IIS and FRS. | High     | FRS,<br>GDMO | Pure Backwards Compatible: YES  The edits need to be verified by industry experts to insure they are correct. Gary Sacrahas taken an action item to obtain more information from T1/S1.6.  The following information was provided by Gary for DPC/SSN edits:  The 9-digit point code (DPC) is broken down into three components: 3-digit  Network ID - valid range=001-255  3-digit Cluster ID - valid range=000-255  3-digit Member number - valid range=000-255  Subsystem Number (SSN) is a separate three digit number with a valid range of 000-255.  It does not make sense in the network to have a DPC without an SSN or vice versa.  Refer to R4 Change Orders for current proposed resolution. | Low  | N/A/-<br>N/A  |

|                   |   | Release 4.   | 0 Change | Orders                      |  |             |                |
|-------------------|---|--|----------|-----------------------------|--|-------------|----------------|
| Chg<br>Order<br># | Orig. /<br>Date                         | Description  | Priority | Category                    | Proposed Resolution  |             | el of<br>fort  |
|                   |   |  |          |                             |  | NPAC        | SOA<br>LSMS    |
| NANC<br>192       | T&O<br>Conferenc<br>e Call<br>1/23/1998 | NPA Split NPAC SMS Load File It was requested that a file be used to load NPA Split- information into the NPAC SMS. This would prevent manual data entry that could introduce errors when entering the NPA Split information.  | High     | FRS, IIS                    | Pure Backwards Compatible: YES  John Malyar from Bellcore gathered some information for the group as to whom, how, and when for files containing the data that are distributed in the industry currently.  John indicated that NANPA identifies and announces the split. The LERG has tools to pull data for a split and distribute it electronically. This is one source from which a file can be obtained.  Refer to R4 Change Orders for current proposed resolution. | Med         | N/A/<br>N/A    |
| NANC<br>200       | AGCS<br>2/28/1998                       | Notification of NPA Splits It has been requested that to facilitate synchronization during NPA split, the NPAC via the mechanized interface should notify the SOA and LSMSs. The preferred method would be to have a new managed object that contains all split information. It would still be up to the respective system to perform the splits, but all systems would be in sync. A second alternative would be to have the NPAC issue a notification that states the NPAC is start/ending split processing.   | High     | FRS, IIS,<br>GDMO,<br>ASN.1 | Fune Backwards Compatible: NO  This change order is related to change order NANC 192 that proposes getting the split information from the LERG.  Refer to R4 Change Orders for current proposed resolution.  | Med/<br>Low | Med /-<br>Med  |
| NANC<br>217       | Sprint<br>5/22/1998                     | Mass Update of SPID It has been requested that Mass Update functionality be enhanced to allow SPID to be changed for all network data and subordinate subscription data. The current NPAC functionality allows mass updates to LRN, GTT data, and optional data (e.g., billing ID) for all active subscriptions currently serviced by that specific Service Provider, by NPANXX.  Having this functionality would facilitate a situation where one Service Provider (SP1) purchases/merges with another Service Provider (SP2), and all LNP data needs to be | High     | HS, FRS                     | Func Backwards Compatible: NO  After much discussion on the 7/8/98 telecon, it was decided that the scope of this change order is huge, and its frequency of use is undetermined at this point in time (speculation is relatively small).  Additionally, AT&T requested that all SPs look at the possibility of performing some type of database migration/conversion instead of having the NPAC perform all of the  | High        | High /<br>High |

|                        |                 | Release 4.   | 0 Change | Orders   |  |  |   |
|------------------------|-----------------|--|----------|--|--|--|---|
| Chg<br>Order<br>#      | Orig. /<br>Date | Description  | Priority | Category   | Proposed Resolution  | Lev<br>Eff   | el of<br>ort  |
| ,,,                    |                 |  |          |  |  | NPAC   | SOA<br>LSMS   |
|                        |                 | consolidated into a single SPID (on the NPAC).  Today, the NPAC requires all active subscriptions to be disconnected, and all pending subscriptions to be cancelled, by NPA-NXX for all NPA-NXXs owned by SP2. Next, SP2 would delete all LRNs, then delete all NPA-NXXs. SP1 would then have to add the NPA-NXXs and LRNs that were just deleted by SP2. Finally, the pending and activated SVs would need to be "re-created" under the presumption that SP1 is now the code holder for the NPA-NXXs.  The proposed solution with this change order is the NPAC would perform all of this processing "under the sheets", and not require SP1 and SP2 to perform all of these steps.  The issue of notifications (whether to send or suppress) is NOT addressed at this point in time. |          |  | updates, then have to broadcast to all SPs.— The database migration/conversion could- potentially be accomplished by using a new- NPAC "bulk download file" to update the local database.  The current position for this change order is to have a brief discussion at the Wed, 7/15- meeting in Chicago. The group will seek- volunteers for a sub-committee to further analyze this change order in the context of how to accomplish a "merger" using today's functionality, and investigate potential solutions using a "bulk download file" approach, and a full NPAC solution with notifications across the interface.  July T&O (Chicago). Beth Watkins (AT&T) agreed to coordinate the first telecon for this sub-committee.  (continued) |  |   |
| NANC<br>217<br>(con't) | Continued       | After further analysis it was determined that the current NPAC implementation includes 23 tables that contain a customer SPID. Each will have to addressed (at a business level) to determine correct NPAC processing should the SPID be modified.  The other issues to determine include:  1. length of time to complete this update. 2. which notifications need to be sent out over the SOA interface, since we are modifying numerous objects. 3. what do we do with current Network and Subscription records (update them with new SPID; or create new ones for the new SPID, and move the previous ones to OLD).   |          | hours. In this discussion, ar Participants is (Gustavo), Participants is (G | G (Seattle), a telecon has been scheduled for 9/29 initial telecon, the sub-committee will determine a set ground rules for subsequent meetings on the nelude, AT&T (Beth), Belleore (John), ESI (Jim) and EBE (Jackie), and Sprint (Dave). Others are we neittee will also talk about the potential of a "particle" (possibly do on a market by market basis, or G (Kansas City), the 9/29 telecon was cancelled. Central. Beth to send out bridge info.  | e the scopenis change  ; GTE (Geeleome to jeal cut" from NPA by Ni | e of the-<br>order.<br>ne), MCI<br>oin.<br>m one-<br>PA |

LNPA Working Group -71 -Rev 87, January 2, 2002

|                        |                 | Release 4.  | ) Change | Orders  |  |  |                      |  |  |  |
|------------------------|-----------------|-------------|----------|---|--|--|----------------------|--|--|--|
| Chg<br>Order<br>#      | Orig. /<br>Date | Description | Priority | Category  | Proposed Resolution                                | Level of Effort                        |                      |  |  |  |
|                        |                 |             |          |   |  | NPAC                                   | SOA<br>LSMS          |  |  |  |
|                        |                 |             |          | representation, so discussion did not get far. The next call is scheduled for Mon, 11/23, 1p Central, 2 hours.  During the 11/23 telecon, it was determined that Beth's proposed short term solution would not be easy to accomplish. Details on the telecon will be available at the Dec LNPAWG meeting.  Dec LNPAWG (Atlanta), Mass update is the long term solution, but wanted to have short term solution. In the case of MCI and Brooks, they deleted the SVs, deleted the network data, then put it back out there under the new SPID.  What we looked at for an NPAC manual update, then produce BDD, would require code changes. Plus, BDD would be all records instead of just changed ones. Also, SVs would be modified instead of activated, so the current BDD by time range would NOT pick these up.  |  |  |                      |  |  |  |
| NANC<br>217<br>(con't) | Continued       |             |          | mass update of SPID, then errange.  Leave on operation of the series of | G (Atlanta), Beth to set up another telecon (possi | bly end of analysis gotings. commitmer | Jan) to- roup,  tts. |  |  |  |

|                   |                    | Release 4.  | 0 Change | Orders  |  |  |   |
|-------------------|--------------------|---|----------|---|--|--|---|
| Chg<br>Order<br># | Orig. /<br>Date    | Description   | Priority | Category  | Proposed Resolution  |  | el of<br>fort                           |
|                   |                    |   |          |   |  | NPAC   | SOA<br>LSMS                             |
|                   |                    |   |          | versions bein   | tiple SPIDs or a portion of a service provider's s g moved to another SPID.  | -  |   |
|                   |                    |   |          | WG decided<br>SPIDs. A new<br>update of a S<br>moved into the | 1 meeting: After much discussion on this change that it would be best to have two change orders for whether we change order, NANC 323, would be created to PID and most of the information in this change one new change order. This change order, NANC imple case where a SPID is being completely ret  | or updating cover the order would 217, would be or the order would be order to | g of-<br>partial-<br>d be-<br>d be used |
| NANC<br>218       | Sprint<br>6/5/1998 | Conflict Timestamp Broadcast to SOA  It has been requested that when a subscription gets placed in conflict, that the time that the subscription version was placed into conflict be broadcast in the status attribute value change notifications to the SOA. Currently it is defined in the IIS on page 262 (version 1.8) that NPAC is not required to send the timestamp information. This change would prevent the service provider SOA from having to query the NPAC anytime they need to retrieve a timestamp. This conflict timestamp is needed so that the new service provider knows when the 6-hour timer has expired and so that they can remove it from. Also the presence of this timestamp indicates if the subscription has been placed into conflict before. | Med      | HS  | Pure Backwards Compatible: NO Fune Backwards Compatible: YES  It was noted that a SOA could work around this issue, by automatically querying the NPAC for the conflict timestamp, anytime the SP receives a conflict status for an SV.  Leave on open list for now.  Refer to R4 Change Orders for current proposed resolution.                                   | Low  | Low /-<br>N/A                           |
| NANC<br>219       | AT&T<br>6/5/1998   | NPAC Monitoring of SOA/LSMS Associations It has been requested that NPAC Monitoring of SOA and LSMS associations be put into the NPAC SMS at the application (CMIP) layer. The approach suggested by the requestor would be to alarm whenever aborts are received or sent by the NPAC. When these alarms occur, the NPAC Personnel would contact the affected Service Provider to work the problem and ensure the association is brought back up.  From this point forward, this change order will deal with the  | High     | FRS   | Pure Backwards Compatible: YES  Sep LNPAWG (Seattle), discussed various- options for working the problem of dropped- associations (i.e., causes partial failures for- the new SP trying to activate).  Options include, 1.) sending a notification to all SPs that "an- SP is currently not associated", then another- notifications once it is back up, "all SPs- | Low- (alarm- abort)  Med- (heartbe at- abort)  High- (ops-   | N/A/<br>N/A                             |

|                        |                          | Release 4.   | 0 Change | Orders       |  |                                |                      |
|------------------------|--------------------------|--|----------|--------------|--|--------------------------------|----------------------|
| Chg<br>Order<br>#      | Orig. /<br>Date          | Description  | Priority | Category     | Proposed Resolution  |                                | el of<br>fort        |
|                        |                          |  |          |              |  | NPAC                           | SOA<br>LSMS          |
|                        |                          | alarm abort option. The heartbeat abort option is NANC 299.  |          |              | associated".  2.) stopping an activation request, because an association is down.  3.) sending a notification to the New SP when an activate is received, that an association is down, "do you still want to activate?".  NEXT STEP: all SPs should consider issues and potential options for activates during a missing association that will cause a partial failure.  Oct LNPAWG (Kansas City), the conversation migrated away from the three options discussed in Seattle, and back to the NPAC proactively monitoring the association. This would require the NPAC to provide an attendant notification that a Service Provider is down, then notifying them of their missing association.  (continued) | eosts-<br>for all-<br>options) |                      |
| NANC<br>219<br>(con't) | Continued                |  |          |              | So, anytime the NPAC receives an abort from a an NPAC alarm should be triggered, and an M& where NPAC personnel notify the downed SP.  This has been moved into the "Accepted" categ prioritization.   | ¢ <del>P should</del>          | kick in              |
|                        |                          |  |          |              | Refer to R4 Change Orders for current proposed   | <del>d resolutio</del>         | <del>on.</del>       |
| NANC<br>227            | <del>MCI</del><br>8/7/98 | 10-digit TN Filters (previously know as "Ability to Modify/Delete of Partial Failure SV")  OLD TEXT: The NPAC SMS currently rejects a request to "modify active" or "delete" an SV that has a partial failure status. Nothing can be done to the SV until the discrepant | High     | FRS,<br>GDMO | Func Backwards Compatible: NO  Discussed during 8/12/98 face-to-face T&O- meeting (Detroit).   | High                           | Med-<br>Low /<br>N/A |

|                        |                 | Release 4.  | 0 Change | Orders |   |   |                       |
|------------------------|-----------------|---|----------|--------|---|---|-----------------------|
| Chg<br>Order<br>#      | Orig. /<br>Date | Description   | Priority | -      | Proposed Resolution   | 1                                       | el of<br>ort          |
| TT TT                  |                 |   |          |        |   | NPAC                                    | SOA<br>LSMS           |
|                        |                 | LSMS(s) come back on line, and either recover the broadcast, or accept a re-send from the NPAC.  OLD TEXT: A business scenario arose whereby a partial failure was affecting a customer's main number, and the New-SP couldn't do anything to the SV until the partial failure was resolved.  NEW TEXT: The NPAC should provide a mechanism that allows 10-digit filters, in order to clean up partial failure SVs that need to be subsequently modified or deleted, by the New-SP.  Jun 99, during the Pooling Assumptions walk-thru, four SV requirements were modified, and the functionality was moved into this change order. Basically, the "partial failure/failed" text is moved to this change order. The affected requirements are listed below:  SV-230 Modification of Number Pooling Subscription-Version Information — Status Update to Sending SV-270 Modification of Number Pooling Subscription-Version Information — Status Update SV-280 Modification of Number Pooling Subscription-Version Information — Status Update SV-280 Modification of Number Pooling Subscription-Version Information — Failed SP List |          |        | OLD TEXT: It was determined that the business scenario was primarily human error, and the NPAC should NOT be modified to allow a partial failure to go to active, but still have out-of-syne LSMS(s).  OLD TEXT: A workaround (available with 1.3 [with the exception of PTO]) would be to temporarily set up a filter for the discrepant LSMS(s), do a re-send which would clear up the failed-SP-List and set the SV to active, then remove the filter.  OLD TEXT: NEXT STEP: all SPs and vendors should evaluate if this is an acceptable solution.  OLD TEXT: Sep LNPAWG (Seattle), this potential M&P work-around has been forwarded to NPAC Operations (Jan Trout-Avery) for further analysis, and will be discussed at the x-regional in New Orleans.  (continued) |   |                       |
| NANC<br>227<br>(con't) | Continued       | This change order is related to NANC 254.   |          |        | OLD TEXT: This change order will be left or discussion in New Orleans.  Oet LNPAWG (Kansas City), after discussions the x-reg meeting, it was requested by Service Lockheed use the M&P for "partial failures whout of service" only.  Jan will be doing an M&P on this, and will ace   | in New Or<br>Providers t<br>ere the cus | leans at hat tomer is |

LNPA Working Group -75 -Rev 87, January 2, 2002

|                   |                   | Release 4.   | 0 Change | Orders            |  |  |   |
|-------------------|-------------------|--|----------|-------------------|--|--|---|
| Chg<br>Order<br># | Orig. /<br>Date   | Description  | Priority | Category          | Proposed Resolution  |  | el of<br>fort   |
|                   |                   |  |          |                   |  | NPAC   | SOA<br>LSMS   |
|                   |                   |  |          |                   | frequency of this situation. Everyone should be for the M&P is that any other SVs that are com NPA-NXX will NOT be sent to the LSMS. Frequencional perspective, a potential problem is the having to keep "versions" of versions, when yo that fails, then allow a modify on top of this.  Jim Rooks provided info on this, to state that he with the modify of a partial failure. We further potential of a 10-digit filter that would override filter. This should be the same change order, but title from modify partial failure to 10-digit filter Nov LNPAWG (Dallas), re-capped discussion of this functionality is to have NPAC Personnel per (of putting up 10-digit filters), and NOT allow over the interface.  This has been moved into the "Accepted" categories prioritization. The group will flush out the determination of the specific release.  Jul LNPAWG (Ottawa), no comments on pooling Refer to R4 Change Orders for current propose | e is uncome discussed the existing twill replace.  From KC. erform this SPs to sen | in the AC wity of activate of digit lace the Desire of activity d this ing mis gets |
| NANC<br>230       | Sprint<br>8/12/98 | Allow a Donor SOA to Create a Port-to-Original on an intra- service provider port The current NPAC SMS functionality does not allow a Donor SOA to create a PTO SV with LNPType = LISP.  The business scenario is that a customer is "home'd" to switch A, then moves down the street and is "home'd" to switch B (still in same rate center, so was LISP-ed to switch B), then moves back up the street (and needs to be re "home'd" to switch A, but is still a working number). In this scenario, the SP should send an LISP PTO create and activate. | High     | FRS, IIS,<br>GDMO | Func Backwards Compatible: NO  August T&O (Detroit). This change order was opened to replace its "sister" change order, NANC 223.  NEXT STEP: all SPs and vendors should evaluate if this is an acceptable solution, or if there are any operational issues with sending an LISP PTO.  Sep LNPAWG (Seattle), All SPs are O.K. with   | Med  | Med /-<br>N/A   |

|                   |                     | Release 4.   | 0 Change | Orders   |  |      |               |
|-------------------|---------------------|--|----------|----------|--|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date     | Description  | Priority | Category | Proposed Resolution  |      | el of<br>fort |
|                   |                     |  |          |          |  | NPAC | SOA<br>LSMS   |
|                   |                     |  |          |          | this change order. Jim Rooks will look at this, since there may be an NPAC issue. In some current processing the NPAC needs the LNP type and if it is not available, the NPAC looks at the SPID values, and if they are the same, then the NPAC assumes it is LISP. Jim's point is that there may be an interface change. He will report at the next meeting.  Oct LNPAWG (Kansas City), Jim reported that this will NOT require an interface change. It does, however, require a change to the NPAC processing rules. Some of the changes for Pooling help to minimize changes to the NPAC.  This should be moved into the "Accepted" category, awaiting prioritization  Refer to R4 Change Orders for current proposed resolution. |      |               |
| NANC<br>232       | MetroNet<br>8/14/98 | Web Site for first port notifications Currently all SOAs and LSMSs receive "first port" notifications. A request has been submitted to provide this information on the NPAC Web Site.  Sep LNPAWG (Seattle). This change order was introduced by MetroNet as a means for LTI users to obtain "first port" notifications.  The current process does NOT send this information to the LTI user (unlike SPs that have a CMIP-based SOA), but requires the LTI user to "query" the NPAC for notifications contained in the NPAC notification log (for that specific SP). Currently, this log contains the most recent 25 notifications for that SP. The user may also generate an NPAC report of all | High     | FRS      | Pure Backwards Compatible: YES  Sep LNPAWG (Seattle). This change order-was discussed by those in attendance. It was agreed that this change order was acceptable, and should be moved to the "Future Release CLOSED" List, and await prioritization from the group.  NOTE: This change order is similar to the existing requirements, R3-10 and R3-11 (Web bulletin board updates of NPA-NXXs and LRNs).  Refer to R4 Change Orders for current   | Low  | N/A/<br>N/A   |

|                   |                 | Release 4.  | 0 Change | Orders            |  |      |               |
|-------------------|-----------------|---|----------|-------------------|--|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date | Description   | Priority |                   | Proposed Resolution  |      | el of<br>fort |
|                   |                 |   |          |                   |  | NPAC | SOA<br>LSMS   |
|                   |                 | notifications for that SP.  |          |                   | proposed resolution.   |      |               |
|                   |                 | The desire is to have these "first port" notifications on the web, similar to the NPA-NXX openings that are on the web today.   |          |                   |  |      |               |
| NANC<br>249       | Sprint 12/9/98  | Modification of Dates for a Disconnect Pending SV The NPAC should be changed to allow a Service Provider to modify the CDD (Customer Disconnect Date) and ERD (Effective Release Date) for an SV that has a status of "disconnect pending". | High     | FRS, IIS,<br>GDMO | Fune Backwards Compatible: NO  The current Service Provider would send a subscription Version Modify using an M-ACTION:  subscription Effective Release Date would need to be added as modifiable attributes.  A new IIS flow needs to be developed (Subscription Version Modify Disconneet Pending Version Using M-ACTION by a Service Provider SOA).  If the newly modified ERD is the current date or a previous date, the NPAC will follow the "immediate disconneet" flow (6.5.4.1). Otherwise, it's BAU for the future dated ERD (6.5.4.2).  R5-25 needs to be changed to allow for a modification of an SV with a status of disconnect pending.  R5-36 and R5-38.1 needs the CDD and ERD attributes added to the list.  R5-41 and RR5-41.x need to perform exception processing (i.e., NOT send to LSMSs at this time) of modifications where the new ERD is a future date. | Low  | Med /<br>N/A  |

|                        |                       | Release 4.   | 0 Change | Orders       |  |           |                      |
|------------------------|-----------------------|--|----------|--------------|--|-----------|----------------------|
| Chg<br>Order<br>#      | Orig. /<br>Date       | Description  | Priority | Category     | Proposed Resolution  |           | el of<br>fort        |
|                        |                       |  |          |              |  | NPAC      | SOA<br>LSMS          |
|                        |                       |  |          |              | (continued)  |           |                      |
| NANC<br>249<br>(con't) | Continued             |  |          |              | New requirements:  2. NPAC SMS shall reject a modification requastatus of disconnect pending, where the Control of the status of disconnect pending, where the Control of the status of disconnect pending, where the Control of the status of disconnect pending, where the Control of the status of disconnect pending, where the Control of the status of disconnect pending, where the Control of the status of disconnect pending, where the Control of the status of disconnect pending, where the Control of the status of disconnect pending, where the Control of the status of disconnect pending, where the Control of the status of disconnect pending, where the Control of the status of disconnect pending, where the Control of the status of disconnect pending, where the Control of the status of disconnect pending, where the Control of the status of disconnect pending, where the Control of the status of disconnect pending, where the Control of the status of disconnect pending, where the Control of the status of t | EDD value | e is zero. er. Move  |
| NANC<br>254            | ENPA<br>WG<br>1/12/99 | NPAC Requirements - Subsequent Ports of Active SV with a Failed SP List The Failed SP List should be zeroed out (on the old SV), once the new SV gets activated.  Req 1 — NPAC SMS shall remove a Service Provider from a Subscription Version's Failed SP List, where the Subscription Version's status is Old, once a subsequent port for that TN has started the broadcast of subsequent activity to the LSMSs.  NOTE: For Req 1 above, "subsequent activity" refers to activations, modify actives, disconnects, and PTO of a TN that has been previously ported.  A Service Provider should only be allowed on the Failed SP List for 1 (one) SV for any given TN.  Req 2 — NPAC SMS shall allow a Service Provider to only be on the Failed SP List for one Subscription Version, for a given TN, at any given point in time.  A Service Provider should be capable of recovering an SV download, even though the Failed SP List has been cleaned up for the previously active SV. |          | FRS,<br>GDMO | Fune Backwards Compatible: NO  Jan LNPAWG (Atlanta). This change orderwas opened to replace its "sister" change order, NANC 245.  Feb LNPAWG (San Ramon), leave on openlist for now. BST evaluating 245 and 254, to see if O.K. with clearing out the Failed List on previous port, when they are the Old SP.  Mar LNPAWG (Denver), BST O.K. with this. Move to accepted category.  This change order is related to NANC 227.  Refer to R4 Change Orders for current proposed resolution.  | High      | Med-<br>Low /<br>N/A |

|                   |                       | Release 4.  | 0 Change | Orders            |  |      |                                |
|-------------------|-----------------------|---|----------|-------------------|--|------|--------------------------------|
| Chg<br>Order<br># | Orig. /<br>Date       | Description   | Priority | Category          | Proposed Resolution  |      | el of<br>fort                  |
|                   |                       |   |          |                   |  | NPAC | SOA<br>LSMS                    |
|                   |                       | Req 3 – NPAC SMS shall support the recovery of subscription data for a Service Provider over an NPAC SMS to Local SMS association, for a previously active Subscription Version which contained that given Service Provider on the Failed SP List, then had that given Service Provider removed from the Failed SP List as a result of a subsequent port, all which occurred while that given Service Provider did NOT have an active association to the NPAC SMS.  |          |                   |  |      |                                |
| NANC<br>285       | LNPA<br>WG<br>5/12/99 | SOA/LSMS request for a Subscription Version Query Max Size A SOA/LSMS request for a Subscription Version query that exceeds the maximum size tunable ("Maximum Subscriber Query"), returns an error message to the SOA.  Similar to the processing in NANC 273, it has been requested the NPAC return SVs up to the max tunable amount instead. The SOA/LSMS would accept this message, then use it's contents to send another query to the NPAC, starting with the next TN, and so on until all SVs are returned to the SOA/LSMS.  It will be up to the SOA/LSMS to manage the data returned from the NPAC and determine the next request to send to the NPAC in order to get the next set of SVs.  The NPAC will continue to return SVs that meet the selection criteria. However, the NPAC will not return a "count" to the SOA/LSMS for number of records that match the selection criteria.  This solution will resolve the problem described in NANC 279 (SOA Resynchronization for Large Ranges), where a problem exists for recovering the SOA for large ranges, because the SV time stamp that the NPAC users for recovery is the same for large ranges. | High     | FRS, IIS,<br>GDMO | Fune Backwards Compatible: NO  June LNPAWG (San Ramon), discussed in conjunction with NANC 279. Group decided to close out 279, and merge the requested functionality into this change order, since this is query functionality issue, and not just a recovery issue.  Jim Rooks will provide additional information on a proposed solution given the inclusion of NANC 279 into this change order.  Jim's response is shown below:  This change order requests the 'more' capability that will be supported by queries in the LTI. This implementation requires 2 changes:  #1, the NPAC must be modified to always return the first n (tunable) records on the SV-query. Currently, the NPAC determines that the query will return more than n records and returns an error. | Low  | Med-<br>High /<br>Med-<br>High |
|                   |                       | The example used for NANC 279 was, if all the TNs in the range contain the same time stamp (e.g., 17 minutes and 20   |          |                   |  |      |                                |

|                        |                 | Release 4.   | 0 Change | Orders   |  |      |               |
|------------------------|-----------------|--|----------|----------|--|------|---------------|
| Chg<br>Order<br>#      | Orig. /<br>Date | Description  | Priority | Category | Proposed Resolution  |      | el of<br>fort |
|                        |                 |  |          |          |  | NPAC | SOA<br>LSMS   |
|                        |                 | seconds after 3p, 15:17:20), and the number of TNs in the range exceeds the tunable allowed for queries, the SOA eannot recover since the NPAC, for any time range, will respond with an error for maximum TN query reached.   |          |          | (continued)  |      |               |
| NANC<br>285<br>(con't) | continued       |  |          |          | #2, the service providers should modify their systems to support the following SV query operations to the NPAC:  f. When data is returned from an SV Query and there are en (tunable) records returned, the SP must assume that the didn't get all the data from their query.  g. After processing the first n records, they should send a nequery that picks up where the data from the prior query of the the SV data returned from the NPAC for SV queries will sorted by TN and then by SVID so a filter can be created pick up where the prior query ended.  i. For example, if a SOA query to the NPAC returns exactly records and the last SV returned was TN '303-555-0150' SVID of 1234. The filter used on the next query would All SVs where ((TN > 303-555-0150) (TN = 303-555-0150) and SVID > 1234. The NPAC does support OR filters.  j. Once the results from the NPAC returns less than 150 returns the SP can assume they received all records in the requerquery.  Refer to R4 Change Orders for current proposed resolution. |      |               |
| NANC<br>287            | AT&T<br>5/27/99 | ASN.1 Change for required field in VersionNewNPA-NXX and VersionNewNPA-NXX-Recovery notification The current ASN.1 has incorrect field definition. The requested change is to make the service-prov-npa-nxx-value of the VersionNewNPA-NXX notification and VersionNewNPA-NXX-Recovery notification a required field instead of 'optional'.  Current asn.1: VersionNewNPA-NXX ::= SEQUENCE-{ | Med      | ASN.1    | Pure Backwards Compatible: NO Fune Backwards Compatible: YES  June LNPAWG (San Ramon), this also applies to the recovery notification (in addition to the first port notification that is listed in the change order). Update to add recovery notification and review next month.  Jul LNPAWG (Ottawa), it was noted that this is not considered backwards compatible, since   | Low  | Low/<br>Low   |

|                   |                                       | Release 4.   | 0 Change | Orders   |   |      |               |
|-------------------|---------------------------------------|--|----------|----------|---|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date                       | Description  | Priority | Category | Proposed Resolution   |      | el of<br>fort |
|                   |                                       |  |          |          |   | NPAC | SOA<br>LSMS   |
|                   |                                       | - service-prov-npa-nxx-effective-time-stamp-Generalized-lime, - service-prov-id-ServiceProvId, - access-control LnpAccessControl }  Proposed:  |          |          | it requires a recompile. Move to accepted eategory.  Refer to R4 Change Orders for current proposed recolution  |      |               |
|                   |                                       | VersionNewNPA-NXX ::= SEQUENCE {   |          |          | proposed resolution.  |      |               |
|                   |                                       | Current asn.1:  VersionNewNPA-NXX-Recovery ::= SEQUENCE-{  |          |          |   |      |               |
|                   |                                       | Proposed: VersionNewNPA-NXX-Recovery ::= SEQUENCE-{ — service-prov-npa-nxx-id NPA-NXX-ID; — service-prov-npa-nxx-value NPA-NXX, — service-prov-npa-nxx-effective-time-stamp GeneralizedTime, — service-prov-id ServiceProvId }   |          |          |   |      |               |
| NANC<br>291       | Bell<br>Atlantic/<br>Sprint<br>7/7/99 | SSN Edits in the NPAC SMS The NPAC SMS should edit and prevent a new Service Provider CREATE message from specifying final Global Title Translations for CLASS, LIDB, CNAM, ISVM MWI, and WSMSC.   | High     | FRS,GDMO | Pure Backwards Compatible: YES  Proposed Change Order: Implement an edit in NPAC that will reject a new SP CREATE message if the message contains a Destination Point Code with a non-  | Low  | N/A /<br>N/A  |
|                   |                                       | Description of Issue: There have been instances when the new Service Provider, upon sending the new SP CREATE message to NPAC, has provided final Global Title Translation data for the Destination Point Codes and Subsystem Numbers for CLASS, LIDB, CNAM, and/or ISVM MWI. This final GTT data is broadcasted by NPAC to all applicable subtending service providers in the Region. This has resulted in TCAP |          |          | zero (000) Subsystem Number for CLASS,<br>LIDB, CNAM, ISVM MWI, or Wireless<br>Short Message Service. This edit shall be<br>settable (active or inactive) on a Regional-<br>NPAC basis. It shall apply to all DPCs-<br>associated with ported and pooled DNs. For<br>1K block pooling, the NPAC SMS will reject-<br>creation of block data containing a non-zero- |      |               |

|                        |                 | Release 4.   | 0 Change | Orders       |   |             |               |
|------------------------|-----------------|--|----------|--------------|---|-------------|---------------|
| Chg<br>Order<br>#      | Orig. /<br>Date | Description  | Priority | Category     | Proposed Resolution   |             | el of<br>fort |
|                        |                 |  |          |              |   | NPAC        | SOA<br>LSMS   |
|                        |                 | routing errors for subtending service providers who do not have route sets built based on final GTT to the new SP. |          |              | Subsystem Number, whether by NPAC personnel or via the new SP's SOA, if the editis active.  Jul LNPAWG (Ottawa), lots of discussion.  |             |               |
|                        |                 |  |          |              | Some SPs using final, but not sure how much of a problem this is creating. In all cases discussed, led to new SP changing SSN togateway value instead of final value.   |             |               |
|                        |                 |  |          |              | Homework for all SPs for next month. Figure out requirement to broadcast final GTT-instead of gateway, and willingness to change this approach. SPs will need to substitute final in their own network. SPs should understand that if no arrangement is set up- |             |               |
|                        |                 |  |          |              | between the providers, then routing errors (to<br>the new SP's customer) will occur. This affect<br>ereates, modifies, and mass updates.  |             |               |
| NANC<br>291<br>(con't) | continued       |  |          |              | Aug LNPAWG (Portland), since the conference bridge was not available at the time this was discussed, the group agreed to postpone the discussion until September (assuming a conference bridge was available at that point in time).                            |             |               |
|                        |                 |  |          |              | Sep LNPAWG (Chicago), much discussion.  A vote 10 (for) to 1 (against) was taken to move this change order into the accepted category.  |             |               |
|                        |                 |  |          |              | Refer to R4 Change Orders for current proposed resolution.  |             |               |
| NANC<br>297            | Sprint 9/15/99  | Sending SV Problem During Recovery If an LSMS is down during the broadcast, and the NPAC                           | High     | FRS,<br>GDMO | Pure Backwards Compatible: YES  | Med-<br>Low | N/A /-<br>N/A |

|                   |                 | Release 4.  | 0 Change | Orders   |  |      |               |
|-------------------|-----------------|---|----------|----------|--|------|---------------|
| Chg<br>Order<br># | Orig. /<br>Date | Description   | Priority | Category | Proposed Resolution  |      | el of<br>fort |
|                   |                 |   |          |          |  | NPAC | SOA<br>LSMS   |
|                   |                 | SMS has sent out the final retry, the LSMS will not be able to recover this broadcast (either in recovery or once recovery is complete and normal processing continues).  It was discussed that the way to ensure the recovering LSMS gets the sending SVs, is to include any of these SVs. By including these, along with the appropriate download reason; the LSMS would be able to recover sending SVs.  New Requirements:  NPAC SMS shall include Subscription Versions with a status of sending, at the time subscription data recovery is requested by the LSMS.  NPAC SMS shall remove a Service Provider from the Failed SP List of a Subscription Version with a status of sending, even if there are additional retry attempts, at the time subscription data recovery is requested by the LSMS of that Service Provider  : |          |          | Sep LNPAWG (Chicago), need to add priority during Oct meeting in KC.  Oct LNPAWG (KC), could have a problem if the SV is sent twice (once for the recovery, and once at the next retry attempt), so the group wants the failed list updated for the recovering SP.  Refer to R4 Change Orders for current proposed resolution. |      |               |

LTI Change Orders

|                   | LTI Change Orders |             |          |          |                     |      |               |  |
|-------------------|-------------------|-------------|----------|----------|---------------------|------|---------------|--|
| Chg<br>Order<br># | Orig. /<br>Date   | Description | Priority | Category | Proposed Resolution |      | el of<br>fort |  |
|                   |                   |             |          |          |                     | NPAC | SOA<br>LSMS   |  |
|                   |                   |             |          |          |                     |      |               |  |
|                   |                   |             |          |          |                     |      |               |  |

## **Cancel – Pending Change Orders**

|                   | Cancel - Pending Change Orders |             |          |          |                     |                    |             |  |
|-------------------|--------------------------------|-------------|----------|----------|---------------------|--------------------|-------------|--|
| Chg<br>Order<br># | Orig. /<br>Date                | Description | Priority | Category | Proposed Resolution | Level of<br>Effort |             |  |
|                   |                                |             |          |          |                     | NPAC               | SOA<br>LSMS |  |
|                   |                                |             |          |          |                     |                    |             |  |
|                   |                                |             |          |          |                     |                    |             |  |
|                   |                                |             |          |          |                     |                    |             |  |
|                   |                                |             |          |          |                     |                    |             |  |
|                   |                                |             |          |          |                     | 1                  |             |  |

**Current Release Change Orders** 

|                   | Current Release Change Orders |  |          |          |                     |      |               |  |
|-------------------|-------------------------------|--|----------|----------|---------------------|------|---------------|--|
| Chg<br>Order<br># | Orig. /<br>Date               | Description                                    | Priority | Category | Proposed Resolution |      | el of<br>fort |  |
|                   |                               |  |          |          |                     | NPAC | SOA<br>LSMS   |  |
|                   |                               | See Implemented List for details on Release 3. |          |          |                     |      |               |  |

**MR Change Orders** 

|                   | MR Change Orders |             |          |          |                     |      |               |  |
|-------------------|------------------|-------------|----------|----------|---------------------|------|---------------|--|
| Chg<br>Order<br># | Orig. /<br>Date  | Description | Priority | Category | Proposed Resolution |      | el of<br>Fort |  |
|                   |                  |             |          |          |                     | NPAC | SOA<br>LSMS   |  |
|                   |                  |             |          |          |                     |      |               |  |

## **Summary of Change Orders**

| Release # / | Change Orders   | Backwards<br>Compatible |  |  |  |  |
|-------------|---|-------------------------|--|--|--|--|
| Target Date | NANC 147 Vanis Daylland starter   |                         |  |  |  |  |
| Open        | NANC 147 – Version ID rollover strategy NANC 334 – Doc Only Change Order for FRS: Clarification needed in Item L-11.0 G in Table C-7 of |                         |  |  |  |  |
|             | Appendix C in the FRS   |                         |  |  |  |  |
|             | NANC 340 – Doc Only Change Order for IIS: Update Appendix A   |                         |  |  |  |  |
|             | NANC 343 – Doc Only Change Order for IIS: Exhibit 12 of IIS section 4.2.2 does not reflect all filtering                                |                         |  |  |  |  |
|             | operations currently supported by the NPAC SMS.   |                         |  |  |  |  |
|             | NANC 344 – Doc Only Change Order for GDMO: Update GDMO to more clearly explain information in   |                         |  |  |  |  |
|             | range notifications.  |                         |  |  |  |  |
|             | NANC 345 – Doc Only Change Order for FRS: Update the Subscription Tunables Table in Appendix C.   |                         |  |  |  |  |
|             | 11/A14C 545 - Doc Only Change Order for FRS. Opuate the Subscription Tunables Table in Appendix C.                                      |                         |  |  |  |  |
| Accepted    | ILL 5 – Round Robin LSMS  |                         |  |  |  |  |
| -           | ILL 130 – Application Level Errors (ASN.1 impact)   |                         |  |  |  |  |
|             | NANC 138 – Definition of Cause Code Values-REVISITED  |                         |  |  |  |  |
|             | NANC 151 – TN and Number Pool Block addition to notifications   |                         |  |  |  |  |
|             | NANC 169 – Delta Download File Creation by Time Range for SVs   |                         |  |  |  |  |
|             | NANC 187 – Linked Action Replies  |                         |  |  |  |  |
|             | NANC 191 – DPC/SSN Value Edits  |                         |  |  |  |  |
|             | NANC 192 – NPA Split NPAC SMS Load File   |                         |  |  |  |  |
|             | NANC 193 – TN Processing during NPAC SMS NPA Split Processing   |                         |  |  |  |  |
|             | NANC 200 – Notification of NPA Split  |                         |  |  |  |  |
|             | NANC 217 – Mass Update of SPID  |                         |  |  |  |  |
|             | NANC 218 – Conflict Timestamp Broadcast to SOA  |                         |  |  |  |  |
|             | NANC 219 – NPAC Monitoring of SOA/LSMS Associations   |                         |  |  |  |  |
|             | NANC 227 – 10-digit TN Filters (previously know as: "Ability to Modify/Delete of Partial Failure SV")                                   |                         |  |  |  |  |
|             | NANC 230 – Allow a Donor SOA to Create a Port-to-Original on an intra-service provider port   |                         |  |  |  |  |
|             | NANC 232 – Web Site for first port notifications  |                         |  |  |  |  |
|             | NANC 246 – NPA-NXX Filters for Bulk Data Download Files of SVs  |                         |  |  |  |  |
|             | NANC 249 – Modification of Dates for Disconnect Pending SV  |                         |  |  |  |  |
|             | NANC 254 – NPAC Requirements – Subsequent Ports of Active SV with a Failed SP List  |                         |  |  |  |  |
|             | NANC 285 – SOA Requested Subscription Version Query Max Size  |                         |  |  |  |  |
|             | NANC 287 – ASN.1 Change for required field in VersionNewNPA-NXX and   |                         |  |  |  |  |
|             | VersionNewNPA-NXX-Recovery notification   |                         |  |  |  |  |
|             | NANC 291 – SSN Edits in the NPAC SMS  |                         |  |  |  |  |
|             | NANC 297 – Sending SV Problem During Recovery   |                         |  |  |  |  |

|                          | NANC 299 – NPAC Monitoring of SOA and LSMS Associations via Heartbeat NANC 300 – Resend Exclusion for Number Pooling NANC 311 – Query Message of SP Association Status NANC 312 – Different User Levels on the LTI NANC 316 – Change the NSAP Field Size Declaration in ASN.1 – ASN.1 Recompile NANC 319 – NPAC Edit to Ensure NPA-NXX of LRN is in Same LATA as NPA-NXX of Ported TN NANC 321 – NPAC Edit of Service Provider Network Data – NPA-NXX Data |  |
|--------------------------|--|--|
|                          | NANC 322 – Clean Up of Failed SP List based on Service Provider BDD Response File NANC 323 – Mass Update of SPID (Partial)   |  |
| Next                     | NANC 332 – Doc Only Change Order for FRS: Clarification of requirement RR5-42.1  |  |
| Documentation<br>Release | NANC 333 – Doc Only Change Order for GDMO & IIS: Clarification needed in the GDMO & two IIS Flows for the subscriptionVersionRangeObjectCreation notification (one of the new range notifications in change order NANC 179 for NPAC SMS Release 3.1).  |  |
|                          | NANC 335 – Doc Only Change Order for GDMO: Update to explain how the Primary/Secondary Service  Provider situation works with Range notifications  |  |
|                          | NANC 336 – Doc Only Change Order for IIS: Flows B.4.4.3 and B.4.4.6 have typos that need to be Corrected   |  |
|                          | NANC 337 – Doc Only Change Order for IIS: Flows B.8.3 note at the beginning of text needs to be updated  |  |
|                          | NANC 338 – Doc Only Change Order for FRS: Add requirement for NPAC SMS sending subscriptionVersionDonorSP-DisconnectDate notifications to the Donor SP SOA when a Number Pool Block De-Pool occurs and update the note in requirement RR5-85.  |  |
|                          | NANC 339 – Doc Only Change Order for IIS: Flow B.4.4.24 – Update to include the Donor Disconnect notifications that get sent to the Donor SP SOA when a Number Pool Block De-Pool occurs   |  |
|                          | NANC 341 – Doc Only Change Order for GDMO: Section 7.0 LNP Subscription Version Modify Action – Clarification of allowable modify activities for subscription versions with status of 'conflict'   |  |
|                          | NANC 342 – Doc Only Change Order for IIS: Flows B.5.1.5 text at end of flow needs clarification  |  |
| Release 3.1              | NANC 179 – TN Range Notifications  |  |
|                          | NANC 240 – No cancellation of SVs based on expiration of T2 timer  |  |
|                          | NANC 294 – Changing Due Date Edit Functionality in the NPAC SMS for 7p on Due Date Problems  |  |
|                          | NANC 305 – R3 ASN.1 documentation-only updates   |  |
|                          | NANC 324 – IIS Document Only Change – Flow B.5.4.7.3: Subscription Version Disconnect With Effective Release Date  |  |
|                          | NANC 325 – GDMO Document Only Change – 4.0 LNP Subscription Version Cancel Action  |  |
|                          | NANC 326 – IIS Document Only Change – Flow B.5.6: Subscription Version Query   |  |
|                          | NANC 327 – FRS Document Only Change – Update Appendix C – System Tunables  |  |
|                          | NANC 328 – Tunable for Long and Short Business Days  |  |

|                 | NANC 329 – Prioritization of SOA Notifications  |  |
|-----------------|---|--|
|                 | NANC 330 – IIS Document Only Changes  |  |
|                 | NANC 331 – IIS Document Only Changes - Add missing flow for Subscription Version Create: Failure to   |  |
|                 | Receive Response from New SOA after "Initial Concurrence Window" Expiration                           |  |
| Release 4.0     | ILL 130 – Application Level Errors (ASN.1 impact)   |  |
| 110100000       | NANC 138 – Definition of Cause Code Values-REVISITED  |  |
|                 | NANC 179 – TN Range Notifications   |  |
|                 | NANC 187 – Linked Action Replies  |  |
|                 | NANC 191 – DPC/SSN Value Edits  |  |
|                 | NANC 192 – NPA Split NPAC SMS Load File   |  |
|                 | NANC 200 – Notification of NPA Split  |  |
|                 | NANC 217 – Mass Update of SPID  |  |
|                 | NANC 218 – Conflict Timestamp Broadcast to SOA  |  |
|                 | NANC 219 – NPAC Monitoring of SOA/LSMS Associations   |  |
|                 | NANC 227 – 10-digit TN Filters (previously know as: "Ability to Modify/Delete of Partial Failure SV") |  |
|                 | NANC 230 – Allow a Donor SOA to Create a Port-to-Original on an intra-service provider port           |  |
|                 | NANC 232 – Web Site for first port notifications  |  |
|                 | NANC 240 – No cancellation of SVs based on expiration of T2 timer                                     |  |
|                 | NANC 249 – Modification of Dates for Disconnect Pending SV  |  |
|                 | NANC 254 - NPAC Requirements - Subsequent Ports of Active SV with a Failed SP List                    |  |
|                 | NANC 285 – SOA Requested Subscription Version Query Max Size  |  |
|                 | NANC 287 – ASN.1 Change for required field in VersionNewNPA-NXX and                                   |  |
|                 |   |  |
|                 | NANC 291 – SSN Edits in the NPAC SMS  |  |
|                 | NANC 294 - Changing Due Date Edit Functionality in the NPAC SMS for 7p on Due Date Problems           |  |
|                 | NANC 297 – Sending SV Problem During Recovery   |  |
| LTI             |   |  |
| Cancel-Pending  |   |  |
| Current Release | See Implemented List for details on R3  |  |
| Current Release | See implemented List for details on RS  |  |
| MR              |   |  |