
**NPAC SMS
INTEROPERABLE INTERFACE SPECIFICATION**

NANC Version for National Number Pooling

Based upon

NANC Version 2.0.0

Prepared for:
The North American Numbering Council (NANC)

~~January 2~~February 3, 1999

© 1999 LOCKHEED MARTIN IMS CORPORATION

The Work is subject to the terms of the GNU General Public License (the "GPL"), a copy of which may be found at <ftp://prep.ai.mit.edu/pub/gnu/GPL>. Any use of this Work is subject to the terms of the GPL. The "Work" covered by the GPL by operation of this notice and license is this document and any and all modifications to or derivatives of this document. Where the words "Program," "software," "source code," "code," or "files" are used in the GPL, users understand and agree that the "Work" as defined here is substituted for purposes of this notice and license.

Table Of Contents

1	<i>Introduction</i>	1
1.1	Document Overview	1
1.2	How To Use This Document	1
1.3	Document Numbering Strategy	2
1.4	Document Version History	2
1.4.1	Release 1.0.....	2
1.4.2	Release 2.0.....	2
1.4.3	National Number Pooling.....	4
1.5	References	4
1.5.1	Standards.....	4
1.5.2	Related Publications.....	6
1.6	Abbreviations/Definitions	6
2	<i>Interface Overview</i>	9
2.1	Overview	9
2.2	OSI Protocol Support	9
2.3	SOA to NPAC SMS Interface	10
2.3.1	Subscription Administration.....	10
2.3.2	Audit Requests.....	10
2.3.3	Notifications.....	11
2.3.4	Service Provider Data Administration.....	11
2.3.5	Network Data Download.....	11
2.3.6	Number Pool Block Administration.....	11
2.4	NPAC SMS to Local SMS Interface	12
2.4.1	Subscription Version, Number Pool Block and Network Data Download.....	12
2.4.2	Service Provider Data Administration.....	12
2.4.3	Notifications.....	12
3	<i>Hierarchy Diagrams</i>	15
3.1	Overview	15
3.1.1	Managed Object Model Inheritance Hierarchy.....	15
3.1.2	Log Record Managed Object Hierarchy.....	17
3.1.3	NPAC SMS to Local SMS Naming Hierarchy for the NPAC SMS.....	18
3.1.4	NPAC SMS to Local SMS Naming Hierarchy for the Local SMS.....	19
	SOA to NPAC SMS Naming Hierarchy for the NPAC SMS.....	20
3.1.6	NPAC SMS to SOA Naming Hierarchy for the SOA.....	21
4	<i>Interface Functionality to CMIP Definition Mapping</i>	23
4.1	Overview	23
4.1.1	Primary NPAC Mechanized Interface Operations.....	23
4.1.2	Managed Object Interface Functionality.....	27
4.1.3	Action Interface Functionality.....	31
4.1.4	Notification Interface Functionality.....	32
4.2	Scoping and Filtering Support	35
4.2.1	Scoping.....	35

4.2.2	Filtering.....	35
4.2.3	Action Scoping and Filtering Support.....	36
4.3	InpLocal-SMS-Name and InpNPAC-SMS-Name Values.....	37
4.4	OID Usage Information.....	37
4.4.1	OIDs Used for Bind Requests.....	37
4.4.2	Other OIDs of Interest.....	37
4.5	Naming Attributes.....	37
4.6	Subscription Version M_DELETE Messages.....	38
5	Secure Association Establishment.....	39
5.1	Overview.....	39
5.2	Security.....	39
5.2.1	Authentication and Access Control Information.....	40
5.2.1.1	System Id.....	41
5.2.1.2	System Type.....	41
5.2.1.3	User Id.....	41
5.2.1.4	List Id.....	41
5.2.1.5	Key Id.....	42
5.2.1.6	CMIP Departure Time.....	43
5.2.1.7	Sequence Number.....	43
5.2.1.8	Association Functions.....	43
5.2.1.9	Recovery Mode.....	44
5.2.1.10	Signature.....	45
5.2.2	Association Establishment.....	45
5.2.3	Data Origination Authentication.....	47
5.2.4	Audit Trail.....	48
5.3	Association Management and Recovery.....	49
5.3.1	Establishing Associations.....	49
5.3.1.1	NpacAssociationUserInfo.....	49
5.3.1.2	Unbind Requests and Responses.....	50
5.3.1.3	Aborts.....	50
5.3.1.4	NPAC SMS Failover Behavior.....	50
5.3.1.5	Service Provider SOA and Local SMS Procedures.....	51
5.3.2	Releasing or Aborting Associations.....	52
5.3.3	Error Handling.....	52
5.3.3.1	NPAC SMS Error Handling.....	52
5.3.3.2	Processing Failure Error.....	52
5.3.4	Recovery.....	53
5.3.4.1	Local SMS Recovery.....	53
5.3.4.2	SOA Recovery.....	53
5.4	Congestion Handling.....	54
5.4.1	NPAC SMS Congestion.....	54
5.4.2	NPAC Handling of Local SMS and SOA Congestion.....	54
1	Introduction.....	1
1.1	Document Overview.....	1
1.2	How To Use This Document.....	1
1.3	Document Numbering Strategy.....	2
1.4	Document Version History.....	2

1.4.1	Release 1.0.....	2
1.4.2	Release 2.0.....	3
1.5	References.....	4
1.5.1	Standards.....	4
1.5.2	Related Publications.....	6
1.6	Abbreviations/Definitions.....	6
2	Interface Overview.....	9
2.1	Overview.....	9
2.2	OSI Protocol Support.....	9
2.3	SOA to NPAC SMS Interface.....	10
2.3.1	Subscription Administration.....	10
2.3.2	Audit Requests.....	10
2.3.3	Notifications.....	11
2.3.4	Service Provider Data Administration.....	11
2.3.5	Network Data Download.....	11
2.4	NPAC SMS to Local SMS Interface.....	11
2.4.1	Subscription Version and Network Data Download.....	12
2.4.2	Service Provider Data Administration.....	12
2.4.3	Notifications.....	12
3	Hierarchy Diagrams.....	13
3.1	Overview.....	13
3.1.1	Managed Object Model Inheritance Hierarchy.....	13
3.1.2	Log Record Managed Object Hierarchy.....	15
3.1.3	NPAC SMS to Local SMS Naming Hierarchy for the NPAC SMS.....	16
3.1.4	NPAC SMS to Local SMS Naming Hierarchy for the Local SMS.....	17
	SOA to NPAC SMS Naming Hierarchy for the NPAC SMS.....	18
3.1.6	NPAC SMS to SOA Naming Hierarchy for the SOA.....	19
4	Interface Functionality to CMIP Definition Mapping.....	21
4.1	Overview.....	21
4.1.1	Primary NPAC Mechanized Interface Operations.....	21
4.1.2	Managed Object Interface Functionality.....	24
4.1.3	Action Interface Functionality.....	28
4.1.4	Notification Interface Functionality.....	29
4.2	Scoping and Filtering Support.....	32
4.2.1	Scoping.....	32
4.2.2	Filtering.....	32
4.2.3	Action Scoping and Filtering Support.....	33
4.3	lnpLocal-SMS-Name and lnpNPAC-SMS-Name Values.....	33
4.4	OID Usage Information.....	34
4.4.1	OIDs Used for Bind Requests.....	34
4.4.2	Other OIDs of Interest.....	34
4.5	Naming Attributes.....	34
4.6	Subscription Version M_DELETE Messages.....	34
5	Secure Association Establishment.....	37

5.1	Overview	37
5.2	Security	37
5.2.1	Authentication and Access Control Information	38
5.2.1.1	System Id	40
5.2.1.2	System Type	40
5.2.1.3	User Id	40
5.2.1.4	List Id	40
5.2.1.5	Key Id	41
5.2.1.6	CMIP Departure Time	42
5.2.1.7	Sequence Number	42
5.2.1.8	Association Functions	42
5.2.1.9	Recovery Mode	43
5.2.1.10	Signature	44
5.2.2	Association Establishment	44
5.2.3	Data Origination Authentication	46
5.2.4	Audit Trail	48
5.3	Association Management and Recovery	48
5.3.1	Establishing Associations	48
5.3.1.1	NpacAssociationUserInfo	48
5.3.1.2	Unbind Requests and Responses	49
5.3.1.3	Aborts	49
5.3.1.4	NPAC SMS Failover Behavior	50
5.3.1.5	Service Provider SOA and Local SMS Procedures	50
5.3.2	Releasing or Aborting Associations	51
5.3.3	Error Handling	51
5.3.3.1	NPAC SMS Error Handling	51
5.3.3.2	Processing Failure Error	52
	Recovery	52
	Local SMS Recovery	52
	SOA Recovery	53
5.4	Congestion Handling	53
5.4.1	NPAC SMS Congestion	53
5.4.2	NPAC Handling of Local SMS and SOA Congestion	53
6	GDMO Definitions	55
6.1	Overview	55
6.2	Object Definitions	55
6.3	Name Binding Definitions	81
6.4	Attribute Definitions	84
6.5	Package Definitions	112
6.6	Action Definitions	119
6.7	Notification Definitions	131
7	General ASN.1 Definitions	139
7.1	Overview	139
7.2	LNP ASN.1 Object Identifier Definitions	139
7.3	LNP General ASN.1 Definitions	140

8	<i>Managed Object Conformance Statements</i>	157
8.1	<i>Overview</i>	157
9	<i>Subscription Version Status</i>	159
<i>Appendix A: Errors</i>		A-1
<i>Appendix B: Message Flow Diagrams</i>		B-1
<i>Appendix C: Midwest Region Number Pooling Message Flow Diagrams</i>		C-1

1 Introduction

1.1 Document Overview

The NPAC SMS Interoperable Interface Specification contains the information model for the Number Portability Administration Center and Service Management System (NPAC SMS) mechanized interfaces. Both Service Order Activation (SOA) and Local Service Management System (LSMS or Local SMS) interfaces to the NPAC SMS are described in this document.

1.2 How To Use This Document

The NPAC SMS Interoperable Interface Specification contains the following sections:

Section 1 **Introduction** -- This section describes the conventions and organization of this document. It also lists related documentation.

Section 2 **Interface Overview** -- This section contains an overview of protocol requirements and a brief description of the functionality provided in each interface.

Section 3 **Hierarchy Diagrams** -- This section contains the class hierarchy diagrams for all managed objects defined in the interoperable interface.

Section 4 **Interface Functionality to CMOP Definition Mapping** -- This section contains the mapping of the interface functionality to the managed objects, attributes, actions, and notifications.

Section 5 **Secure Association Establishment** -- This section contains information on secure association establishment

Section 6 **GDMO Definitions** -- This section contains the GDMO interface definitions supporting the SOA to NPAC SMS interface and the NPAC SMS to Local SMS interface

Section 7 **General ASN.1 Definitions** -- This section contains the ASN.1 definitions that support the GDMO definitions in Section 7.

Section 8 **Managed Object Conformance Statements** -- This section contains the Managed Object Conformance tables.

Section 9 **Subscription Version Status** -- This section contains a Subscription Version Status diagram, which illustrates the transition from one subscription version state to another.

Appendix A **Errors** -- This appendix contains the valid errors associated with CMISE confirmed primitives used in the interoperable interface definitions.

Appendix B **Message Flow Diagrams** -- This appendix contains the message flow diagrams.

Appendix C **Midwest Region Number Pooling Message Flow Diagrams** -- This appendix contains the message flow diagrams for Midwest Region Number Pooling.

1.3 Document Numbering Strategy

Starting with Release 2.0 the documentation number of the IIS document will be Version X.Y.Z as follows:

X – will only be incremented when a new major release of the NPAC SMS system is authorized. It will contain only the Change Orders that have been authorized for inclusion in this new major release.

Y – will only be incremented when a new sub-release of an existing release X is authorized. It will contain only the Change Orders that have been authorized for inclusion in this new sub-release.

Z – will be incremented when documentation only clarifications are made in the IIS and/or FRS. This number will be reset to 0 when Y is incremented.

For example, the first release of the Release 2 IIS will be numbered 2.0.0. If documentation only clarifications are introduced in the next release of the IIS document it will be numbered 2.0.1. If requirements are added to Release 2.0 that require NPAC SMS software changes then the next release of the IIS document will be numbered 2.1.0. This number scheme is intended to make the mapping between NPAC SMS and the FRS and IIS documentation consistent.

1.4 Document Version History

1.4.1 Release 1.0

NANC Version 1.0, released on 04/07/97, contains changes from the ICC Subcommittee IIS Version 1.1.5.

NANC Version 1.1, released on 05/08/97, contains changes from the NANC IIS Version 1.0.

NANC Version 1.2, released on 05/25/97, contains changes from the NANC IIS Version 1.1.

NANC Version 1.3, released on 07/09/97, contains changes from the NANC IIS Version 1.2.

NANC Version 1.4, released on 08/08/97, contains changes from the NANC IIS Version 1.3.

NANC Version 1.5, released on 09/09/97, contains changes from the NANC IIS Version 1.4.

NANC Version 1.6, released on 11/12/97, contains changes from the NANC IIS Version 1.5.

NANC Version 1.7, released on 12/12/97, contains changes from the NANC IIS Version 1.6.

NANC Version 1.8, released on 2/11/98, contains changes from the NANC IIS Version 1.7.

NANC Version 1.9, released on 5/13/98, contains changes from the NANC IIS Version 1.8.

NANC Version 1.10, released on 7/8/98, contains changes from the NANC IIS Version 1.9.

1.4.2 Release 2.0

NANC Version 2.0.0, released on 12/14/98, contains the following changes from the NANC IIS Version 1.10:

- **Change Order** ILL 79 – Notification Recovery

Change Orders Merged into NANC 79:

NANC 145 – Notification Recovery Flows

NANC 158 – Other Notification Recovery

NANC 184 – Response for Notification Recovery not Linked

NANC 185 – Notification Recovery Error Response

NANC 206 – Proposed ASN.1 Change ILL 79

- **Change Order** NANC 48 – Multiple Service Provider Ids per SOA Association

Change Orders Merged into NANC 48:

NANC 178 – NANC 48 Clarification

- **Change Order** NANC 77 - Time Range ASN.1 definition
- **Change Order** NANC 114 - Download subscription-version-id-optional
- **Change Order** NANC 131 – LRN Download Data Modification
- **Change Order** NANC 139-Network Data Download to SOA
- **Change Order** NANC 156 – 6.5.3.1 Flow Modification
- **Change Order** NANC 160 – Single TN in a Range Create
- **Change Order** NANC 162 – TN Attribute as GET-Replace
- **Change Order** NANC 201 – Unique Set of Timers

Change Orders Merged into NANC 201:

NANC 221 – Modification of NANC 201 and 202 For New SP Create

NANC 238 - Documentation Clarifications for Wireless Change Orders, NANC 201, 202, and 203.

- **Change Order** NANC 202 – Unique Set of Business Days/Hours

Change Orders Merged into NANC 202:

NANC 221 – Modification of NANC 201 and 202 For New SP Create

NANC 238 – Documentation Clarificaitons for Wireless Change Orders, NANC 201, 202, and 203

- **Change Order** NANC 203 – Wireless Addition of WSMS DPC and SSN Information

Change Orders Merged into NANC 203:

NANC 222 – WSMSC Addition to Mass Update for NANC 203

NANC 238 – Documentation Clarifications for Wireless Change Orders, NANC 201, 202, and 203.

- **Change Order** NANC 207 - Removal of Intermediate Notifications
- **Change Order** NANC 220 – Wireless Due Date Clarification
- **Change Order** NANC 224 – Canadian Region NPAC ID

- **Change Order** NANC 233 - Documentation Changes for IIS for 6.5.1.6 Active SV Create on Local SMS
- **Change Order** NANC 234 – Documentation Change to IIS for 5.2.1.10 Signature Data Type for Sequence Number
- **Change Order** NANC 236 – Documentation Change to IIS for 6.5.1.12 Subscription Vversion Port-to-Original: Successful
- **Appendix B** – Message Flow Diagrams
- **Appendix C** – Midwest Region Number Pooling Flow additions to the IIS documentation.
- **Placement of Appendixes in a Separate File.**

1.4.3 [National Number Pooling](#)

1.5 References

1.5.1 Standards

ANSI T1.224-1992, *Operations, Administration, Maintenance, and Provisioning (OAM&P) - Protocols for Interfaces between Operations Systems in Different Jurisdictions.*

ANSI T1.243-1995, *Telecommunications, Operations, Administration, Maintenance and Provisioning (OAM&P) - Baseline Security Requirements for the Telecommunications Management Network (TMN).*

ANSI T1.246, *Operations, Administration, Maintenance and Provisioning (OAM&P) - Information Model and Services for Interfaces between Operations Systems across Jurisdictional Boundaries to Support Configuration Management - Customer Account Record Exchange (CARE).*

Bellcore TA- 1253, *Generic Requirements for Operations Interfaces Using OSI Tools: Network Element Security Administration.*

Committee T1 Technical Report No, 40, *Security Requirements for Electronic Bonding Between Two TMNs.*

ISO/IEC 11183-1:1992, *Information Technology - International Standardized Profiles AOM In OSI Management - Management Communications - Part 1 Specification of ACSE, Presentation and Session Protocols for the use by ROSE and CMISE.*

ISO/IEC 11183-2:1992, *Information Technology - International Standardized Profiles AOM In OSI Management - Management Communications - Part 2: CMISE/ROSE for AOM12 - Enhanced Management Communications.*

ISO/IEC 11183-3:1992, *Information Technology - International Standardized Profiles AOM In OSI Management - Management Communications - Part 3: CMISE/ROSE for AOM12 - Basic Management Communications.*

ITU X.509, *Information Technology - Open Systems Interconnection - The Directory Authentication Framework.*

ITU X.690/ISO IS 8825-1 Annex D, *ASNI/BER Encoding of Digital Signatures and Encrypted Cyphertext.*

ITU X.741, *OSI Systems Management, Objects and Attributes for Access Control*

ITU X.803, Upper Layers Security Model.

NMF Forum 016, Issue 1.0, 1992, *OMNIPoint 1 Specifications and Technical Reports, Application Services Security of Management*.

OIW Stable Implementation Agreement, Part 12, 1995.

Rec. M.3100:1992 & 1995 draft, *Generic Network Information Model*.

Rec. X.701 | ISO/IEC 10040:1992, *Information Technology - Open System Interconnection - Common Management Overview*.

Rec. X.710 | ISO/IEC 9595:1990, *Information Technology - Open System Interconnection - Common Management Information Service Definitions*.

Rec. X.711 | ISO/IEC 9596-1:1991, *Information Technology - Open System Interconnection - Common Management Information Protocol - Part 1: Specification*.

Rec. X.720 | ISO/IEC 10165-1:1991, *Information Technology - Open System Interconnection - Structure of Management Information - Part 1 Management Information Model*.

Rec. X.721 | ISO/IEC 10165-2:1992, *Information Technology - Open System Interconnection - Structure of Management Information: Guidelines for the Definition of Managed Objects*.

Rec. X.722 | ISO/IEC 10165-4:1992, *Information Technology - Open System Interconnection - Structure of Management Information: Guidelines for the Definition of Managed Objects*.

Rec. X.730 | ISO/10164-1:1992, *Information Technology - Open System Interconnection - System Management - Part 1: Object Management Function*.

Rec. X.734 | ISO/10164-5:1992, *Information Technology - Open System Interconnection - System Management - Part 5: Event Report Management Function*.

Rec. X.735 | ISO/10164-6:1992, *Information Technology - Open System Interconnection - System Management - Part 6: Log Control Function*.

Rec. X.209: 1988, *Specification for Basic Encoding Rules for Abstract Syntax Notation One (ASN.1)*.

Rec. X.690: 1994, *ASN.1 Encoding Rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER), and Distinguished Encoding Rules (DER)*.

Rec. X.208: 1988, *Specification of Abstract Syntax Notation One (ASN.1)*.

Rec. X.680 | ISO/IEC 8824-1: 1994, *Information Technology - Abstract Syntax Notation One (ASN.1) - Specification of Basic Notation*.

Rec. X.680 Amd.1 | ISO/IEC 8824-1 Amd.1, *Information Technology - Abstract Syntax Notation One (ASN.1) - Specification of Basic Notation 1 Amendment 1: Rules of Extensibility*.

ITU-T Recommendations are available from the US Department of Commerce, National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161. ISO standard are available from the American National Standards Institute, 11 West 42nd Street, New York, NY 10036.

1.5.2 Related Publications

Illinois Commerce Commission Number Portability Administration Center and Service Management System Request for Proposal (ICC NPAC/SMS RFP), February 6, 1996.

Lockheed Martin Team Response to the Illinois Commerce Commission Number Portability Administration Center and Management System Request for Proposal, March 18, 1996.

Scoggins, Sophia and Tang, Adrian 1992. *Open networking with OSI*. Englewood Cliffs, NJ, Prentice-Hall.

Stallings, William 1993. *SNMP, SNMPv2, and CMIP, The Practical Guide to Network-Management Standards*, Reading Massachusetts, Addison-Wesley.

North American Number Council (NANC) Functional Requirements Specification, Number Portability Administration Center (NPAC), Service Management System (SMS), Version 2.0.0, December 23, 1998.

CTIA Report on Wireless Portability Version 2, July 7, 1998

1.6 Abbreviations/Definitions

A-PDU	Application Protocol Data Unit
ASN.1	Abstract Syntax Notation 1
BER	Basic Encoding Rules
CARE	Customer Account Record Exchange
CER	Canonical Encoding Rules
CLASS	Custom Local Area Signaling Services
CME	Conformance Management Entity
CMIP	Common Management Information Protocol
CMISE	Common Management Information Service Element
CNAM	Caller Id with Name
GDMO	Generalized Definitions of Managed Objects
DER	Distinguished Encoding Rules
DES	Data Encryption Standard
FR	Frame Relay
IEC	International Electrotechnical Commission
ISO	International Organization of Standardization
ISVM	Inter-Switch Voice Mail
LIDB	Line Information Database
LNP	Local Number Portability
LRN	Location Routing Number
LSMS	Local Service Management System
LSP	Local Service Provider Portability
MAC	Media Access Control
MD5	Message Digest (Version 5)
MIB	Management Information Base
NE	Network Element
NMF	Network Management Forum
NPAC SMS	Number Portability Administration Center and Service Management System
NPA	Numbering Plan Area
NXX	Exchange
OCN	Operating Company Number
OSI	Open Systems Interconnect
PPP	Point-To-Point Protocol
RFP	Request for Proposal
RSA	Encryption Scheme
SOA	Service Order Activation
SMS	Service Management System
TMN	Telecommunications Management Network
TN	Telephone Number
WSMSC	Wireless Short Message Service Center

2 Interface Overview

2.1 Overview

This specification defines the interfaces between the NPAC SMS and the service providers' Service Order Entry System and Local SMS. The interfaces, defined using the CMIP protocol, are referred to as the SOA to NPAC SMS interface and the NPAC SMS to Local SMS interface respectively. CMISE M-CREATE, M-DELETE, M-SET, M-GET, M-EVENT-REPORT, and M-ACTION primitives are fully supported in a confirmed mode. The relationship from the SOA to the NPAC SMS and from the Local SMS to NPAC SMS is a manager to agent or an agent to manager relationship depending on the function being performed. The SOA and Local SMS interfaces are defined by Association Functions. These functions allow each association to define the services it supports. Association establishment from the SOAs and Local SMSs to the NPAC SMS, Association Function and security for each of these interfaces is discussed in Section 5, *Secure Association Establishment*.

Note: The M-CANCEL-GET primitive may not be supported in some NPAC SMS implementations due to the fact that this functionality was not determined necessary for the interface defined.

The sections that follow provide an overview of protocol requirements and a brief description of the functionality provided in each interface. Complete functional descriptions for the interfaces are provided in the process flow diagrams in Appendix B, *Message Flow Diagrams*, as well as the behavior for the managed objects.

The interface between the SOA and the NPAC SMS is called the "SOA to NPAC SMS interface". The interface between the Local SMS and the NPAC SMS is called the "NPAC SMS to Local SMS interface". No direction for operations is implied by the names of these interfaces.

2.2 OSI Protocol Support

The SOA to NPAC SMS and NPAC SMS to Local SMS interfaces must be implemented over the protocol stack shown in Exhibit 1.

Exhibit 1. NPAC/SMS Primary Network Protocol Stacks

Layer	Mechanized Interface	Function
	CMIP Agent Server	User
7	CMISE, ACSE, ROSE	Application
6	ANSI T1.224	Presentation
5	ANSI T1.224	Session
4	TCP, RFC1006, TPO	Transport
3	IP	Network
2	PPP, MAC, FRAME Relay, ATM (IEEE 802.3)	Link
1	DS-1, DS-0 x n, ISDN, V.34	Physical

Multiple associations per service provider to the NPAC SMS can be supported. The secure association establishment is described in *Section 5*.

2.3 SOA to NPAC SMS Interface

The SOA to NPAC SMS interface, which allows communication between a service provider's Service Provisioning Operating Systems and/or Gateway systems and the NPAC SMS, supports the retrieval and update of subscription, service provider, and network information. The following transactions occur to support local number portability functionality:

- SOA requests for subscription administration to the NPAC SMS and responses from the NPAC SMS to the SOA.
- Audit requests from the SOA to the NPAC SMS and responses from the NPAC SMS to the SOA.
- Notifications from the NPAC SMS to the SOA of subscription version data [and number pool block](#) changes, need for concurrence or authorization for number porting, conflict-resolution, cancellation, outage information, customer disconnect dates, or the first use of an NPA-NXX.
- Network data from the NPAC SMS to SOA.
- Service provider data administration from the SOA to the NPAC SMS.
- [SOA requests for number pool block administration \(creation and modification\) to the NPAC SMS and responses from the NPAC SMS to the SOA.](#)

Mapping of this functionality into the CMIP Definitions is provided in *Section 4 (see Exhibit 8.)*

2.3.1 Subscription Administration

Service provider subscription administration functionality includes the capability to:

- Create a subscription version
- Cancel a subscription version
- Acknowledge cancellation of a subscription version
- Modify a subscription version or range of versions
- Retrieve a specific subscription version or range of versions
- Activate a version or range of versions
- Disconnect a subscription version or range of versions
- Place a subscription into conflict
- Remove a subscription version from conflict

2.3.2 Audit Requests

Audit functionality allows the SOAs to request audits for a subscription version or group of subscription versions based on a Telephone Number (TN) for a specified service provider or all service provider networks. The requesting SOA receives discrepancy reports as they are found in the network. Upon audit completion it receives a notification of the success or failure of the audit and the total number of discrepancies found.

2.3.3 Notifications

SOAs are sent notifications to ensure that they are fully informed of relevant events for their subscriptions. Notification of creation, deletion, or data value changes for subscription versions will be sent to the SOA as they occur. Notification will be sent to

the SOA if the service provider has not authorized transfer of service for a TN in the amount of time specified in the “Service Provider Concurrence Interval” defined on the NPAC. This notification will indicate to the service provider that authorization is needed for the pending subscription version. If the service provider has not acknowledged version cancellation within a timeframe specified by the NPAC SMS, notifications will be sent requesting cancellation acknowledgment. The donor service provider SOA is notified of the customer’s disconnect date. SOA systems are also sent notifications to insure they are aware of planned down time in the NPAC SMS. [Notification of data value changes and object creations are sent for number pool block objects.](#)

First usage notifications are also sent to the SOA when the first [use of an NPA-NXX occurs from a subscription version is ported or number pool block in an NPA-NXX creation.](#)

Notifications can be recovered by the SOA from the NPAC SMS. Notifications to be recovered are requested by time range.

-

2.3.4 Service Provider Data Administration:

Service providers can use, read, and update their service provider information on the NPAC SMS using the SOA. Service providers can update information in the service provider profile as well as add and delete their own network data. Changes to network data that result in mass updates are prevented from the SOA to the NPAC. Mass changes must be initiated by the service provider contacting the NPAC personnel directly.

2.3.5 Network Data Download

When network data (NPA-NXX, [NPA-NXX-X](#), Service Provider, or LRN data for service providers) is created, modified, or deleted on the NPAC SMS, the data is automatically downloaded from the NPAC SMS to the SOA. The SOA may request that data be downloaded using a download request that is sent from the SOA to the NPAC SMS. The SOA then receives the data to be downloaded in the request response. Network data to be downloaded can be requested based on a time range, service provider or all service providers, an NPA-NXX range or all NPA-NXX data, [an NPA-NXX-X range or all NPA-NXX-X data](#), an LRN range or all LRN data, or all network data can be requested. [If all network data is specified and the “NPAC Customer SOA NPA-NXX-X Indicator” has been set in the service provider’s profile on the NPAC SMS, then NPA-NXX-X object data will be included.](#)

Service providers can also directly read data they wish to download from the NPAC SMS MIB.

2.3.6 [Number Pool Block Administration](#)

[Number pool blocks are a set of 1000 TNs represented by a 7 digit NPA-NXX-X \(i.e. 555-333-1 represents 555-333-1000 through 1999\). Service providers can create and modify the number pool blocks for which they are the block holder. Service providers can query all number pool block objects. Only the NPAC SMS can remove a number pool block objects.](#)

2.4 NPAC SMS to Local SMS Interface

The NPAC SMS to Local SMS interface is used for communications between a service provider's Local SMS and the NPAC SMS for support of LNP network element provisioning. The following transactions occur to support Local Number Portability:

- Subscription version, [number pool block](#) and network data from the NPAC SMS to the Local SMS.
- Service provider data administration from the Local SMS to the NPAC SMS.
- Notifications from the NPAC SMS to the Local SMS of planned NPAC SMS outages and the first use of a new NPA-NXX.

Mapping of this functionality into the CMIP Definitions is provided in *Section 4 (see Exhibit 8.)*

2.4.1 Subscription Version, [Number Pool Block](#) and Network Data Download

When network data (NPA-NXX, [NPA-NXX-X](#) or LRN data for service providers) or subscription data [or number pool block data](#) is created, modified, or deleted on the NPAC SMS, the data is automatically downloaded from the NPAC SMS to the Local SMS. The Local SMS may request that data be downloaded using a download request that is sent from the Local SMS to the NPAC SMS. The Local SMS then receives the data to be downloaded in the request response. Subscription data to be downloaded can be requested based on time range, a TN, or a TN range. [If the "NPAC Customer LSMS EDR Indicator" is set in the service provider's profile on the NPAC SMS, no subscription versions with the LNP type set to 'pool' will be sent. Number pool block data to be downloaded can be requested by time-range, NPA-NXX-X or NPA-NXX-X range.](#) - Network data to be downloaded can be requested based on a time range, service provider or all service providers, an NPA-NXX range or all NPA-NXX data, [an NPA-NXX-X range or all NPA-NXX-X data](#), an LRN range or all LRN data, or all network data can be requested. [If all network data is specified and the "NPAC Customer LSMS NPA-NXX-X Indicator" has been set in the service provider's profile on the NPAC SMS, then NPA-NXX-X object data will be included.](#)

Service providers can also directly read data they wish to download from the NPAC SMS MIB.

2.4.2 Service Provider Data Administration

Service providers can use, read, and update their service provider information on the NPAC SMS using the Local SMS to NPAC SMS interface. Service providers can update information in the service provider profile as well as add and delete their own network data. Changes to network data that result in mass updates are prevented by the NPAC SMS to Local SMS interface. Mass changes must be initiated by the service provider contacting the NPAC personnel directly.

2.4.3 Notifications

Local SMSs are sent notifications to insure they are aware of planned down time in the NPAC SMS. Local SMSs are also sent notifications when a new NPA-NXX is to be used for the first time in a subscription version [or number pool block by a serviceProvNPA-NXX-X creation.](#)

-

Notifications can be recovered by the Local SMS from the NPAC SMS. Notifications to be recovered are requested by time range.

3 *Hierarchy Diagrams*

3.1 Overview

The following five exhibits show the class hierarchy diagram for all managed objects (*Exhibit 2*), Log Record Objects (*Exhibit 3*), the Local SMS (*Exhibit 4*), the NPAC SMS naming hierarchies for the Local SMS (*Exhibit 5*), the SOA (*Exhibit 6.*), and the NPAC SMS naming hierarchies for the SOA. (*Exhibit 7*). These exhibits will help the user gain a better understanding of the structure of the interface definitions provided.

3.1.1 Managed Object Model Inheritance Hierarchy

The Managed Object Model Inheritance Hierarchy shows the inheritance hierarchy used for object definitions in the NPAC SMS to Local SMS and the SOA to NPAC SMS interfaces.




Exhibit 2. The Managed Object Model Inheritance Hierarchy

3.1.2 Log Record Managed Object Hierarchy

The Log Record Managed Object Hierarchy shows the inheritance hierarchy of the log records used in the NPAC SMS to Local SMS and SOA to NPAC SMS interfaces.




Exhibit 3 . Log Record Managed Object Hierarchy

3.1.3 NPAC SMS to Local SMS Naming Hierarchy for the NPAC SMS

The NPAC SMS to Local SMS Naming Hierarchy for the NPAC SMS shows the naming hierarchy used in the NPAC SMS to instantiate objects defined in the NPAC SMS to Local SMS interface.

Shaded objects are instantiated at NPAC SMS start-up and are not created via M-CREATE or M-DELETE requests. All other objects are created at start-up from a persistent object store on the NPAC SMS or from actions taken while the NPAC SMS is running.

Each object class belongs to one or more Association Functions.

Refer to *Section 5.2.1.8, Association Functions*.




Exhibit 4. The NPAC SMS to Local SMS Naming Hierarchy for the NPAC SMS.

3.1.4 NPAC SMS to Local SMS Naming Hierarchy for the Local SMS

The NPAC SMS to Local SMS Naming Hierarchy for Local SMS shows the naming hierarchy used in the Local SMS to instantiate objects defined in the NPAC SMS to Local SMS interface.

Shaded objects are instantiated at Local SMS start-up and are not created via M-CREATE or M-DELETE requests. All other objects are created at start-up from a persistent object store on the Local SMS or from actions taken while the Local SMS is running.

Each object class belongs to one or more Association Functions.

Refer to *Section 5.2.1.8, Association Functions*.




Exhibit 5. The NPAC SMS to Local SMS Naming Hierarchy for the Local SMS.

3.1.5 SOA to NPAC SMS Naming Hierarchy for the NPAC SMS

The SOA to NPAC SMS Naming Hierarchy for the NPAC SMS shows the naming hierarchy used in the NPAC SMS to instantiate objects defined in the SOA to NPAC SMS interface.

Shaded objects are instantiated at NPAC SMS start-up and are not created via M-CREATE or M-DELETE requests. All other objects are created at start-up from a persistent object store on the NPAC SMS or from actions taken while the NPAC SMS is running.

Each object class belongs to one or more Association Functions.
Refer to *Section 5.2.1.8, Association Functions*.




Exhibit 6. The SOA to NPAC SMS Naming Hierarchy for the NPAC SMS.

3.1.6 NPAC SMS to SOA Naming Hierarchy for the SOA

The NPAC SMS to SOA Naming Hierarchy for SOA shows the naming hierarchy used in the SOA to instantiate objects defined in the SOA to NPAC SMS interface.

Shaded objects are instantiated at SOA start-up and are not created via M-CREATE or M-DELETE requests. All other objects are created at start-up from a persistent object store on the SOA or from actions taken while the SOA is running.

Each object class belongs to one or more Association Functions.
Refer to Section 5.2.1.8, Association Functions.




Exhibit 7. NPA SMS to SOA Naming Hierarchy for the SOA.

4 Interface Functionality to CMIP Definition Mapping

4.1 Overview

The following tables, Exhibits 8-12, contain the mapping of the interface functionality to managed objects, attributes, actions, and notifications.

4.1.1 Primary NPAC Mechanized Interface Operations

The primary interface functions in support of the NPAC requirements are described in the table below, as well as their corresponding Common Management Information Exchange (CMISE) operation and referenced object type for that operation. This table does not include miscellaneous operations, such as service provider network data querying or downloading, etc. These functions are described in the object behaviors in the GDMO source below.

Exhibit 8. Primary NPAC Mechanized Interface Operations Table

Function	Direction (To/From)	CMIP Operation	Referenced Object Type
Abort/Cancel Audit Request	from SOA	M-DELETE	subscriptionAudit
Audit Complete	to SOA	M-EVENT-REPORT: subscriptionAuditResults	subscriptionAudit
Audit Discrepancy	to SOA	M-EVENT-REPORT: subscriptionAuditDiscrepancyRpt	subscriptionAudit
Audit Query	from SOA	M-GET	subscriptionAudit
Audit Request SOA	from SOA	M-CREATE	subscriptionAudit
Cancellation Acknowledgement	from SOA (new service provider)	M-ACTION: subscriptionVersionNewSP-CancellationAcknowledge	InpSubscriptions
Cancellation Acknowledgement	from SOA (old service provider)	M-ACTION: subscriptionVersionOldSP-CancellationAcknowledge	InpSubscriptions
Conflict Removal	from SOA (new service provider)	M-ACTION: subscriptionVersionRemoveFromConflict	InpSubscriptions
Customer Disconnect Date	to SOA	M-EVENT-REPORT: subscriptionVersionDonorSP-CustomerDisconnectDate	subscriptionVersionNPAC
Final Request for Version Create	to SOA (old service provider)	M-EVENT-REPORT: subscriptionVersionOldSP-FinalConcurrenceWindowExpiration	subscriptionVersionNPAC

Function	Direction (To/From)	CMIP Operation	Referenced Object Type
LSMS Filter NPA-NXX Create	from LOCAL SMS or from SOA	M-CREATE	lsmsFilterNPA-NXX
LSMS Filter NPA-NXX Delete	from LOCAL SMS or from SOA	M-DELETE	lsmsFilterNPA-NXX
LSMS Filter NPA-NXX Query	from LOCAL SMS or from SOA	M-GET	lsmsFilterNPA-NXX
Network Data Download	from LOCAL SMS or from SOA	M-ACTION: InpDownload or M-GET: scoped and filtered for intended serviceProvLRN, serviceProvNPA-NXX serviceProvNPA-NXX-X , service provider attributes	InpNetwork
Network Data Update	from LOCAL SMS or from SOA	M-CREATE	serviceProvLRN, serviceProvNPA-NXX
NPA-NXX-X Create	to LOCAL SMS or to SOA	M-CREATE:	serviceProvNPA-NXX-X
NPA-NXX-X Delete	to LOCAL SMS or to SOA	M-DELETE	serviceProvNPA-NXX-X
NPA-NXX-X Modify	to LOCAL SMS or to SOA	M-SET	serviceProvNPA-NXX-X
New NPA-NXX	to LOCAL SMS or to SOA	M-EVENT-REPORT: subscriptionVersionNewNPA-NXX	SubscriptionVersionNPAC InpNPAC-SMS
Number Pool Block Change Notification	to SOA	M-EVENT-REPORT attributeValueChange Notification or numberPoolBlockStatusAttributeValueChange Notification	numberPoolBlockNPAC
Number Pool Block Create	from SOA	M-ACTION: numberPoolBlock-Create	InpSubscriptions
Number Pool Block Create	to LOCAL SMS	M-CREATE: for a single numberPoolBlock	numberPoolBlock
Number Pool Block Modify	from SOA	M-SET:	numberPoolBlockNPAC or

Function	Direction (To/From)	CMIP Operation	Referenced Object Type
		to a single numberPoolBlock	InpSubscriptions
Number Pool Block Modify	to LOCAL SMS	MSET: to a single numberPoolBlock or scoped and filtered by NPA-NXX-X range for mass update	numberPoolBlock or InpSubscriptions
Number Pool Block Delete	to LOCAL SMS	M-DELETE: for a single numberPoolBlock	numberPoolBlock
Number Pool Block Query	from LOCAL SMS or SOA	M-GET: toa single numberPoolBlockNPAC or scoped and filtered for intended numberPoolBlocks	InpSubscriptions numberPoolBlockNPAC
Number Pool Block Query	to LOCAL SMS	M-GET: scoped and filtered for intended numberPoolBlock	InpSubscriptions
Notification Recovery	from LOCAL SMS or from SOA	M-ACTION: InpNotificationRecovery	InpNPAC-SMS
Recovery Complete	from LOCAL SMS or from SOA	M-ACTION: InpRecoveryComplete	InpNPAC-SMS
Request for Cancellation Acknowledgment	to SOA	M-EVENT-REPORT: subscriptionVersionCancellationAcknowledgmentRequest	subscriptionVersionNPAC
Request for Version Create	to SOA (new service provider)	M-EVENT-REPORT: subscriptionVersionNewSP-CreateRequest	subscriptionVersionNPAC
Request for Version Create	to SOA (old service provider)	M-EVENT-REPORT: subscriptionVersionOldSP-ConcurrenceRequest	subscriptionVersionNPAC
Service Provider Network Creation	to LOCAL SMS or to SOA	M-CREATE	serviceProvNetwork
Service Provider Network Deletion	to LOCAL SMS or to SOA	M-DELETE	serviceProvNetwork
Service Provider Network Service Provider Name Change	to LOCAL SMS or to SOA	M-SET: serviceProvName	serviceProvNetwork
Subscription Version Activate	from SOA	M-ACTION: subscriptionVersionActivate	InpSubscriptions
Subscription Version Cancel	from SOA	M-ACTION subscriptionVersionCancel	InpSubscriptions

Function	Direction (To/From)	CMIP Operation	Referenced Object Type
Subscription Version Change Notification	to SOA	M-EVENT-REPORT: attributeValueChangeNotification or subscriptionVersionStatusAttributeValueChange	subscriptionVersionNPAC
Subscription Version Conflict	from SOA (old service provider)	M-ACTION: subscriptionVersionOldSP-Create setting subscriptionOldSP-Authorization = FALSE	subscriptionVersion
Subscription Version Create	to LOCAL SMS	M-ACTION: subscriptionVersionLocalSMS-Create for multiple creates (<i>i.e.</i> , range operations) where the data in the subscription versions is the same M-CREATE: for an individual subscriptionVersion	InpSubscriptions subscriptionVersion
Subscription Version Create	from SOA	M-ACTION: subscriptionVersionOldSP-Create or subscriptionVersionNewSP-Create	InpSubscriptions
Subscription Version Delete	to LOCAL SMS	M-DELETE: scoped and filtered for intended subscriptionVersion criteria	subscriptionVersion
Subscription Version Disconnect	from SOA	M-ACTION: subscriptionVersionDisconnect	InpSubscriptions
Subscription Version Download	to LOCAL SMS	M-ACTION: subscriptionVersionLocalSMS-Create or M-CREATE: for an individual subscriptionVersion	InpSubscriptions
Subscription Version Download Request	from LOCAL SMS	M-ACTION: InpDownload or M-GET: scoped and filtered for intended subscriptionVersionNPAC criteria	InpSubscriptions
Subscription Version Modify	from SOA	M-ACTION: subscriptionVersion Modify or M-SET: on relevant subscriptionVersionNPAC attributes for pending, active, and conflict versions	InpSubscriptions
Subscription Version Modify	to LOCAL SMS	M-SET: scoped and filtered for intended subscriptionVersion criteria setting relevant attributes	InpSubscriptions
Subscription Version Query	from SOA from LOCAL SMS	M-GET: scoped and filtered for intended subscriptionVersionNPAC criteria setting relevant attributes	InpSubscriptions

Function	Direction (To/From)	CMIP Operation	Referenced Object Type
Subscription Version Query	to LOCAL SMS	M-GET: scoped and filtered for intended subscriptionVersion criteria	InpSubscriptions

4.1.2 Managed Object Interface Functionality

The table below contains the mapping of the SOA to NPAC SMS and the Local SMS to NPAC SMS managed objects to the interface functionality.

Exhibit 9. Managed Object Interface Functionality Table

Managed Object Name	Interface Functionality Mapping
InpAudits	Container object used to contain all subscription audit objects on the NPAC SMS and the Local SMS. It is used in the SOA to NPAC SMS interface to support audit functionality.
InpLocal SMS	Container object used to contain all objects on a Local SMS. It is used in the NPAC SMS to Local SMS interface to support NPAC SMS communication to the service provider Local SMS system.
InpLogAudit-DiscrepancyRptRecord	Object used to log information from a subscriptionAudit-DiscrepancyRpt notification.
InpLogAuditResultsRecord	Object used to log information from a subscriptionAuditResults notification.
InpLogCancellation AcknowledgeRequest Record	Object used to log information from a subscriptionVersionCancellationAcknowledgeRequest notification.
InpLogDonorSP-CustomerDisconnectDate Record	Object used to log information from a subscriptionVersionDonorSP-CustomerDisconnectDate notification.
InpLogLocalSMS-ActionResultsRecord	Object used to log information from a subscriptionVersionLocalSMS-ActionResults notification.
InpLogNewNPA-NXXRecord	Object used to log information from a subscriptionVersionNewNPA-NXX notification.
InpLogNewSP-CreateRequestRecord	Object used to log information from a subscriptionVersionNewSP-CreateRequest notification.
InpLogNumberPoolBlockStatusAttributeValueChangeRecord	Object used to log information from a numberPoolBlockStatusAttributeValueChange notification.
InpLogOldSP-ConcurrenceRequestRecord	Object used to log information from a subscriptionVersionOldSP-ConcurrenceRequest notification.
InpLogOldSP-FinalConcurrenceWindow-Expiration	Object used to log information from a subscriptionVersionOldSP-FinalConcurrenceWindowExpiration notification
InpLogOperational-InformationRecord	Object used to log information from a InpNPAC-SMS-Operational-Information notification.
InpLogStatusAttributeValue ChangeRecord	Object used to log information from a subscriptionVersionStatusAttributeValueChange notification.

Managed Object Name	Interface Functionality Mapping
InpNetwork	Container object used to contain all service provider network data on the NPAC SMS, SOA, and Local SMS. It is used in the NPAC SMS to Local SMS and SOA to NPAC SMS interfaces to support downloading of network data to the Local SMS and/or SOA and the functionality that allows service providers to create/delete their network data on the NPAC SMS.
InpNPAC-SMS	Container object used to contain all objects on a NPAC SMS. It is used in the NPAC SMS to Local SMS and SOA to NPAC SMS interfaces to support NPAC SMS communication from the service provider Local SMS and the SOA systems.
InpServiceProvs	Container object used to contain all service provider data on the NPAC SMS. It is used in the NPAC SMS to Local SMS interface and SOA to NPAC SMS interface to support retrieving of service provider data by the Local SMS and/or SOA and the functionality that allows service providers to update their service provider data on the NPAC SMS. Service providers can only retrieve their service provider data.
InpSOA	Container object used to contain all objects on a SOA. It is used in the SOA to NPAC SMS interface to support NPAC SMS communication to the service provider SOA system.
InpSubscriptions	Container object used to contain all subscription versions and number pool blocks on the NPAC SMS and the Local SMS. It is used in the NPAC SMS to Local SMS and SOA to NPAC SMS interfaces to support query of subscription and number pool block data on the NPAC SMS and downloading of subscription and number pool block data to the Local SMS.
lsmsFilterNPA-NXX	Object used to represent the NPA-NXX values for which a service provider does not want to be informed of subscription version broadcasts.
numberPoolBlock	Object used to represent a number pool block on the Local SMS. These objects are used to support number pool block download from the NPAC SMS to the EDR Local SMS using the NPAC SMS to Local SMS interface. Local SMS may support this object by setting the “NPAC Customer LSMS EDR Indicator” in their service provider profile on the NPAC SMS.
numberPoolBlockNPAC	Object used to represent a number pool block on the NPAC SMS. These objects are used to support number pool block administration from the SOA using the SOA to NPAC SMS interface. Capability is provided to the SOA for creation and modification. The NPAC SMS can create, modify and delete.
serviceProv	Object used to represent a service provider and its associated data on the NPAC SMS. These objects are used in the NPAC SMS to Local SMS and SOA to NPAC SMS interfaces to support retrieving of service provider data and the functionality that allows service providers to update their service provider data on the NPAC SMS except serviceProvId and serviceProvType. Service providers can only retrieve their service provider data.
serviceProvLRN	Object used to represent an LRN associated with a service provider on the NPAC SMS, SOA, or Local SMS. These objects are used to support downloading of network LRN data to the Local SMS and/or SOA and the functionality that allows service providers to create/delete their own network LRN data. The service provider will have to add a new object and delete the old one to modify the data.
serviceProvNetwork	Container object used to contain network data for a service provider on the NPAC SMS, SOA or Local SMS. It is used in the NPAC SMS to Local SMS and SOA to NPAC SMS interfaces to support downloading of network data to the Local SMS and the functionality that allows service providers to update their network data on the NPAC SMS.

Managed Object Name	Interface Functionality Mapping
serviceProvNPA-NXX	Object used to represent an NPA-NXX associated with a service provider on the NPAC SMS, SOA or Local SMS. These objects are used to support downloading of network NPA-NXX data to the Local SMS and/or SOA and the functionality that allows service providers to create/delete their own network NPA-NXX data. NPA splits are supported only through direct contact with NPAC personnel.
serviceProvNPA-NXX-X	<p>Object used to represent an NPA-NXX-X associated with a service provider on the NPAC SMS, SOA or Local SMS. These objects are used in number pooling to support downloading of network NPA-NXX-X data to the Local SMS or SOA. Only the NPAC SMS is allowed to create, delete and modify a service provider's NPA-NXX-X data.</p> <p>Local SMS may support this object by setting the "NPAC Customer LSMS NPA-NXX-X Indicator" in their service provider profile on the NPAC SMS.</p> <p>SOA may support this object by setting the "NPAC Customer SOA NPA-NXX-X Indicator" in their service provider profile on the NPAC SMS.</p>
subscriptionAudit	Object used to represent a subscription audit request on the NPAC SMS. These objects are used to support subscription audit requests from the SOA to the NPAC SMS using the SOA to NPAC SMS interface. The object supports notifications for audit discrepancies found and audit completion results. If the subscription version LNP type is equal to 'pool', the appropriate number pool block will also be audited.
subscriptionVersion	Object used to represent a subscription version on the Local SMS. These objects are used to support subscription version download from the NPAC SMS to the Local SMS using the NPAC SMS to Local SMS interface
subscriptionVersionNPAC	Object used to represent a subscription version on the NPAC SMS. These objects are used to support subscription administration from the SOA using the SOA to NPAC SMS interface. Capability is provided for version creation, activation, modification, cancellation, disconnect, and query.

4.1.3 Action Interface Functionality

The table below contains the mapping of the SOA to NPAC SMS and the Local SMS to NPAC SMS actions to the interface functionality.

Exhibit 10. The Action Interface Functionality Table

Action Name	Interface Requirements Mapping
InpDownload	This action is used to support the downloading of subscription, number pool block and network data to the Local SMS from the NPAC SMS. It also supports the downloading of network data to the SOA from the NPAC SMS.
InpRecoveryComplete	This action is used to specify the system has recovered from down time and the transactions performed since the association establishment can now be sent to the Local SMS from the NPAC SMS using the Local SMS to NPAC SMS interface or the SOA from the NPAC SMS using the SOA to NPAC SMS interface.
NumberPoolBlock-Create	This action is used to support creation of the number pool block object by the block holder service provider from the SOA to the NPAC SMS using the SOA to NPAC SMS interface.
subscriptionVersionActivate	This action is used to support subscription version activation by the new service provider from the SOA to the NPAC SMS using the SOA to NPAC SMS interface.
subscriptionVersionCancel	This action is used to support subscription version cancellation by a service provider from the SOA to the NPAC SMS using the SOA to NPAC SMS interface.
subscriptionVersionDisconnect	This action is used to support subscription version disconnection by the current service provider from the SOA to the NPAC SMS using the SOA to NPAC SMS interface.
subscriptionVersionLocalSMS-Create	This action can be used by the NPAC SMS to create multiple subscription versions via the Local SMS to NPAC SMS interface.
subscriptionVersionModify	This action is used to support subscription version modification by a service provider from the SOA to the NPAC SMS using the SOA to NPAC SMS interface.
subscriptionVersionNewSP-CancellationAcknowledge	This action is used to support the acknowledgment of subscription versions with a status of cancel-pending by the old service provider from the SOA to the NPAC SMS using the SOA to NPAC SMS interface.
subscriptionVersionNewSP-Create	This action is used to support subscription version creation by the new service provider from the SOA to the NPAC SMS using the SOA to NPAC SMS interface.
subscriptionVersionOldSP-CancellationAcknowledge	This action is used to support the acknowledgment of subscription versions with a status of cancel-pending by the old service provider from the SOA to the NPAC SMS using the SOA to NPAC SMS interface.
subscriptionVersionOldSP-Create	This action is used to support subscription version creation by the old service provider from the SOA to the NPAC SMS using the SOA to NPAC SMS interface.
subscriptionVersionRemoveFromConflict	This action is used on the NPAC SMS via the SOA to NPAC SMS interface to set the subscription version status from conflict to pending.

Action Name	Interface Requirements Mapping
InpNotificationRecovery	This action is used on the NPAC SMS via the SOA to NPAC SMS or Local SMS to NPAC SMS interface to recover notifications.

4.1.4 Notification Interface Functionality

The table below contains the mapping of the SOA to NPAC SMS and the Local SMS to NPAC SMS notifications to the interface functionality.

Exhibit 11. The Notification Interface Functionality Table

Notification Name	Interface Requirements Mapping
InpNPAC-SMS-Operational-Information	This notification is used to support the reporting of NPAC SMS scheduled down time. This notification can be issued from the InpNPAC-SMS object on the NPAC SMS to a SOA via the SOA to NPAC SMS interface or from the NPAC SMS to the Local SMS via the NPAC SMS to Local SMS interface.
numberPoolBlockStatusAttributeValueChange	This notification is issued when the number pool block status is modified and can contain the number pool block status and failed service provider list. This notification is issued over the NPAC SMS to SOA interface from the numberPoolBlockNPAC object.
subscriptionAudit-DiscrepancyRpt	This notification is used to support the reporting of audit discrepancies found during audit processing. This notification can be issued from an audit object on the NPAC SMS to a SOA via the SOA to NPAC SMS interface.
subscriptionAudit-Results	This notification is used to support the reporting of audit processing results. This notification can be issued from an audit object on the NPAC SMS to a SOA via the SOA to NPAC SMS interface.
subscriptionVersionCancellationAcknowledgeRequest	This notification is issued to new and old service providers to request that a cancellation acknowledgment be sent for a subscription version in a cancel-pending state. This notification is issued via the SOA to NPAC SMS interface from the NPAC subscription version object if the service provider fails to acknowledge the cancellation after a tunable amount of time specified in the NPAC SMS.
subscriptionVersionDonorSP-CustomerDisconnectDate	This notification informs the donor service provider SOA that a subscription version is being disconnected. This notification is issued from a subscription version object on the NPAC SMS to a SOA via the SOA to NPAC SMS interface.
subscriptionVersionLocalSMS-ActionResults	This notification contains the results of a subscriptionVersionLocalSMS-Create action once all the create requests have been attempted. It is issued from the Local SMS to the NPAC SMS via the NPAC SMS to Local

Notification Name	Interface Requirements Mapping
	SMS interface.
subscriptionVersionNew-NPA-NXX	This notification informs the Local SMS or SOA of a pending subscription version or new number pool block involving the first use of an a-new-NPA-NXX .
subscriptionVersionNewSP-CreateRequest	This notification is issued to the new service provider to request that a create request be sent for the subscription version created by the old service provider to provide authorization and/or porting information. This notification is issued via the SOA to NPAC SMS interface from the NPAC subscription version object if the new service provider failed to authorize porting of a number after a tunable amount of time specified in the NPAC SMS.
subscriptionVersionOldSP-ConcurrenceRequest	This notification is issued to the old service provider to request that a create request be sent for the subscription version created by the new service provider to provide concurrence for porting. This notification is issued via the SOA to NPAC SMS interface from the NPAC subscription version object if the old service provider failed to authorize porting of a number after a tunable amount of time specified in the NPAC SMS.
subscriptionVersionStatusAttributeValueChange	This notification is issued when the subscription version status is modified. This notification is issued from bover both the NPAC SMS to Local SMS interface and the SOA to NPAC SMS interface from the subscriptionVersionNPAC object.
SubscriptionVersionOldSPFinalConcurrenceWindow Expiration	This notification is issued to the old service provider to request for a final time that a create request be sent for the subscription version created by the new service provider to provide concurrence for porting. This notification is issued via the SOA to NPAC SMS interface from the NPAC subscription version object if the old service provider failed to authorize porting of a number after a tunable amount of time.

4.2 Scoping and Filtering Support

The following section defines the scoping and filtering support for both the SOA to NPAC SMS interface and LSMS to NPAC SMS interface.

4.2.1 Scoping

The NPAC SMS to Local SMS or SOA to NPAC SMS interfaces do not support scoping of CMIP operations of any type by the LSMS or SOA for the following objects:

- root
- InpLocal-SMS
- InpNetwork
- any object with an “empty” filter

NPAC SMS is not required to support Scope other than baseObject Scope for CMIP operations that specify baseManagedObjectClass of one of the following:

- InpNPAC-SMS
- InpServiceProvs

Scoped operations for subscriptionVersions [or numberPoolBlocks](#) to the LSMS must be supported on the baseObject (level 0) or from the InpSubscriptions object with a non-empty filter.

The limit in scoping and functionality prevents the NPAC, SOA, and the LSMS systems from having to implement functionality or respond to large requests that are not necessary to support LNP over the mechanized interfaces.

4.2.2 Filtering

Filtering on the NPAC SMS is supported as defined in the GDMO. The NPAC SMS requires the Local SMS to support at a minimum the filter criteria specified below.

Limitations:

- OR and NOT filter support is not required for the Local SMS or SOA.
- NOT filter support is not required for the NPAC SMS.
- Filtering requests with a scope will not be issued to the Local SMS or SOA by the NPAC SMS for any object other than the subscriptionVersion [object and numberPoolBlock objects. No query will be used that requests both subscription versions and number pool blocks at the same time.](#)
- All authorization rules apply to scoped and filtered operations. For example, a query for data that a service provider is not authorized to view will be failed with a reason of access denied.
- CMISync is not supported for any scoped/filtered CMIP operation.

The following table shows the CMISE primitive filtering support required of the Local SMS by the NPAC SMS for the subscriptionVersion object.

Exhibit 12 - CMISE Primitive Filtering Support for the Subscription Version Object

CMISE Primitives	Filter Supported	Notes
M-ACTION	N	No actions are defined for the subscriptionVersion object.
M-GET	Y	TN Range with greatOrEqual, lessOrEqual, equality must be supported for auditing. LNP type with equality must be supported for TN range query requests.
M-SET	Y	TN Range with greatOrEqual, lessOrEqual, equality must be supported for Mass Update or TN range modify requests. LNP type with equality must be supported for TN range modify requests.
M-DELETE	Y	TN Range with greatOrEqual, lessOrEqual, equality will be supported for range disconnect or port to original requests. LNP type with equality must be supported for TN range delete requests.

Exhibit 13 CMISE Primitive Filtering Support for the Number Pool Block Object

CMISE Primitives	Filter Supported	Notes
M-ACTION	N	No actions are defined for the number pool block object.
M-GET	Y	NPA-NXX-X Range with greatOrEqual, lessOrEqual, equality must be supported for auditing.
M-SET	Y	NPA-NXX-X Range with greatOrEqual, lessOrEqual, equality must be supported for Mass Update modify requests.
M-DELETE	N	Single request deletes are sent to the number pool block.

4.2.3 Action Scoping and Filtering Support

For messages sent to any object, the scope and filter will be checked to insure it is appropriate for that object class.

- All M-ACTIONS that relate to subscriptions [and number pool blocks](#) are targeted to InpSubscriptions.
- The ONLY filters allowed by the GDMO for InpSubscriptions are "equality" and "present" for the single attribute InpSubscriptionsName.
- If any one of the above M-ACTIONS is sent to a subscriptionVersionNPAC [or numberPoolBlockNPAC](#) object you will get a "no such action" error response from that object.
- If you send a scoped/filtered M-ACTION whose scope includes objects of class subscriptionVersionNPAC [or numberPoolBlockNPAC](#), you will receive an error "no such action" from each object specified by the filter. This could mean 1 for EVERY subscriptionVersion [or numberPoolBlock](#) in the NPAC.

4.3 InpLocal-SMS-Name and InpNPAC-SMS-Name Values

The following table (Exhibit 14) shows the values to be used for all currently identified NPAC regions for InpNPAC-SMS-Name in the InpNPAC-SMS object. The InpLocal-SMS-Name for the

lnpLocal-SMS object will be the service provider ID followed by a dash and the lnpNPA-SMS Name (e.g., 9999-Midwest Regional NPAC SMS).

Exhibit 14 - Defined lnpLocal-SMS-Name and lnpNPAC-SMS-Name Values

NPAC Customer Ids	NPAC SMS Region	lnpNPAC-SMS-Name
0000	Midwest	Midwest Regional NPAC SMS
0001	Mid-Atlantic	Mid-Atlantic Regional NPAC SMS
0002	Northeast	Northeast Regional NPAC SMS
0003	Southeast	Southeast Regional NPAC SMS
0004	Southwest	Southwest Regional NPAC SMS
0005	Western	West Regional NPAC SMS
0006	West Coast	West Coast Regional NPAC SMS
0007	Canada	Region8 NPAC Canada

4.4 OID Usage Information

4.4.1 OIDs Used for Bind Requests

Value	OID
CMIPUserInfo	2:1:1 (per standards and pp.49 IIS1.5)
CMIPAbortInfo	2:1:1 (per standards and pp.51 IIS1.5)
lnpAccessControl	{lnp-attribute 1} = 1:3:6:1:4:1:103:7:0:0:2:1
UserInfo (NpacAssociationInfo)	1:3:6:1:4:1:103:7:0:0:2:105
Application context	2:9:0:0:2 (per standards)

4.4.2 Other OIDs of Interest

Value	OID
AccessControl OID as part of a SMI notification	1:3:6:1:4:1:103:7:0:0:8:1
AccessControl as part of LNP notifications	{lnp-attribute 1} = 1:3:6:1:4:1:103:7:0:0:2:1

4.5 Naming Attributes

Non-zero values are not supported in the auto-instance naming attributes for Local Number Portability objects defined in the IIS.

4.6 Subscription Version M_DELETE Messages

M_DELETE commands are not sent for subscription versions set to old as a result of subsequent porting activity. M_DELETEs for subscription versions are only sent as a result of disconnect or port to original processing. Local SMS systems are responsible for deletion of the subscription

versions in their Local SMS database due to the fact that some LSMS implementations may choose to retain old subscription versions in their database.

5 *Secure Association Establishment*

5.1 Overview

This section describes the security, the association management and recovery procedures for the service provider SOAs and Local SMSs to follow, and how error information will be passed between interfaces.

The first section describes the security and authentication procedures used in the NPAC SMS interface. The second section describes the NPAC SMS's behavior and error handling and suggests how a service provider SOA or Local SMS should proceed when establishing an association.

5.2 Security

This section describes the security processes and procedures necessary for service provider SOA systems and Local SMSs to establish a secure association and maintain secure communication with the NPAC SMS. Security threats to the NPAC SMS include:

- Spoofing - An intruder may masquerade as either the SOA, Local SMS, or NPAC SMS to falsely report information.
- Message Tampering - An intruder may modify, delete, or create messages passed.
- Denial or Disruption of Service - An intruder may cause denial or disruption of service by generating or modifying messages.
- Diversion of Resources - An intruder may generate or modify messages that cause resources to be diverted to unnecessary tasks.
- Slamming - An intruder may generate or modify messages that cause customer's service to be moved between service providers.

Security threats are prevented in the NPAC SMS by use of the following methods:

- Strong two way authentication at association.
- Insuring data integrity by detection of replay, deletion, or modification to a message.
- Insuring non-repudiation of data by guaranteeing integrity and supporting data origination authentication for each incoming message.
- Implementation of access control and application level security that allows only authorized parties to cause changes to the NPAC SMS database.

5.2.1 Authentication and Access Control Information

The following access control information definition will be used in the AccessControl field of the association and CMIP PDUs to insure a secure communication for both the SOA to NPAC SMS interface and the NPAC SMS to Local SMS interface:

```

LnpAccessControl ::= SEQUENCE {
    systemId          [0] SystemID,
    systemType       [1] SystemType,
    userId           [2] GraphicString60 OPTIONAL,
    listId           [3] INTEGER,
    keyId            [4] INTEGER,
    cmipDepartureTime [5] GeneralizedTime,
    sequenceNumber   [6] INTEGER (0...4294967295),
    function         [7] AssociationFunction,
    recoveryMode     [8] BOOLEAN signature
    signature        [9] BIT STRING
}

ServiceProvId ::= GraphicString4

SystemID ::= CHOICE {
    serviceProvID [0] ServiceProvId,
    npac-sms [1] GraphicString60
}

SystemType ::= ENUMERATED {
    soa(0),
    local-sms(1),
    soa-and-local-sms(2), -- value will not be supported initially
                        -- by some NPAC SMS implementations;
                        -- value will be removed in the next
                        -- major release of the IIS
    npac-sms(3)          --value is only valid for AccessControl
                        -- definition
}

AssociationFunction ::= SEQUENCE {
    soaUnits [0] SoaUnits,
    lsmsUnits [1] LSMSUnits
}

SoaUnits ::= SEQUENCE {
    soaMgmt [0] NULL OPTIONAL,
    networkDataMgmt [1] NULL OPTIONAL,
    dataDownload [2] NULL OPTIONAL
}

LSMSUnits ::= SEQUENCE {
    dataDownload [0] NULL OPTIONAL LSMSUnits ::= SEQUENCE {
    dataDownload [0] NULL OPTIONAL,
    networkDataMgmt [1] NULL OPTIONAL,
    query [2] NULL OPTIONAL
}
}

```

Exhibit 15. Access Control

5.2.1.1 System Id

The system Id is the unique Id for the system using an interoperable interface and must be specified in the systemId field. For a service provider using the SOA and/or Local SMS interfaces, this is the Service Provider ID. For the NPAC SMS, it is the unique identifier for the regional SMS.

In cases where a service provider is providing SOA services for an associated service provider, the primary service provider must establish the association with their System Id set to their primary Service Provider ID. PDUs that are subsequently sent to the NPAC SMS may contain the primary or associated Service Provider Ids of the requesting service provider. Associated Service Provider Ids are sent in the System Id when actions are being taken on behalf of an associated service provider by the service provider providing SOA services (the primary service provider). The Service Provider ID specified in the access control for PDUs sent after association establishment, whether it's the primary or secondary Service Provider ID, is considered the requesting service provider and all validations will use this Service Provider ID.

5.2.1.2 System Type

The system type that indicates the type of system using the interoperable interface must be specified in the systemType field. The valid types are SOA and/or Local SMS and NPAC SMS.

5.2.1.3 User Id

The user Id of the user of the interface can optionally be specified in the userId field for the SOA interface. This is the 60 character graphics string user identifier for a user on a SOA system. It is not validated on the NPAC SMS, however, it is used for logging purposes.

5.2.1.4 List Id

The list Id must be specified as an integer in the listId field to identify a key list. This key list is one of the key lists exchanged outside of the interface process that is known to both the NPAC SMS and the Local SMS or SOA system it is communicating with.

NPAC key lists and service provider key lists are to be managed based upon service provider id and presentations layer address (P-selector) of the service provider's SOA system and/or Local SMS system. Also, a given service provider id and P-selector value exist for one or more Network Service Access Points (NSAP).

The NPAC SMS must generate and maintain NPAC key lists based upon the service provider's service provider id and P-selector value of the system(s) that support its SOA and LSMS interfaces. In addition, service providers(SOA systems and Local SMS systems) must also manage the NPAC's key lists. Each side of the interface must support multiple NPAC key lists per service provider id and P-selector value.

Service providers (SOA system and Local SMS system) must generate and maintain key lists based upon the service provider's service provider id and P-selector value of the system(s) that support its SOA and LSMS interfaces. Furthermore, the NPAC SMS must also manage the service provider's key lists. Each side of the interface must support multiple service provider(SOA system and Local SMS) key lists per service provider id and P-selector value.

In cases where a service provider is providing SOA services for an associated service provider, key lists are only exchanged with the primary service provider using the primary service provider id.

5.2.1.5 Key Id

The key Id of a key in the key list must be specified as an integer in the keyId field. This uniquely identifies the key in the key list used to create the digital signature. The size of the modulus for the key is variable between 600 and 2048 bits.

Since key lists are to be managed based upon service provider id and the P-selector value of a service provider's SOA system and/or Local SMS system, keys are to be treated independently at the presentation layer for an association. By using presentation layer support of a key list, SOA and Local SMS systems can have one key or unique keys to support the SOA and LSMS interfaces. The following situations are supported:

1. If a service provider has one process supporting the SOA and LSMS interface, then the process has one P-selector value supporting both interfaces. The SOA/Local SMS system would use the same key list and the same key for all associations created for the both the SOA and LSMS interface. The NPAC SMS would in turn have one NPAC key list and key to support both interfaces.
2. If a service provider has two processes supporting the SOA and LSMS interface, then each process would have different P-selector values. The SOA and Local SMS systems would use separate key lists and keys per interface. In detail, the SOA system would use a key list and key for all associations involving the SOA interface and the Local SMS system would use a different key list and key for all associations involving the LSMS interface. The NPAC SMS would also manage separate key lists and keys per the SOA and LSMS interface. Furthermore, the NPAC SMS would use the same key list and key for all associations within a given interface.
3. If a service provider has an SOA system or a Local SMS system that consists of multiple processes, then each processes would have different P-selector values. Therefore, each process would manage separate key lists and separate keys per process. The NPAC SMS would also manage separate key lists/keys per process. For example, if a Local SMS system consists of 2 processes (one process supporting subscription data and the other supporting network/query data), the processes would have separate P-selector values and use separate key lists/keys per association. The NPAC SMS would also manage separate key lists and keys per process within the LSMS interface.

Note: In cases where a service provider is providing SOA services for an associated service provider, keys are used from primary service provider key lists

If the service provider determines their key is compromised they should change their own private key and list. If the NPAC determines that their key is compromised then they should change their own private key and list. The NPAC should not invalidate a service providers key and vice versa. However, should either side of the industry interfaces (SOA and Local SMS interface) change keys, the remote side is expected to mark the previously used key as used (key expiration). Previously used keys (ListId/KeyId combinations) are considered expired and result in a security violation across the industry interface when re-used.

5.2.1.6 CMIP Departure Time

The CMIP departure time must be specified in GeneralizedTime in the cmipDepartureTime field as the time the PDU departed the sending system. The universal time format (YYYYMMDDHHMMSS.0Z) is used. In order to insure data integrity and no-repudiation the NPAC SMS system must be synchronized to within five minutes of the Local SMS and SOA systems that it communicates.

5.2.1.7 Sequence Number

The sequence number is a 32 bit integer that must be specified in the sequenceNumber field. It should be specified as zero at association time and incremented by one for every message sent over the association. Once the sequence number reaches 4294967295 the counter will be reset to one for the association. Please note that each sender independently keeps its own counter for the sequence number of messages sent and received. For example, after association is established, a Local SMS could send three messages to the NPAC SMS with sequence numbers 1, 2, and 3 respectively. The NPAC SMS when sending its first message to the Local SMS would use sequence number 1 not sequence number 4.

5.2.1.8 Association Functions

The Association Function(s) must be specified on the initial association request (AARQ PDU). The following table lists the possible Association Functions that can be specified for each of the Association Request Initiators and the associated bit mask value:

Exhibit 16 Association Functions

Association Request Initiator	SOA	Local SMS
Association Function SOA Management (Audit and Subscription Version) Classes: InpSubscriptions numberPoolBlock numberPoolBlockNPAC subscriptionAudit subscriptionVersion subscriptionVersionNPAC	0x01	
Service Provider and Network Data Management Classes: InpNetwork InpNPAC-SMS InpServiceProvs IsmsFilterNPA-NXX serviceProv serviceProvLRN serviceProvNetwork serviceProv-NPA-NXX serviceProvNPA-NXX-X	0x02	0x04

	Association Request Initiator	SOA	Local SMS
Association Function			
LSMS Network and Subscription Data Download Classes: InpNetwork InpSubscriptions			0x08
SOA Network Data Download Classes: InpNetwork		0x20	
Query Outbound from the NPAC SMS Classes: All			0x10

The association functions specified upon association are stored. Then all subsequent operations performed by that associations are then validated against that data to verify that they are 'legal'. All outbound messages from the NPAC are also validated against the association functions and if a service provider does not have the correct masking set, they will not receive the transmission. Note that the multiple Association Functions can be specified for an association. For example, a Local SMS can establish an association for both the process audit and network and subscription data download association functions.

5.2.1.9 Recovery Mode

The recovery mode flag is set to TRUE when a Local SMS or SOA is establishing a connection after a downtime. This flag indicates to the NPAC SMS to hold all current transactions until the Local SMS or SOA sends the Recovery Complete action. Once an association is established in recovery mode by a Local SMS, the Local SMS should request subscription and network downloads and notifications that occurred during downtime. Once an association is established in recovery mode by a SOA, the SOA should request network downloads and notifications that occurred during downtime. After these steps are complete, the Local SMS or SOA should submit the Recovery Complete action. The NPAC SMS will respond to the recovery complete action, send all updates that occurred since association establishment and then normal processing will resume. See *Appendix B, Section 1.7.1*.

Service Provider Local SMS and SOA systems recover data independently. SOA systems can recover their information before, after, or concurrently with an LSMS using the same Service Provider Id.

A service provider providing SOA services for associated service providers can recover notifications for the primary and each associated service provider id prior to issuing the Recovery Complete action.

5.2.1.10 Signature

The signature field contains the MD5 hashed and encrypted systemId, the system type, the userId, the cmipDepartureTime, and sequenceNumber without separators between those fields or other additional characters. Before hashing and encryptions, character fields are ASCII format and integer fields are 32 bit big endian. Encryption is done using RSA encryption using the key from the key list specified. Validation of this field insures data integrity and non-repudiation of data. The following is additional information about how the information should be represented for digital signature encoding:

Field	Format	Contents
systemID	ASCII	
systemType	Integer	e.g. local-sms = 1
userId	ASCII	
cmipDepartureTime	ASCII	"YYYYMMDDHHMMSS.OZ" format
sequenceNumber	Integer	

5.2.2 Association Establishment

Strong two way authentication at association is done for both the SOA to NPAC SMS interface and the NPAC SMS to Local SMS interface. This secure association establishment is done at the application level using the access control field described above. The access control information used during association set-up is sent in the association control messages. Association establishment can be done by the SOA to NPAC SMS or Local SMS to NPAC SMS. The NPAC SMS cannot initiate an association. The initiator of the association specifies its information in the AARQ PDU message and the responder in the AARE PDU.

When the SOA or LSMS initiate an association with the NPAC the NSAP and P-selector values will be validated to insure that they are valid for the service provider initiating the association. The following is an example of the information exchanged in the AARQ and AARE PDUs and the processing involved. Assume for the example:

- A Local SMS is making an association with the NPAC SMS.
- The Local SMS systemId is "9999."
- The NPAC SMS systemId is "NPAC SMS User Id."
- The listId for the key list is 1.
- The keyId is 32.
- The key in listId 1 with a keyId of 32 is "ABC123."
- The sequence number is 0 (as required).

The Local SMS initiates the association request by creating and sending an AARQ PDU to the NPAC SMS. This AARQ PDU contains the following access control information in the syntax described above:

- The systemId of "9999".
- The listId of 1.
- The keyId of 32.
- The current Local SMS GMT time in the cmipDepartureTime.
- A sequence number of 0.
- The signature contains MD5 hashed and encrypted systemId, systemType, userId, cmipDepartureTime, and the sequenceNumber using the encryption key "ABC123" as found in key list 1 with key id 32.

- And all BOOLEAN items are set to FALSE in the functional groups field, except for the LSMSUnit of Query item which is set to TRUE.

Once the AARQ PDU is sent, the sender (in this case the Local SMS), starts a tunable timer (with a default value of 2 minutes). If the timer expires before the AARE PDU is received then the Local SMS will terminate the association attempt.

When the NPAC SMS receives the association request it validates the data received. The data is validated as follows:

- Insure the systemId is present and valid for the association.
- Insure the sequence number is 0.
- Insure the cmipDepartureTime is within 5 minutes of the current NPAC SMS GMT time.
- Find the key specified and decrypt the signature insuring that the systemId, systemType, userId, cmipDepartureTime, and sequenceNumber are the same as those specified in the PDU.
- The functional groups requested are valid for the system type that requested the association. In this example, the system type must be "local-sms(1)" {"soa-andlocal-sms(2)" value is to be removed from a future version of the IIS}.

If validation of the AARQ PDU fails then an A-ABORT will be issued by the NPAC SMS with an error of access denied. If the validation of the AARQ PDU is successful then an AARE PDU would be sent back to the Local SMS. This AARE PDU contains the following access control information in the syntax described above:

- The systemId of "NPAC SMS User Id."
- The listId of 1.
- The keyId of 32.
- The current NPAC SMS GMT time in the cmipDepartureTime.
- A sequence number of 0.
- And the signature contains MD5 hashed and encrypted systemId, systemType, userId, cmipDepartureTime, and the sequenceNumber using the encryption key "ABC123" as found in key list 1 with key id 32.

The NPAC SMS may choose to optionally specify a new listId and keyId if for any reason it wants to make a key change. Should either side of the interface change its listId/keyId values, both sides of the interface must mark the previously used keyId as used.

When the Local SMS receives the association response it validates the data received. The data is validated as follows:

- Insure the systemId is present and valid for the association. (Note: the userId field is not required for Local SMS and NPAC SMS associations).
- Insure the sequence number is 0.
- Insure the cmipDepartureTime is within 5 minutes of the current Local SMS GMT time.

- Find the key specified and decrypt the signature insuring that the systemId, systemType, userId, cmipDepartureTime, and sequenceNumber are the same as those specified in the PDU.

If validation of the AARE PDU fails then an A-ABORT will be issued by the Local SMS. If validation is successful then a secure association has been established.

5.2.3 Data Origination Authentication

For M-GET, M-SET, M-CREATE, M-DELETE, and M-ACTION, the access control field described above is used for data origination authentication. Please note that any of the messages sent between manager and agent must be sent in confirmed mode. The following is an example of the information exchanged in the CMIP PDUs and the processing involved. Assume for the example:

- A SOA is making an association with the NPAC SMS.
- The SOA system provides SOA functionality for another Service Provider.
- The SOA systemId is “9999” for the primary Service Provider Id and is “8888” for an associated Service Provider Id.
- The NPAC SMS systemId is “NPAC SMS User Id.”
- The listId for the key list is 1.
- The keyId is 32.
- The key in listId 1 with a keyId of 32 is “ABC123.”
- The sequence number is 1.

The SOA sends an M-GET to the NPAC SMS. The M-GET PDU contains the following access control information in the syntax described above:

- The systemId of “8888.”
- The listId of 1.
- The keyId of 32.
- The current Local SMS GMT time in the cmipDepartureTime.
- A sequence number of 1.
- And the signature contains MD5 hashed and encrypted systemId, systemType, userId, cmipDepartureTime, and the sequenceNumber using the encryption key “ABC123” as found in key list 1 with key Id 32.

Once the M-GET is sent, the sender (in this case the SOA), starts a tunable timer (with a default value of 2 minutes). If the timer expires before the M-GET CMISE service response is received then the SOA will regenerate the sequenceNumber, cmipDepartureTime and signature and resend the request. The SOA should resend a default of 3 times and abort the association if no response is received. If a response is received after the timeout period, it should be discarded. If an error message is received on a retry request, it should be evaluated to see if the request was processed or the error was received for other reasons. For example, an error of “duplicateObjectInstance” for an M-CREATE request most likely indicates a successful create.

When the NPAC SMS receives the M-GET request it validates the data received. The data is validated as follows:

- Insure the systemId is present and valid for the association. For the SOA the systemId can be the primary or associated Service Provider Id depending on the requestor.
- Insure the sequence number is the next sequence number expected. (In this case 1).
- Insure the cmipDepartureTime is within 5 minutes of the current NPAC SMS time.
- Find the key specified and decrypt the signature, insuring that the systemId, systemType, userId, cmipDepartureTime, and sequenceNumber are the same as those specified in the PDU.

If validation of the M-GET PDU fails then an A-ABORT will be issued by the NPAC SMS without any additional information to prevent tampering and unauthorized use of network resources by intruders. If the validation of the M-GET PDU is successful then the NPAC SMS would get the data requested and send back an M-GET Response to the SOA.

Since CMIP notifications (M-EVENT-REPORT) do not have access control fields, all notifications defined contain the access control information in the notification definition. ObjectCreation, ObjectDeletion, and AttributeValueChange should use the "information" attribute, which is an ANY DEFINED BY to contain the access control field. The values and authentication for the notification access control fields are the same as above.

When the NPAC sends a notification, the destination service provider is uniquely identified in the distinguishedName of the M-EVENT-REPORT. The InpLocalSMS-Name attribute value(2.17) is appended to the service provider's id and is used to populate the value of the first element of the EventReportArgument's managedObjectInstance distinguishedName. This allows primary service providers to distinguish notifications destined for themselves and for each secondary service provider.

5.2.4 Audit Trail

Audit trails will be maintained in logs on the NPAC SMS for the following association information:

- Association set-up messages.
- Association termination messages.
- Invalid messages:
 - Invalid digital signature.
 - Sequence number out of order.
 - Generalized time out of range.
 - Invalid origination address.
- All incoming messages regardless of whether or not they cause changes to data stored in the NPAC SMS.

This information will be made available for report generation on the NPAC SMS system. It will not be made available through the NPAC SMS Interoperable Interface.

5.3 Association Management and Recovery

5.3.1 Establishing Associations

5.3.1.1 NpacAssociationUserInfo

The following structure will be used to report the status of a login attempt or the current state of the NPAC SMS:

```
NpacAssociationUserInfo ::= SEQUENCE {
    error-code [0] IMPLICIT ErrorCode,
    error-text [1] IMPLICIT GraphicString(SIZE(1..80))
}
```

```
ErrorCode ::= ENUMERATED
{
    success (0),
    access-denied (1)
    retry-same-host (2)
    try-other-host (3)
}
```

Bind Requests and Responses

For AARQ (M-Bind requests) the NPAC SMS will be ignoring the CMIPUserInfo userInfo field. The SMASEUserInfo will be ignored by the NPAC SMS.

In order to validate a successful login, the AARE (M-Bind response) from the NPAC SMS will contain the NpacAssociationUserInfo as the “userInfo” field of the CMIPUserInfo that is contained on the AARE. The ErrorCode will be set to “success”.

The following structure will be used for CMIPUserInfo:

```
CMIPUserInfo ::= 2:9:1:1:4
--{joint-iso-ccitt(2) ms(9) cmip(1) cmip-pci(1)
abstractSyntax(4)}

CMIPUserInfo ::= SEQUENCE {
    protocolVersion [0] IMPLICIT ProtocolVersion
    DEFAULT {version1-cmip-assoc},
    functionalUnits [1] IMPLICIT FunctionalUnits DEFAULT {},
    accessControl [2] EXTERNAL OPTIONAL
    userInfo [3] EXTERNAL OPTIONAL
}
```

5.3.1.2 Unbind Requests and Responses

The NPAC SMS will never be issuing the RLRQ (M-Unbind request), but will respond to them from the SOA or Local SMS.

5.3.1.3 Aborts

For unsuccessful logon attempts or situations where the NPAC SMS application must abort all associations, the ABRT CMIPAbortInfo structure's "userInfo" will contain the NpacAssociationUserInfo structure. The ErrorCode will be set to one of the enumeration values.

The following structure will be used for CMIPAbortInfo:

```
CMIPAbortInfo ::= 2:9:1:1:4
--{joint-iso-ccitt(2) ms(9) cmip(1) cmip-pci(1)
abstractSyntax(4)}

CMIPAbortInfo ::= SEQUENCE {
    abortSource [0] IMPLICIT CMIPAbortSource,
    userInfo    [1] EXTERNAL OPTIONAL
}
```

5.3.1.4 NPAC SMS Failover Behavior

Under normal conditions, the primary NPAC SMS will be responding by accepting association requests while the secondary NPAC SMS will be responding by denying association requests with an ABRT and error code of TRY_OTHER_HOST.

When the primary NPAC SMS needs to go down for a short period of time (secondary will not take over), the primary NPAC SMS will either not be responding (if down) or be denying association requests with an error code of RETRY_SAME_HOST (if partially up). The secondary NPAC SMS will be responding by denying association requests with an ABRT and error code of TRY_OTHER_HOST.

When the primary NPAC SMS goes down (scheduled or unscheduled) and the secondary NPAC SMS is re-synchronizing to become active, the primary NPAC SMS will be denying association requests with an ABRT and error code of TRY_OTHER_HOST. The secondary NPAC SMS will be responding by denying association requests with an ABRT and error code of RETRY_SAME_HOST. Once the secondary NPAC SMS is done re-synchronizing, it will then start accepting association requests.

5.3.1.5 Service Provider SOA and Local SMS Procedures

The following is an algorithm that can be used by a service provider SOA or Local SMS when trying to establish an association with the NPAC SMS:

```
try to establish an association on the primary NPAC SMS if a
response was obtained
{
    if the response was an ABRT and the ABRT is from the NPAC
    Application
    {
        switch (error code)
        {
            case ACCESS_DENIED
                find out what is causing the error and fix it
                retry the association on the primary NPAC SMS
            case RETRY_SAME_HOST
                wait X seconds
                retry the association on the primary NPAC SMS
```

```

        case TRY_OTHER_HOST
            wait X seconds
            execute this algorithm again substituting
            "secondary" for "primary"
        }
    }
else
{
    if the response was an ABRT and from the PROVIDER
    (not application)
        find out what is causing the error and fix it
        retry the association on either the primary or
        secondary NPAC SMS
    }
else
{
    # timeout - some type of network error has occurred
    # a number of different things can be done:
    #
    #   wait X seconds
    #   retry primary
    #
    #       or
    #
    #   find out what is causing the error and fix it
    #   retry the association on the primary NPAC SMS
    #
    #       or
    #
    #   wait X seconds
    #   execute this algorithm again substituting
    #   "secondary" for "primary"
}
}

```

5.3.2 Releasing or Aborting Associations

Any of the systems, NPAC SMS, service provider SOA or Local SMS can abort an association at any time. Only the SOA and Local SMS can perform an RLRQ request. Once a scheduled outage has arrived, the NPAC SMS will abort associations (error code of "Try Other Host" or "Retry Same Host" depending on the type of outage).

5.3.3 Error Handling

5.3.3.1 NPAC SMS Error Handling

The NPAC SMS will issue errors to the Local SMS and SOA interfaces based upon the definitions and mappings in Appendix A. The NPAC SMS expects the SOA and Local SMS to support the same error definitions when both issuing and receiving error responses for the operations each interface supports.

The NPAC SMS will attempt to interpret an error returned from a SOA or Local SMS. The NPAC SMS will log the error. If the request is not resent and the

error response was returned from a Local SMS and related to a subscription version broadcast (M-CREATE or Create Action, M-DELETE, M-SET), a broadcast failure will be noted for the service provider on the subscription version. If a service provider does not have an active Local SMS association at the time of a broadcast, the broadcast will be automatically failed for the service provider.

The Local SMS and SOA are expected to recover themselves with the NPAC SMS when their association is reestablished. Thus it is the responsibility of the Local SMS and SOA to request the necessary data to rectify the failed transmission of M-EVENT-REPORTs, network data updates and non-broadcast oriented subscription version updates.

If the NPAC SMS sends a request to a Local SMS or SOA and receives no response from the CMISE service within the tunable period, the NPAC SMS will resend the message according to the tunable retry periods for the specific message type. If a response is received after the timeout period, it will be discarded. If the NPAC SMS receives no response, the NPAC SMS will assume the association is down and abort the connection. The Local SMS and SOA systems should assume the same behavior with the NPAC SMS.

5.3.3.2 Processing Failure Error

In addition to the standard CMIP error reporting mechanisms, the following attribute will be passed in the SpecificErrorInfo structure on CMIP errors that return a PROCESSING FAILURE error. This structure will be used to detail errors not covered by the standard CMIP error codes.

GDMO Definition

```

lnpSpecificInfo ATTRIBUTE
    WITH ATTRIBUTE SYNTAX LNP-ASN1.LnpSpecificInfo;
    MATCHES FOR EQUALITY;
    BEHAVIOUR lnpSpecificInfoBehavior;
    REGISTERED AS {lnp-attribute 8};

lnpSpecificInfoBehavior BEHAVIOUR
    DEFINED AS !
        This attribute is used to return more detailed
        error text information upon a CMIP Processing
        Failure error.
    !;

ASN.1 Definition
lnpSpecificInfo ::= GraphicString(SIZE(1..256))

```

5.3.4 Recovery

The SOA and Local SMS associations are viewed to be permanent connections by the NPAC SMS. Thus when the association is broken for any reason, the system connecting to the NPAC SMS must assume responsibility to recover and resynchronize themselves with the NPAC SMS. One association should be established for recovery and no other associations should be established in normal mode until recovery is complete.

5.3.4.1 Local SMS Recovery

To recover, the Local SMS starts by setting the recoveryMode flag of the access control parameter. This flag signals the NPAC SMS to hold all data updates to this Local SMS. The Local SMS should then request the network and subscription data downloads and the notifications that occurred during downtime. Once this is complete, the Local SMS should issue the

InpRecoveryComplete action to turn off the recoveryMode flag. After the NPAC SMS responds to the InpRecovery Complete action it will send to the LSMS any other messages that have occurred since the association was established.

5.3.4.2 SOA Recovery

To recover, the SOA starts by setting the recoveryMode flag of the access control parameter. This flag signals the NPAC SMS to hold all data updates to this SOA. The SOA should then request the network data downloads and notifications that occurred during downtime. Once this is complete, the SOA should issue the InpRecoveryComplete action to turn off the recoveryMode flag. After the NPAC SMS responds to the InpRecovery Complete action it will send to the SOA any other messages that have occurred since the association was established.

5.4 Congestion Handling

The following sections define NPAC SMS behavior when in congestion and the NPAC handling of Local SMS and SOA congestion. The recommendation for Congestion Control follows the “Flow Control” mechanism and is described in OSI Communication Reference Model (ISO/IEC 7498). The two types of flow control defined are:

1. Peer Flow Control
2. Inter-Layer Flow Control

Peer Flow Control can be used when two peer layers of the OSI Stack talk to each other. The most common form of Peer Flow Control is the sliding window protocol. This protocol is implemented by TCP. This is the flow control approach used by the NPAC SMS.

5.4.1 NPAC SMS Congestion

Once the number of incoming messages to be queued to the NPAC SMS is exceeded at the transport layer, TCP/IP, an indication will be sent to the sender from the transport layer, TCP/IP, that congestion is occurring. Upon clearing of the congestion situation, the transport layer, TCP/IP will indicate to the sender that congestion has been cleared. As the receiver, the NPAC SMS application will not be aware that it is congested. The NPAC SMS application will be continually processing the information being sent as quickly as possible. Only the sender will be aware that the NPAC SMS is congested due to the fact that it can not send any more information to the NPAC SMS via the transport layer, TCP/IP. Implementation of functionality to handle NPAC congestion situations is at the discretion of SOA and LSMS vendors.

5.4.2 NPAC Handling of Local SMS and SOA Congestion

The NPAC SMS application must be able to handle congestion when attempting to send out a message to a SOA or LSMS system. When receiving indications of congestion via the transport layer from a SOA or LSMS the NPAC SMS application stops dispatching messages for the SPID (primary or associated) and SOA or LSMS interface that returned congestion. Note: If a SOA system returns congestion it will not affect the LSMS for the same service provider and vice versa. When the NPAC SMS stops dispatching messages to a congested SOA or LSMS, the retry attempts and retry timer values and the behavior associated with them apply to the messages not dispatched. The NPAC will abort the SOA or LSMS association once the retry attempts are exhausted. Any unacknowledged messages at the NPAC SMS application layer will be handled as failures as they are when an association is aborted today, for example for security reasons.

Once the NPAC SMS gets an indication via the transport layer that a SOA or LSMS system that was previously congested is ready to receive information, the NPAC SMS

resumes sending of messages to that system. Note that the NPAC SMS will use the sequence number for the message it sends first that was the sequence number on the message that was sent when congestion indication was received. This is done since the SOA or LSMS system did not receive this message. If the sequence number were incremented this would cause the SOA or LSMS to abort the association due to the sequence number value being larger than expected. SOA and LSMSs should use the same sequence number as well when communicating with the NPAC to prevent the NPAC from aborting the association due to the sequence number value being larger than expected.

~~6 GDMO Definitions~~

~~6.1 Overview~~

~~The GDMO interface definitions provided below support the SOA to NPAC SMS interface and the NPAC SMS to Local SMS interface. Included in this section of the interface specification are object name bindings, attribute, package, action, and notification definitions.~~

~~6.2 Object Definitions~~

~~1.0 LNP Audits Managed Object~~

~~lnpAudits MANAGED OBJECT CLASS~~

~~DERIVED FROM "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 : 1992":top;~~

~~CHARACTERIZED BY~~

~~lnpAuditsPkg;~~

~~REGISTERED AS {LNP OIDS.lnp objectClass 1};~~

~~---~~

~~lnpAuditsPkg PACKAGE~~

~~BEHAVIOUR~~

~~lnpAuditsDefinition;~~

~~lnpAuditsBehavior;~~

~~ATTRIBUTES~~

~~lnpAuditsName GET;~~

~~;~~

~~lnpAuditsDefinition BEHAVIOUR~~

~~DEFINED AS !~~

~~The lnpAudits class is the managed object that is used as~~

~~the container object for the subscriptionAudit objects on the~~

~~NPAC SMS. This object has been created for scoping efficiency.~~

~~!;~~

~~lnpAuditsBehavior BEHAVIOUR~~

~~DEFINED AS !~~

~~NPAC SMS Managed Object for the SOA to NPAC SMS interface.~~

~~The service provider SOA can M-GET any lnpAudits object on the~~

~~NPAC SMS. (SOA Management Association Function).~~

~~The Local SMS can not M-GET any lnpAudits object on the NPAC SMS.~~

~~The lnpAuditsName attribute is read only and can not~~

~~be changed via the Local SMS or SOA Interface once the object has~~

~~been created. The value of lnpAuditsName will always be "lnpAudits".~~

~~Only one of these objects will exist per agent and it will only be~~

~~created at startup of the CMIP agent software on the NPAC SMS.~~

```

!;

2.0 LNP Local SMS Managed Object Class

lnpLocalSMS MANAGED OBJECT CLASS
DERIVED FROM "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 : 1992":top;
CHARACTERIZED BY
lnpLocalSMS Pkg;
REGISTERED AS {LNP OIDS.lnp objectClass 2};
---
lnpLocalSMS Pkg PACKAGE
BEHAVIOUR
lnpLocalSMS Definition;
lnpLocalSMS Behavior;
ATTRIBUTES
lnpLocal SMS Name GET;
---
;

lnpLocalSMS Definition BEHAVIOUR
DEFINED AS !
The lnpLocalSMS class is the managed object that is used as the
container object for all Local SMS data in the NPAC SMS to
Local SMS Interface.
!;

lnpLocalSMS Behavior BEHAVIOUR
DEFINED AS !
Local SMS Managed Object.

The NPAC SMS can M GET any lnpLocalSMS object (Data Download
Association Function).
The lnp LocalSMS Name attribute is read only and can not
be changed via the Local SMS Interface once the object has
been created. The value of lnpLocal SMS Name will always be
a unique identifier for the Local SMS for the NPAC SMS to
Local SMS Interface.

Only one of these objects will exist and it will only be
created at startup of the CMIP agent software on the Local
SMS.
!;

3.0 LNP Log Record for the Subscription Audit Local SMS Discrepancy Report

lnpLogAudit DiscrepancyRptRecord MANAGED OBJECT CLASS
DERIVED FROM "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 :
1992":eventLogRecord;
CHARACTERIZED BY
lnpLogAudit DiscrepancyRptPkg;
REGISTERED AS {LNP OIDS.lnp objectClass 3};
---
lnpLogAudit DiscrepancyRptPkg PACKAGE
BEHAVIOUR
lnpLogAudit DiscrepancyRptDefinition;
lnpLogAudit DiscrepancyRptBehavior;
ATTRIBUTES
auditDiscrepancyTn GET;
auditDiscrepancyVersionId GET;

```

```

auditDiscrepancyLSMS-SP-Id GET,
auditDiscrepancyFailureReason GET,
accessControl GET;
;

lnpLogAudit-DiscrepancyRptDefinition BEHAVIOUR
  DEFINED AS !
  The lnpLogAudit-DiscrepancyRptRecord class is the managed
  object that is used to create log records for the
  subscriptionAudit-DiscrepancyRpt Notification.
  !;

lnpLogAudit-DiscrepancyRptBehavior BEHAVIOUR
  DEFINED AS !
  This log record can be used by any CME wanting to log the
  subscriptionAudit-DiscrepancyRpt Notification.
  !;

4.0 LNP Log Record for the Subscription Audit Results

lnpLogAuditResultsRecord MANAGED OBJECT CLASS
  DERIVED FROM "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 :
1992":eventLogRecord;
  CHARACTERIZED BY
    lnpLogAuditResultsPkg;
  REGISTERED AS {LNP-oids.lnp-objectClass-4};
  

lnpLogAuditResultsPkg PACKAGE
  BEHAVIOUR
    lnpLogAuditResultsDefinition,
    lnpLogAuditResultsBehavior;
  ATTRIBUTES
    auditResultStatus GET,
    auditResultFailed-SP-List GET,
    auditResultNumberDiscrepancies GET,
    auditResultCompletionTime GET,
    accessControl GET;
  ;

lnpLogAuditResultsDefinition BEHAVIOUR
  DEFINED AS !
  The lnpLogAuditResultsRecord class is the managed object
  that is used to create log records for the
  subscriptionAuditResults Notification.
  !;

lnpLogAuditResultsBehavior BEHAVIOUR
  DEFINED AS !
  This log record can be used by any CME wanting to log the
  subscriptionAuditResults Notification.
  !;

5.0 LNP Log Record for the Subscription Version Cancellation
Acknowledge Request Notification

lnpLogCancellationAcknowledgeRequestRecord MANAGED OBJECT CLASS
  DERIVED FROM "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 :
1992":eventLogRecord;
  CHARACTERIZED BY

```

```

lnpLogCancellationAcknowledgeRequestPkg;
REGISTERED AS {LNP_OIDS.lnp_objectClass 5};

lnpLogCancellationAcknowledgeRequestPkg PACKAGE
  BEHAVIOUR
    lnpLogCancellationAcknowledgeRequestDefinition;
    lnpLogCancellationAcknowledgeRequestBehavior;
  ATTRIBUTES
    subscriptionTN GET;
    subscriptionVersionId GET;
    accessControl GET;
;

lnpLogCancellationAcknowledgeRequestDefinition BEHAVIOUR
  DEFINED AS !
    The lnpLogCancellationAcknowledgeRequestRecord class is
    the managed object that is used to create log records for the
    subscriptionVersionCancellationAcknowledgeRequest
    Notification.
!;

lnpLogCancellationAcknowledgeRequestBehavior BEHAVIOUR
  DEFINED AS !
    This log record can be used by any CME wanting to log the
    subscriptionVersionCancellationAcknowledgeRequest
    Notification.
!;

7.0 LNP Log Record for the Subscription Version New SP Create Request
  Notification

lnpLogNewSP_CreateRequestRecord MANAGED OBJECT CLASS
  DERIVED FROM "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 :
1992":eventLogRecord;
  CHARACTERIZED BY
    lnpLogNewSP_CreateRequestPkg;
  CONDITIONAL PACKAGES
    subscriptionTimerTypePkg PRESENT IF
      !present if the New SP SOA supports timer type!;
    subscriptionBusinessTypePkg PRESENT IF
      !present if the New SP SOA supports timer type!;
  REGISTERED AS {LNP_OIDS.lnp_objectClass 7};

lnpLogNewSP_CreateRequestPkg PACKAGE
  BEHAVIOUR
    lnpLogNewSP_CreateRequestDefinition;
    lnpLogNewSP_CreateRequestBehavior;
  ATTRIBUTES
    subscriptionTN GET;
    subscriptionVersionId GET;
    subscriptionOldSP GET;
    subscriptionOldSP_DueDate GET;
    subscriptionOldSP_Authorization GET;
    subscriptionOldSP_AuthorizationTimeStamp GET;
    subscriptionStatusChangeCauseCode GET;
    accessControl GET;
;

lnpLogNewSP_CreateRequestDefinition BEHAVIOUR

```

```


--- DEFINED AS !
--- The lnpLogNewSP CreateRequestRecord class is the managed
--- object that is used to create log records for the
--- subscriptionVersionNewSP CreateRequest Notification.
--- !;

lnpLogNewSP CreateRequestBehavior BEHAVIOUR
--- DEFINED AS !
--- This log record can be used by any CME wanting to log the
--- subscriptionVersionNewSP CreateRequest Notification.
--- !;

--- 8.0 LNP Log Record for the Subscription Version Old SP Concurrence Request
--- Notification

lnpLogOldSP ConcurrenceRequestRecord MANAGED OBJECT CLASS
--- DERIVED FROM "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 :
1992":eventLogRecord;
--- CHARACTERIZED BY
--- lnpLogOldSP ConcurrenceRequestPkg;
--- CONDITIONAL PACKAGES
--- subscriptionTimerTypePkg PRESENT IF
--- !present if the Old SP SOA supports timer type!;
--- subscriptionBusinessTypePkg PRESENT IF
--- !present if the Old SP SOA supports business type!;
--- REGISTERED AS {LNP OIDS.lnp objectClass 8};
---

lnpLogOldSP ConcurrenceRequestPkg PACKAGE
--- BEHAVIOUR
--- lnpLogOldSP ConcurrenceRequestDefinition;
--- lnpLogOldSP ConcurrenceRequestBehavior;
--- ATTRIBUTES
--- subscriptionTN GET;
--- subscriptionVersionId GET;
--- subscriptionNewCurrentSP GET;
--- subscriptionNewSP DueDate GET;
--- subscriptionNewSP CreationTimeStamp GET;
--- accessControl GET;
--- ;

lnpLogOldSP ConcurrenceRequestDefinition BEHAVIOUR
--- DEFINED AS !
--- The lnpLogOldSP ConcurrenceRequestRecord class is the managed
--- object that is used to create log records for the
--- subscriptionVersionOldSP ConcurrenceRequest Notification.
--- !;

lnpLogOldSP ConcurrenceRequestBehavior BEHAVIOUR
--- DEFINED AS !
--- This log record can be used by any CME wanting to log the
--- subscriptionVersionOldSP ConcurrenceRequest Notification.
--- !;

--- 9.0 LNP Log Record for the NPAC SMS Operational Information Notification


```

```

lnpLogOperational-InformationRecord MANAGED OBJECT CLASS
  DERIVED FROM "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 :
1992":eventLogRecord;
  CHARACTERIZED BY
    lnpLogOperational-InformationPkg;
  REGISTERED AS {LNP-OIDS.lnp-objectClass-9};
  ---
lnpLogOperational-InformationPkg PACKAGE
  BEHAVIOUR
    lnpLogOperational-InformationDefinition,
    lnpLogOperational-InformationBehavior;
  ATTRIBUTES
    downTime GET,
    npacContactNumber GET,
    additionalDownTimeInformation GET,
    accessControl GET;
  ---;

lnpLogOperational-InformationDefinition BEHAVIOUR
  DEFINED AS !
  The lnpLogOperational-InformationRecord class is the managed object
  that is used to create log records for the
  lnpNPAC-SMS-Operational-Information-Notification.
  !;

lnpLogOperational-InformationBehavior BEHAVIOUR
  DEFINED AS !
  This log record can be used by any CME wanting to log the
  lnpNPAC-SMS-Operational-Information-Notification.
  !;

--- 10.0 LNP Log Record for the Subscription Version Status Attribute Value
Change Notification

lnpLogStatusAttributeValueChangedRecord MANAGED OBJECT CLASS
  DERIVED FROM "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 :
1992":eventLogRecord;
  CHARACTERIZED BY
    lnpLogStatusAttributeValueChangedPkg;
  CONDITIONAL PACKAGES
    subscriptionVersionAttributeValueChangedFailed SP ListPkg PRESENT IF
      !the version status is failed or partially failed!,
    subscriptionStatusChangeCauseCodePkg PRESENT IF
      !the the version status is set to conflict by the old service
      provider!;
  REGISTERED AS {LNP-OIDS.lnp-objectClass-10};
  ---
lnpLogStatusAttributeValueChangedPkg PACKAGE
  BEHAVIOUR
    lnpLogStatusAttributeValueChangedDefinition,
    lnpLogStatusAttributeValueChangedBehavior;
  ATTRIBUTES
    subscriptionVersionAttributeValueChangedInfo GET,
    accessControl GET;
  ---;

lnpLogStatusAttributeValueChangedDefinition BEHAVIOUR
  DEFINED AS !


```

~~The lnpLogStatusAttributeValueChangeRecord class is the managed object that is used to create log records for the subscriptionVersionStatusAttributeValueChange Notification.~~

~~!;~~

~~lnpLogStatusAttributeValueChangeBehavior BEHAVIOUR~~

~~DEFINED AS !~~

~~This log record can be used by any CME wanting to log the subscriptionVersionStatusAttributeValueChange Notification.~~

~~!;~~

~~11.0 LNP Network Managed Object Class~~

~~lnpNetwork MANAGED OBJECT CLASS~~

~~DERIVED FROM "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 : 1992":top;~~

~~CHARACTERIZED BY~~

~~lnpNetworkPkg;~~

~~CONDITIONAL PACKAGES~~

~~lnpDownloadPkg PRESENT IF~~

~~!the object is instantiated on the NPAC SMS!;~~

~~REGISTERED AS (LNP OIDS.lnp objectClass 11);~~

~~lnpNetworkPkg PACKAGE~~

~~BEHAVIOUR~~

~~lnpNetworkDefinition,~~

~~lnpNetworkBehavior;~~

~~ATTRIBUTES~~

~~lnpNetworkName GET;~~

~~;~~

~~lnpNetworkDefinition BEHAVIOUR~~

~~DEFINED AS !~~

~~The lnpNetwork class is the managed object that is used as the container object for the serviceProvNetwork objects.~~

~~This object has been created primarily for scoping efficiency.~~

~~The lnpDownloadPkg will only be used for lnpNetwork object instantiated on the NPAC SMS (Data Download Association Function).~~

~~This package is used for initiating from the Local SMS or SOA downloading of serviceProvNetwork, serviceProvNPA-NXX, and serviceProvLRN object creation, modification, deletion to the Local SMS or SOA from the NPAC SMS.~~

~~!;~~

~~lnpNetworkBehavior BEHAVIOUR~~

~~DEFINED AS !~~

~~Local SMS, SOA, and NPAC SMS Managed Object used for the Local SMS to NPAC SMS and the SOA to NPAC SMS interfaces.~~

~~The Local SMS, SOA, and the NPAC SMS can M GET any lnpNetwork object (Data Download Association Function). The lnpNetworkName attribute is read only and can not be changed via the NPAC SMS to Local SMS or SOA to NPAC SMS Interfaces once the object has been created. The value of lnpNetworkName will always be "lnpNetwork".~~

~~Only one of these objects will exist and it will only be created at startup of the CMIP agent software on the NPAC SMS the Local SMS or SOA.~~

```

!;

12.0 LNP NPAC SMS Managed Object Class

lnpNPAC SMS MANAGED OBJECT CLASS
DERIVED FROM "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 : 1992":top;
CHARACTERIZED BY
lnpNPAC SMS Pkg,
lnpRecoveryCompletePkg,
lnpNotificationRecoveryPkg;
REGISTERED AS {LNP OIDS.lnp objectClass 12};

lnpNPAC SMS Pkg PACKAGE
BEHAVIOUR
lnpNPAC SMS Definition,
lnpNPAC SMS Behavior;
ATTRIBUTES
lnpNPAC SMS Name GET;
NOTIFICATIONS
lnpNPAC SMS Operational Information,
subscriptionVersionNewNPA NXX;
;

lnpNPAC SMS Definition BEHAVIOUR
DEFINED AS !
The lnpNPAC SMS class is the managed object that is used as
the container object for all NPAC SMS objects in the NPAC SMS to
Local SMS Interface and the SOA to NPAC SMS interface.
!;

lnpNPAC SMS Behavior BEHAVIOUR
DEFINED AS !
NPAC SMS Managed Object for the SOA to NPAC SMS and the Local SMS
to NPAC SMS interface.

A Local SMS and SOA can M GET any lnpNPAC SMS object.

The lnpNPAC SMS Name attribute is read only and can not be
changed via either Interface once the object has been created.

The lnpRecoveryComplete Pkg is used to indicate the
recovery mode for the Local SMS or SOA is complete and to send all
updates made since the recovery mode began. (Data Download Functional
Group).

The lnpNotificationRecoveryPkg is used to recover notifications
in recovery mode by the Local SMS or SOA. (Data Download
Functional Group).

Only one of these objects will exist and it will only be
created at startup of the CMIP agent software on the NPAC SMS.

The lnpNPAC SMS Operational Information will be used to notify
service provider SOA and Local SMS systems of planned outages.

The subscriptionVersionNewNPA NXX is used to support the Release
1.4 for number pooling.
!;

```


~~13.0 LNP Service Providers Managed Object Class~~

```

lnpServiceProvs MANAGED OBJECT CLASS
  DERIVED FROM "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 : 1992":top;
  CHARACTERIZED BY
    lnpServiceProvsPkg;
  REGISTERED AS {LNP OIDS.lnp objectClass 13};


```

```

lnpServiceProvsPkg PACKAGE
  BEHAVIOUR
    lnpServiceProvsDefinition,
    lnpServiceProvsBehavior;
  ATTRIBUTES
    lnpServiceProvsName GET;


```

```

lnpServiceProvsDefinition BEHAVIOUR
  DEFINED AS !
  The lnpServiceProvs class is the managed object that is
  used as the container object for the serviceProv
  objects on the NPAC SMS. This object has been created
  for scoping efficiency.
  !;


```

```

lnpServiceProvsBehavior BEHAVIOUR
  DEFINED AS !
  NPAC SMS Managed Object used for the Local SMS to NPAC
  SMS and SOA to NPAC SMS interfaces.

  A Local SMS and service provider SOA can M GET any
  lnpServiceProvs object (Network Data Association Function).
  The lnpServiceProvsName attribute is read only and can not
  be changed via the Local SMS Interface once the object has
  been created. The value of lnpServiceProvsName will
  always be "lnpServiceProvs".

  Only one of these objects will exist and it will only be created
  at startup of the CMIP agent software on the NPAC SMS.
  !;


```

~~14.0 LNP Subscriptions Managed Object Class~~

```

lnpSubscriptions MANAGED OBJECT CLASS
  DERIVED FROM "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 : 1992":top;
  CHARACTERIZED BY
    lnpSubscriptionsPkg,
    subscriptionVersionLocalSMS CreatePkg;
  CONDITIONAL PACKAGES
    lnpDownloadPkg PRESENT IF
      !the object is instantiated on the NPAC SMS!,
    subscriptionVersionOldSP CreatePkg PRESENT IF
      !the object is instantiated on the NPAC SMS!,
    subscriptionVersionNewSP CreatePkg PRESENT IF
      !the object is instantiated on the NPAC SMS!,
    subscriptionVersionDisconnectPkg PRESENT IF
      !the object is instantiated on the NPAC SMS!,
    subscriptionVersionModifyPkg PRESENT IF
      !the object is instantiated on the NPAC SMS!,


```

```

subscriptionVersionActivatePkg PRESENT IF
!the object is instantiated on the NPAC SMS!;
subscriptionVersionCancelPkg PRESENT IF
!the object is instantiated on the NPAC SMS!;
subscriptionVersionOldSP CancellationPkg PRESENT IF
!the object is instantiated on the NPAC SMS!;
subscriptionVersionNewSP CancellationPkg PRESENT IF
!the object is instantiated on the NPAC SMS!;
subscriptionVersionRemoveFromConflictPkg PRESENT IF
!the object is instantiated on the NPAC SMS!;
REGISTERED AS {LNP OIDS.lnp objectClass 14};

```

```
lnpSubscriptionsPkg PACKAGE
```

```

BEHAVIOUR
lnpSubscriptionsDefinition;
lnpSubscriptionsBehavior;
ATTRIBUTES
lnpSubscriptionsName GET;
NOTIFICATIONS
subscriptionVersionLocalSMS ActionResults;
;

```

```
lnpSubscriptionsDefinition BEHAVIOUR
```

```

DEFINED AS !
Local SMS and NPAC SMS Managed Object for the SOA to NPAC SMS
and the Local SMS to NPAC SMS interface.

```

```

The lnpSubscriptions class is the managed object that is used
as the container object for the subscription version objects
on the NPAC SMS and the Local SMS.

```

```

Local SMS interfaces must be able to support scope/filtered
M SETs and M DELETES with a TN range as the primary filter.

```

```
!;
```

```
lnpSubscriptionsBehavior BEHAVIOUR
```

```

DEFINED AS !
Local SMS and NPAC SMS Managed Object

```

```

The Local SMS (Data Download Association Function) and the service
provider SOA (SOA Management Association Function) can M-GET any
lnpSubscriptions object. The lnpSubscriptionsName attribute
is read only and can not be changed via the Local SMS Interface
once the object has been created. The value of
lnpSubscriptionsName will always be "lnpSubscriptions".

```

```

Only one of these objects will exist and it will only be
created at startup of the CMIP agent software on the NPAC SMS
or the Local SMS.

```

```

The lnpDownloadPkg will only be used for a lnpSubscriptions
object instantiated on the NPAC SMS. This package is
used for initiating downloading of subscriptionVersions
object creation, deletion, or modifications to the Local
SMS (Data Download Association Function).

```

~~— The subscriptionVersionOldSP-CreatePkg will only be used for a
 — lnpSubscriptions object instantiated on the NPAC SMS. This
 — package is used for creation of subscription versions for
 — porting TNs by the old service provider.~~

~~— The subscriptionVersionNewSP-CreatePkg will only be used for a
 — lnpSubscriptions object instantiated on the NPAC SMS. This
 — package is used for creation of subscription versions for
 — porting TNs by the new service provider.~~

~~— The subscriptionVersionDisconnectPkg will only be used for a
 — lnpSubscriptions object instantiated on the NPAC SMS. This
 — package is used for disconnection of a ported TN by the current
 — service provider.~~

~~— The subscriptionVersionModifyPkg will only be used for a
 — lnpSubscriptions object instantiated on the NPAC SMS. This
 — package is used for modification of a ported TN by a service
 — provider.~~

~~— The subscriptionVersionActivatePkg will only be used for a
 — lnpSubscriptions object instantiated on the NPAC SMS. This
 — package is used for activation of a ported TN by a new service
 — provider.~~

~~— The subscriptionVersionCancelPkg will only be used for a
 — lnpSubscriptions object instantiated on the NPAC SMS. This
 — package is used for cancellation of a ported TN by a service
 — provider.~~

~~— The subscriptionVersionOldSP-CancellationPkg will only be
 — used for a lnpSubscriptions object instantiated on the NPAC SMS.
 — This package is used for acknowledgment of subscription versions
 — with status values of cancel-pending. This action is used by
 — the old service provider SOA.~~

~~— The subscriptionVersionNewSP-CancellationPkg will only be
 — used for a lnpSubscriptions object instantiated on the NPAC SMS.
 — This package is used for acknowledgment of subscription versions
 — with status values of cancel-pending. This action is used by
 — the new service provider SOA.~~

~~— The subscriptionVersionRemoveFromConflictPkg will only be
 — used for a lnpSubscriptions object instantiated on the NPAC SMS.
 — This package is used for setting the status of subscription versions
 — with status values of conflict to pending. This action is used by
 — either the new or old service provider SOA.~~

~~— !;~~

~~--15.0 LNP Service Provider Managed Object Class~~

~~serviceProv-MANAGED-OBJECT-CLASS~~

~~— DERIVED FROM serviceProvNetwork;~~

~~— CHARACTERIZED BY~~

~~— serviceProvPkg;~~

~~— CONDITIONAL PACKAGES~~

~~— serviceProvBillingAddressPkg PRESENT IF~~

~~— !the service provider has billing address and contact~~

```

— information!;
— serviceProvSOA-AddressPkg PRESENT IF
— !the service provider has SOA address and contact information!;
— serviceProvLSMS-AddressPkg PRESENT IF
— !the service provider has LSMS address and contact information!;
— serviceProvWebAddressPkg PRESENT IF
— !the service provider has Web address and contact information!;
— serviceProvNetAddressPkg PRESENT IF
— !the service provider has network and communication facilities
— address and contact information!;
— serviceProvConflictAddressPkg PRESENT IF
— !the service provider has conflict resolution interface
— address and contact information!;
— serviceProvOperationsAddressPkg PRESENT IF
— !the service provider has operations address and contact
— information!;
— serviceProvRepairCenterInfoPkg PRESENT IF
— !the service provider has repair contact information!;
— serviceProvSecurityAddressPkg PRESENT IF
— !the service provider has security contact information!;
— serviceProvUserAdminAddressPkg PRESENT IF
— !the service provider has user administration interface address
— and contact information!;
— REGISTERED AS {LNP-OIDS.lnp-objectClass 15};
—

```

```

serviceProvPkg PACKAGE

```

```

— BEHAVIOUR

```

```

— serviceProvDefinition;
— serviceProvBehavior;

```

```

— ATTRIBUTES

```

```

— npacCustomerAllowableFunctions GET-REPLACE;
— serviceProvAddress GET-REPLACE;
— serviceProvSysLinkInfo GET-REPLACE;
— ;

```

```

serviceProvDefinition BEHAVIOUR

```

```

— DEFINED AS !

```

```

— The serviceProv class is the managed object
— used on the NPAC SMS to contain the data related to each
— LNP service provider.
— !;

```

```

serviceProvBehavior BEHAVIOUR

```

```

— DEFINED AS !

```

```

— NPAC SMS Managed Object used for the Local SMS to NPAC
— SMS interface.

```

```

— A Local SMS and service provider SOA can M-GET their
— serviceProv object (Network Data Association Function)-
— Attempts to read any unauthorized service provider information
— will be rejected. All attributes in this object, except serviceProvID
— and npacCustomerAllowableFunctions can be M-SET by the Local SMS
— and SOA Interfaces once the object has been created on the NPAC SMS.
— !;

```

```

-- 16.0 LNP Service Provider LRN Managed Object Class

```

```

serviceProvLRN MANAGED OBJECT CLASS

```

— DERIVED FROM "CCITT Rec. X.721 (1992)|ISO/IEC 10165-2 : 1992":top;
 — CHARACTERIZED BY
 — serviceProvLRN-Pkg;
 — REGISTERED AS {LNP-OIDS.lnp-objectClass 16};
 —

serviceProvLRN-Pkg PACKAGE

— BEHAVIOUR
 — serviceProvLRN-Definition;
 — serviceProvLRN-Behavior;
 — ATTRIBUTES
 — serviceProvLRN-ID-GET;
 — serviceProvLRN-Value-GET;
 — serviceProvDownloadReason-GET;
 — serviceProvLRN-CreationTimeStamp-GET;
 — ;

serviceProvLRN-Definition BEHAVIOUR

— DEFINED AS !
 — The serviceProvLRN class is the managed object
 — used to identify Service Provider LRN values open for
 — porting.
 — !;

serviceProvLRN-Behavior BEHAVIOUR

— DEFINED AS !
 — Local SMS and NPAC SMS Managed Object used for the Local SMS to
 — NPAC SMS and SOA to NPAC SMS interfaces.
 —
 — All attributes are read only. Once created, the serviceProvLRN
 — object can only be deleted via the Local SMS or SOA interface.
 —
 — The serviceProvLRN-ID is specified by the NPAC SMS. The
 — serviceProvLRN-CreationTimeStamp will reflect the current system
 — date and time when the object is created.
 —
 — NPAC SMS can M-GET, M-DELETE and M-CREATE any
 — serviceProvLRN object on the Local SMS or SOA (Network Data
 — Functional Unit). The Local SMS or SOA only creates local
 — copies of serviceProvLRN objects after receiving the
 — objects from an NPAC SMS create request, reading them from
 — the NPAC SMS for initial instantiation, or from a download request.
 —
 — A Local SMS or SOA can M-GET any serviceProvLRN object (Network Data
 — Functional Unit).
 —
 — The Local SMS or SOA can M-DELETE and M-CREATE any
 — serviceProvLRN object on the NPAC SMS for the
 — service provider id specified in the access control
 — (Network Data Functional Unit). Attempts to take
 — actions on unauthorized service provider objects will be
 — rejected.
 —
 — The creation or deletion of a serviceProvLRN object will be
 — distributed to all Local SMSs and SOAs.
 —
 — The serviceProvLRN-Value attributes on the NPAC SMS can
 — not be modified by the Local SMS or SOA. The service
 — provider will have to add a new object and delete the

```

—old one to modify the data.
—!;

-- 17.0 LNP Service Provider Network Managed Object Class

serviceProvNetwork MANAGED OBJECT CLASS
—DERIVED FROM "CCITT Rec. X.721 (1992)|ISO/IEC 10165-2 : 1992":top;
—CHARACTERIZED BY
—serviceProvNetworkPkg;
—REGISTERED AS {LNP-OIDS.lnp-objectClass-17};
—
serviceProvNetworkPkg PACKAGE
—BEHAVIOUR
—serviceProvNetworkDefinition;
—serviceProvNetworkBehavior;
—ATTRIBUTES
—serviceProvID-GET;
—serviceProvName-GET-REPLACE;
—;

serviceProvNetworkDefinition BEHAVIOUR
—DEFINED AS !
—The serviceProvNetwork class is the managed object
—used to contain the network data for a service provider.
—!;

serviceProvNetworkBehavior BEHAVIOUR
—DEFINED AS !
—Local SMS, SOA, and NPAC SMS Managed Object used for the
—Local SMS to NPAC SMS interface and the SOA to NPAC SMS interface.

—Service providers and the NPAC SMS can M-GET, M-CREATE, and M-SET
—any serviceProvNetwork object (Network Data Association Function).
—The serviceProvId attribute is read only and can not be
—changed via the NPAC SMS to Local SMS Interface or SOA
—to NPAC SMS interface once the object has been created on
—the Local SMS, SOA or NPAC SMS. The serviceProvName can be
—M-SET via the NPAC SMS to Local SMS Interface or the SOA to
—NPAC SMS interface by the NPAC SMS. The Local SMS and SOA
—only create or modify local copies of serviceProvNetwork objects
—after receiving the objects from an NPAC SMS M-CREATE or M-SET
—request or reading them from the NPAC SMS for initial instantiation.
—!;

-- 18.0 LNP Service Provider NPA-NXX Managed Object Class

serviceProvNPA-NXX MANAGED OBJECT CLASS
—DERIVED FROM "CCITT Rec. X.721 (1992)|ISO/IEC 10165-2 : 1992":top;
—CHARACTERIZED BY
—serviceProvNPA-NXX-Pkg;
—REGISTERED AS {LNP-OIDS.lnp-objectClass-18};
—
serviceProvNPA-NXX-Pkg PACKAGE
—BEHAVIOUR
—serviceProvNPA-NXX-Definition;
—serviceProvNPA-NXX-Behavior;
—ATTRIBUTES

```

~~—serviceProvNPA-NXX-ID-GET;~~
~~—serviceProvNPA-NXX-Value-GET;~~
~~—serviceProvNPA-NXX-EffectiveTimeStamp-GET;~~
~~—serviceProvDownloadReason-GET;~~
~~—serviceProvNPA-NXX-CreationTimeStamp-GET;~~
~~—;~~

serviceProvNPA-NXX-Definition BEHAVIOUR

~~—DEFINED AS !~~
~~—The serviceProvNPA-NXX class is the managed object~~
~~—used to identify Service Provider NPA-NXX values open for~~
~~—porting.~~
~~—!;~~

serviceProvNPA-NXX-Behavior BEHAVIOUR

~~—DEFINED AS !~~
~~—Local SMS, SOA, and NPAC SMS Managed Object used for the Local~~
~~—SMS to NPAC SMS interface and the SOA to NPAC SMS interface.~~

~~—All attributes are read only. Once created, the serviceProvNPA-NXX~~
~~—object can only be deleted via the Local SMS or SOA interface. The~~
~~—serviceProvNPA-NXX-ID is specified by the NPAC SMS. The~~
~~—serviceProvNPA-NXX-CreationTimeStamp will be set to the current~~
~~—system date and time when the object is created.~~

~~—NPAC SMS can M-GET, M-DELETE and M-CREATE any serviceProvNPA-NXX~~
~~—object on the Local SMS or SOA (Network Data Association Function).~~

~~—The Local SMS or SOA only creates local copies of~~
~~—serviceProvNPA-NXX objects after receiving the objects from~~
~~—an NPAC SMS create, after reading them from the NPAC SMS for~~
~~—initial instantiation, or from a download.~~

~~—Service providers can M-GET any serviceProvNPA-NXX object.~~

~~—A Local SMS or SOA can M-DELETE and M-CREATE any~~
~~—serviceProvNPA-NXX object on the NPAC SMS for their service~~
~~—provider id specified in the access control~~
~~—(Network Data Association Function). Attempts to~~
~~—take actions on unauthorized service provider objects will~~
~~—be rejected.~~

~~—A Local SMS or SOA can not modify any of the attributes.~~

~~—To cause an NPA-NXX split to occur the service provider must~~
~~—contact the NPAC SMS operations personnel.~~

~~—!;~~

-- 19.0 LNP Subscription Audit Managed Object

subscriptionAudit MANAGED OBJECT CLASS

~~—DERIVED FROM "CCITT Rec. X.721 (1992)+ISO/IEC 10165-2 : 1992":top;~~

~~—CHARACTERIZED BY~~

~~—subscriptionAuditPkg;~~

~~—CONDITIONAL PACKAGES~~

~~—subscriptionAuditTN-ActivationRangePkg PRESENT IF~~

~~—!the audit is being done on an activation data range!;~~

~~—REGISTERED AS {LNP-OIDS.lnp-objectClass 19};~~

~~—~~

subscriptionAuditPkg PACKAGE
 — BEHAVIOUR
 — subscriptionAuditDefinition;
 — subscriptionAuditBehavior;
 — ATTRIBUTES
 — subscriptionAuditId GET;
 — subscriptionAuditName GET;
 — subscriptionAuditStatus GET;
 — subscriptionAuditAttributeList GET;
 — subscriptionAuditTN-Range GET;
 — subscriptionAuditServiceProvIdRange GET;
 — subscriptionAuditNumberOfTNs GET;
 — subscriptionAuditNumberOfTNsComplete GET;
 — subscriptionAuditRequestingSP GET;
 — NOTIFICATIONS
 — subscriptionAuditResults;
 — subscriptionAudit-DiscrepancyRpt;
 — "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 : 1992":attributeValueChange
 — accessControlParameter;
 — "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 : 1992":objectCreation
 — accessControlParameter;
 — "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 : 1992":objectDeletion
 — accessControlParameter;
 — ;

subscriptionAuditDefinition BEHAVIOUR
 — DEFINED AS !
 — The subscriptionAudit class is the managed object that
 — represents a subscription audit request. This object is
 — only instantiated on the NPAC SMS.
 — !;

subscriptionAuditBehavior BEHAVIOUR
 — DEFINED AS !
 — When the subscriptionAuditStatus changes an attribute value
 — change will be emitted to the audit requester.
 —
 — All attributes must be specified upon create with the exception
 — of the subscriptionAuditTN-ActivationRange, if an audit is
 — not being performed on an activation date range. If the
 — subscriptionAuditAttributeList is not specified then a full
 — audit is assumed. If the subscriptionAuditTN-ActivationRange is
 — specified then an audit of all TNs in the range specified in
 — subscriptionAuditTN-Range will be audited. The serviceAuditId
 — is determined by the NPAC SMS.
 —
 — The subscriptionAuditRequestingSP is the id of the service provider
 — who requested the audit.
 —
 — The NPAC SMS will be required to set the number of TNs that
 — will be audited in the subscriptionAuditNumberOfTNs attribute
 — based on the NPAC SMS audit request criteria.
 —
 — The SOA or NPAC SMS can M-CREATE, M-GET subscriptionAudit
 — managed objects on the NPAC SMS (SOA Management Function).
 — When a subscriptionAudit object is created on the NPAC SMS the
 — NPAC SMS will begin the audit for the service provider specified
 — or all service providers. The SOA can only M-GET subscriptionAudit

- that they created.
- The SOA will be required to set the requesting SP with their service provider id so that the origination of the audit request can be tracked and notifications can be sent to the requesting SOA.
- When this object is created and deleted, object creation and deletion notifications will be sent to the requester. Object deletion indicates completion of an audit. The audit results notification will be sent before the object is deleted by the entity performing the audit indicating how many discrepancies the audit found and reported during execution.
- If discrepancies are found during the audit, audit discrepancy notifications will be sent to the requester at the time they are found. When audit discrepancy notifications are sent by the NPAC SMS to the requesting SOA, create, modify or delete requests will be sent to the Local SMS by the NPAC SMS to correct the discrepancies found.
- Deletion of an audit object cancels an audit request.
- !;

-- 20.0 LNP subscription Version Managed Object Class

```

subscriptionVersion MANAGED OBJECT CLASS
— DERIVED FROM "CCITT Rec. X.721 (1992)|ISO/IEC 10165-2 : 1992":top;
— CHARACTERIZED BY
— subscriptionVersionPkg;
— REGISTERED AS {LNP-OIDS.lnp-objectClass-20};
—
subscriptionVersionPkg PACKAGE
— BEHAVIOUR
— subscriptionVersionDefinition;
— subscriptionVersionBehavior;
— ATTRIBUTES
— subscriptionVersionId GET;
— subscriptionTN GET;
— subscriptionLRN GET-REPLACE;
— subscriptionNewCurrentSP GET-REPLACE;
— subscriptionActivationTimeStamp GET-REPLACE;
— subscriptionCLASS-DPC GET-REPLACE;
— subscriptionCLASS-SSN GET-REPLACE;
— subscriptionLIDB-DPC GET-REPLACE;
— subscriptionLIDB-SSN GET-REPLACE;
— subscriptionCNAM-DPC GET-REPLACE;
— subscriptionCNAM-SSN GET-REPLACE;
— subscriptionISVM-DPC GET-REPLACE;
— subscriptionISVM-SSN GET-REPLACE;
— subscriptionWSMSC-DPC GET-REPLACE;
— subscriptionWSMSC-SSN GET-REPLACE;
— subscriptionEndUserLocationValue GET-REPLACE;
— subscriptionEndUserLocationType GET-REPLACE;
— subscriptionBillingId GET-REPLACE;
— subscriptionLNPType GET-REPLACE;
— subscriptionDownloadReason GET-REPLACE;

```

—;

subscriptionVersionDefinition BEHAVIOUR

— DEFINED AS !

— The subscriptionVersion class is the managed object that represents a subscription version on the Local SMS.

— !;

subscriptionVersionBehavior BEHAVIOUR

— DEFINED AS !

— Local SMS Managed Object

— NPAC SMS can M-GET (Query Association Function), M-SET, M-DELETE

— and M-CREATE (Data Download Association Function) any

— subscriptionVersion object on the Local SMS (Data Download

— Association Function). The Local SMS only creates local copies

— of subscriptionVersion objects after receiving the objects from an

— NPAC SMS create request or reading them from the NPAC SMS for

— initial instantiation.

— The subscriptionVersionId is assigned upon creation by the

— NPAC SMS and is read-only.

— The subscriptionTN, subscriptionLRN and associated routing

— information, are specified by the new service provider SOA upon

— creation of a new subscription version.

— The subscriptionActivationTimeStamp is set by the NPAC SMS as the

— current date and time when the subscriptionVersion activation

— request is received from the new service provider.

— When the subscription version is downloaded to the locals, the

— subscriptionDownloadReason is set to one of new, delete, modified,

— or audit-discrepancy. This field is not validated in audits.

— When the subscription version disconnect is broadcast,

— the subscriptionVersionDonorSP-CustomerDisconnectDate is

— sent to the donor SOA informing the service provider of the actual

— customer disconnect date.

— The Local SMS can not modify any of the subscription version

— data locally unless changes were downloaded via a download

— request.

— !;

-- 21.0 LNP NPAC Subscription Version Managed Object Class

subscriptionVersionNPAC MANAGED OBJECT CLASS

— DERIVED FROM subscriptionVersion;

— CHARACTERIZED BY

— subscriptionVersionNPAC-Pkg;

— REGISTERED AS {LNP-OIDS.lnp-objectClass 21};

subscriptionVersionNPAC-Pkg PACKAGE

— BEHAVIOUR

— subscriptionVersionNPAC-Definition;

— subscriptionVersionNPAC-Behavior;

— ATTRIBUTES

— subscriptionVersionStatus GET-REPLACE;
 — subscriptionOldSP GET-REPLACE;
 — subscriptionNewSP-DueDate GET-REPLACE;
 — subscriptionNewSP-CreationTimeStamp GET-REPLACE;
 — subscriptionOldSP-DueDate GET-REPLACE;
 — subscriptionOldSP-Authorization GET-REPLACE;
 — subscriptionStatusChangeCauseCode GET-REPLACE;
 — subscriptionOldSP-AuthorizationTimeStamp GET-REPLACE;
 — subscriptionBroadcastTimeStamp GET-REPLACE;
 — subscriptionConflictTimeStamp GET-REPLACE;
 — subscriptionCustomerDisconnectDate GET-REPLACE;
 — subscriptionEffectiveReleaseDate GET-REPLACE;
 — subscriptionDisconnectCompleteTimeStamp GET-REPLACE;
 — subscriptionCancellationTimeStamp GET-REPLACE;
 — subscriptionCreationTimeStamp GET-REPLACE;
 — subscriptionFailed-SP-List GET-REPLACE;
 — subscriptionModifiedTimeStamp GET-REPLACE;
 — subscriptionOldTimeStamp GET-REPLACE;
 — subscriptionOldSP-CancellationTimeStamp GET-REPLACE;
 — subscriptionNewSP-CancellationTimeStamp GET-REPLACE;
 — subscriptionOldSP-ConflictResolutionTimeStamp GET-REPLACE;
 — subscriptionNewSP-ConflictResolutionTimeStamp GET-REPLACE;
 — subscriptionPortingToOriginal-SPSwitch GET-REPLACE;
 — subscriptionPreCancellationStatus GET-REPLACE;
 — subscriptionTimerType GET;
 — subscriptionBusinessType GET;

— NOTIFICATIONS

— subscriptionVersionOldSP-ConcurrenceRequest;
 — subscriptionVersionNewSP-CreateRequest;
 — subscriptionVersionOldSPFinalConcurrenceWindowExpiration;
 — subscriptionVersionNewNPA-NXX;
 — subscriptionVersionCancellationAcknowledgeRequest;
 — subscriptionVersionDonorSP-CustomerDisconnectDate;
 — subscriptionVersionStatusAttributeValueChange;
 — "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 : 1992":
 attributeValueChange accessControlParameter;
 — "CCITT Rec. X.721 (1992) | ISO/IEC 10165-2 : 1992":objectCreation
 accessControlParameter;
 — ;

subscriptionVersionNPAC-Definition BEHAVIOUR

— DEFINED AS !

— The subscriptionVersionNPAC class is the managed object
 — that represents a subscription version on the NPAC SMS.

— !;

subscriptionVersionNPAC-Behavior BEHAVIOUR

— DEFINED AS !

— NPAC SMS Managed Object for the SOA to NPAC SMS and the Local SMS
 — to NPAC SMS interface.

— A Local SMS can M-GET any subscriptionVersionNPAC objects
 — from the NPAC SMS via the Local SMS Interface (Data Download
 — Association Function).

— A Service Provider SOA can M-GET any subscriptionVersionNPAC
 — objects from the NPAC SMS via the SOA Interface (SOA Management

- Association Function).
- If a Service Provider SOA or Local SMS does a scoped filtered M-GET for subscription versions, this request will only be successful if the number of records to be returned is less than or equal to the NPAC SMS tunable parameter, "Max Subscriber Query", in the Service Data table.
- When the status of an object is changed to "cancel-pending", subscriptionPreCancellationStatus is first set to the current status.
- The subscriptionCreationTimeStamp is set to the current system time when the object is created.
- When the subscription version is modified for any reason, the subscriptionModifiedTimeStamp is updated with the current system time.
- When the subscription version is broadcast to Local SMSs via the NPAC to Local SMS interface, the subscriptionBroadcastTimeStamp is updated with the current system time.
- When the subscription version has its version status set to old, the subscriptionOldTimeStamp is updated with the current system time.
- When the subscription version has its version status set to cancel, the subscriptionCancellationTimeStamp is updated with the current system time.
- When the subscription version has its version status set to conflict, the subscriptionConflictTimeStamp is updated with the current system time.
- When the subscription version is disconnected and the version status is set to old, the subscriptionDisconnectCompleteTimeStamp is updated with the current system time.
- When the subscription version status is set to disconnect pending the subscriptionEffectiveReleaseDate is set to the date the disconnect should be broadcast.
- When the subscription version in a cancel-pending state is acknowledged by an old service provider SOA, the subscriptionOldSP-CancellationTimeStamp is updated with the current system time.
- When the subscription version in a cancel-pending state is acknowledged by a new service provider SOA, the subscriptionNewSP-CancellationTimeStamp is updated with the current system time.
- When the subscription version in a conflict state is removed from conflict by the old service provider SOA, the subscriptionOldSP-ConflictResolutionTimeStamp is updated with the current system time.
- When the subscription version in a conflict state is removed from conflict by the new service provider SOA, the

- subscriptionNewSP-ConflictResolutionTimeStamp is updated with the current system time.
- When the subscription version status is failed or partially-failed, the subscriptionFailed-SP-List is populated with a list of the failed service providers.
- When the subscription version is created, the subscriptionTimerType is set according to the type of timer the old and new service providers support.
- When the subscription version is created, the subscriptionBusinessType is set according to the business days and hours selection of the old and new service providers.
- The Service Provider SOA can M-GET and M-SET subscriptionVersionNPAC objects via the SOA to NPAC SMS interface (SOA Management Association Function). Rules for M-SET are described below.
- For M-GET requests, the filter will support all attributes for a specified ported TN.
- Any service provider SOA can view any subscription version for any active ported TN (SOA Management Association Function).
- Subscription versions are created on the NPAC SMS via actions over the SOA to NPAC SMS interface to the InpSubscriptions object (SOA Management Association Function). New service provider SOAs must use the subscriptionVersionNewSP-Create action and old service provider SOAs must use the subscriptionVersionOldSP-Create action. Creates can be performed provided there is only one currently active subscription version for the TN.
- subscriptionPortingToOriginal-SPSwitch can only be specified as TRUE for a TN that is currently ported and is being ported back to the original service provider. If the value of subscriptionPortingToOriginal-SPSwitch is TRUE, the LRN and GTT data should not be specified. This data is not specified because when the activate occurs for the subscription version, the Local SMS will receive requests to delete the old subscription version routing data in their networks and they will not receive any new network routing data for the subscription. Concurrence from the old service provider is required.
- If the port of the subscription version is an intra-service provider port, the new service provider SOA can use the subscriptionVersionNewSP-Create action specifying the old service provider equal to the new service provider. In this case, the old service provider create action is not required and processing proceeds after a valid pending version is created in the same manner as it does for inter-service provider porting.
- Once a version has been created that passes validation, the subscriptionVersionNPAC object subscriptionVersionStatus will be set to pending and an object creation notification will be sent to both old and new service provider SOAs. If a version previously existed, attribute value change notifications will be sent to both old and new service provider SOAs.

- If there is a pending version that does not have concurrence during the "Service Provider Concurrence Window" specified in the Service Data table, a subscriptionVersionConcurrenceRequest notification will be sent to the service provider SOA that has not responded. The subscriptionVersionStatus will be set to cancel if the new service provider SOA has not responded or to conflict if the old service provider SOA has not responded after the "Service Provider Final Concurrence Window". A status attribute value change will be sent to both service providers.
- The Service Provider SOA can M-SET or use an M-ACTION to modify attributes associated with pending, conflict, or partial-failed subscription versions (SOA Management Association Function).
- Attempts to modify an active, sending, failed, partial-failed, canceled, cancel-pending, disconnect-pending or old version using M-SET will result in an access denied error.
- Modification of an active subscription can be done only by the current/new service provider SOA using the subscriptionVersionModify action.
- Old service provider SOAs can only modify the following attributes:
 - subscriptionOldSP-DueDate
 - subscriptionOldSP-Authorization
 - subscriptionStatusChangeCauseCode
- New service provider SOAs can only modify the following attributes:
 - subscriptionLRN
 - subscriptionNewSP-DueDate
 - subscriptionCLASS-DPC
 - subscriptionCLASS-SSN
 - subscriptionLIDB-DPC
 - subscriptionLIDB-SSN
 - subscriptionCNAM-DPC
 - subscriptionCNAM-SSN
 - subscriptionISVM-DPC
 - subscriptionISVM-SSN
 - subscriptionWSMSC-DPC
 - subscriptionWSMSC-SSN
 - subscriptionEndUserLocationValue
 - subscriptionEndUserLocationType
 - subscriptionBillingId
- Upon subscription version creation, the subscriptionOldSP-DueDate and subscriptionNewSP-DueDate must match.
- Validation will be done for both old and new service provider data that is specified on an M-SET. If validation fails, no changes will be made and a processing failure will be returned. If the version passes validation, the version status will be set to pending. An error message will be returned to the service provider if the status is not pending when they attempt to change the version status to cancel-pending.

- Once a pending version has been created, the new service provider
- can activate the subscription version if the new
- service provider due date has been reached and the NPA-NXX effective
- date has been reached.

- Once the version is activated, the version status is set to
- sending, the broadcast time stamp is updated, and creates
- are sent to the Local SMSs.

- If the create requests are successful for all Local SMSs, the
- version status will be marked as active and the previously active
- subscription version will have its version status set to old.

- If create requests fail for a subscription version after the
- retry periods have expired, the version status will be set
- to failed or partially-failed based on whether the download failed
- in all or some of the Local SMSs respectively.

- Prior to the subscription version becoming active, a status version-
- attribute value change will be sent to both old
- and new service providers when the subscriptionVersionStatus is
- modified. If the version status is failed or partially-failed then
- a list of failed service providers is provided in the
- subscriptionVersionStatus notification.

- A subscription version can be put into conflict by either the NPAC
- SMS or by the old service provider explicitly setting the
- subscriptionOldSP-Authorization off.

- If the old service provider explicitly sets the
- subscriptionOldSP-Authorization off, the
- subscriptionStatusChangeCauseCode must be given.

- The old service provider can only put a subscription version into
- conflict once and only by explicitly setting the
- subscriptionOldSP-Authorization off.

- A service provider should acknowledge the cancel pending
- state within a tunable time frame specified on the NPAC SMS
- with a cancel acknowledgement action.

- If a new service provider SOA fails to acknowledge the cancel pending
- state, a subscriptionVersionCancellationAcknowledgeRequest is
- sent to the service provider SOA. If they do not respond to this
- acknowledgement in a tunable time frame specified on the NPAC SMS,
- the version status will be set to conflict. If the old service-
- fails to acknowledge the cancel pending state, the subscription-
- version status will be sent to cancel.

- Attribute value change notifications will be sent to both service
- provider SOAs when the following attribute values change for
- a pending, cancel-pending, or conflict subscription
- versions:-

- subscriptionNewSP-DueDate
- subscriptionNewSP-CreationTimeStamp
- subscriptionOldSP-DueDate
- subscriptionOldSP-Authorization

— subscriptionOldSP-AuthorizationTimeStamp
 — subscriptionStatusChangeCauseCode
 — subscriptionVersionStatus

— Object creation notifications will be sent to both old and
 — new service provider SOAs when a subscriptionVersionNPAC associated
 — with their Service-Provider id is created. Object deletion
 — notifications will not be used. Objects will only be deleted by the
 — NPAC SMS as a result of housekeeping processing.

— When a subscription-version disconnect is broadcast,
 — the subscriptionVersionDonorSP-CustomerDisconnectDate
 — is sent to the donor SOA informing the service provider of the
 — actual customer disconnect date.

— The subscriptionTimerType is only returned on SOA queries to service
 — providers that support the timer information and is only sent on
 — object creation notifications to service providers that support it.

— The subscriptionBusinessType is only returned on SOA queries to
 — service providers that support business days/hours and is only
 — sent on object creation notifications to service providers that
 — support business days/hours.

— !;

-- 22.0 LNP Log Record for the Subscription Version Donor Service Provider
 -- Customer Disconnect Date Notification

InpLogDonorSP-CustomerDisconnectDateRecord MANAGED OBJECT CLASS
 — DERIVED FROM "CCITT Rec. X.721 (1992)+ISO/IEC 10165-2 : 1992":eventLogRecord;
 — CHARACTERIZED BY
 — InpLogDonorSP-CustomerDisconnectDatePkg;
 — REGISTERED AS {LNP-OIDS.Inp-objectClass 22};

InpLogDonorSP-CustomerDisconnectDatePkg PACKAGE
 — BEHAVIOUR
 — InpLogDonorSP-CustomerDisconnectDateDefinition;
 — InpLogDonorSP-CustomerDisconnectDateBehavior;
 — ATTRIBUTES
 — subscriptionTN-GET;
 — subscriptionVersionId-GET;
 — subscriptionCustomerDisconnectDate-GET;
 — subscriptionEffectiveReleaseDate-GET;
 — accessControl-GET;
 — ;

InpLogDonorSP-CustomerDisconnectDateDefinition BEHAVIOUR
 — DEFINED AS !
 — The InpLogDonorSP-CustomerDisconnectDateRecord class is the managed
 — object that is used to create log records for the
 — subscriptionVersionDonorSP-CustomerDisconnectDate Notification.
 — !;

InpLogDonorSP-CustomerDisconnectDateBehavior BEHAVIOUR
 — DEFINED AS !
 — This log record can be used by any CME wanting to log the
 — subscriptionVersionDonorSP-CustomerDisconnectDate Notification.


```

--!;

--23.0 LNP Log Record for the Subscription Version Local SMS Action Results
--Notification

InpLogLocalSMS-ActionResultsRecord MANAGED OBJECT CLASS
--DERIVED FROM "CCITT Rec. X.721 (1992)|ISO/IEC 10165-2 : 1992":eventLogRecord;
--CHARACTERIZED BY
--InpLogLocalSMS-ActionResultsPkg;
--REGISTERED AS {LNP-OIDS.Inp-objectClass-23};

InpLogLocalSMS-ActionResultsPkg PACKAGE
--BEHAVIOUR
--InpLogLocalSMS-ActionResultsDefinition;
--InpLogLocalSMS-ActionResultsBehavior;
--ATTRIBUTES
--actionId GET;
--actionResultsStatus GET;
--failedFN-List GET;
--resultsCompletionTime GET;
--accessControl GET;
--;

InpLogLocalSMS-ActionResultsDefinition BEHAVIOUR
--DEFINED AS !
--The InpLogLocalSMS-ActionResultsRecord class is the managed
--object that is used to create log records for the
--subscriptionVersionLocalSMS-ActionResults-Notification.
--!;

InpLogLocalSMS-ActionResultsBehavior BEHAVIOUR
--DEFINED AS !
--This log record can be used by any CME wanting to log the
--subscriptionVersionLocalSMS-ActionResults-Notification.
--!;

--24.0 LNP Log Record for the Subscription Version New NPA-NXX Notification

InpLogNewNPA-NXXRecord MANAGED OBJECT CLASS
--DERIVED FROM "CCITT Rec. X.721 (1992)|ISO/IEC 10165-2 : 1992":eventLogRecord;
--CHARACTERIZED BY
--InpLogNewNPA-NXXPkg;
--REGISTERED AS {LNP-OIDS.Inp-objectClass-24};

InpLogNewNPA-NXXPkg PACKAGE
--BEHAVIOUR
--InpLogNewNPA-NXXDefinition;
--InpLogNewNPA-NXXBehavior;
--ATTRIBUTES
--serviceProvNPA-NXX-ID GET;
--serviceProvNPA-NXX-Value GET;
--serviceProvNPA-NXX-EffectiveTimeStamp GET;
--serviceProvID GET;
--accessControl GET;
--;

InpLogNewNPA-NXXDefinition BEHAVIOUR
--DEFINED AS !

```

— The InpLogNewNPA-NXX class is the managed
 — object that is used to create log records for the
 — subscriptionVersionNewNPA-NXX Notification.
 — !;

InpLogNewNPA-NXXBehavior BEHAVIOUR

— DEFINED AS !
 — This log record can be used by any CME wanting to log the
 — subscriptionVersionNewNPA-NXX Notification.
 — !;

--25.0 LNP Service Provider Filter NPA-NXX Managed Object Class

IsmsFilterNPA-NXX MANAGED OBJECT CLASS

— DERIVED FROM "CCITT Rec. X.721 (1992)+ISO/IEC 10165-2 : 1992":top;
 — CHARACTERIZED BY
 — IsmsFilterNPA-NXX-Pkg;
 — REGISTERED AS {LNP-OIDS.Inp-objectClass-25};

IsmsFilterNPA-NXX-Pkg PACKAGE

— BEHAVIOUR
 — IsmsFilterNPA-NXX-Definition;
 — IsmsFilterNPA-NXX-Behavior;
 — ATTRIBUTES
 — IsmsFilterNPA-NXX-ID-GET;
 — IsmsFilterNPA-NXX-Value-GET;
 — ;

IsmsFilterNPA-NXX-Definition BEHAVIOUR

— DEFINED AS !
 — The IsmsFilterNPA-NXX class is the managed object
 — used to identify the NPA-NXX values for which a service provider
 — does not want to be informed of subscription version broadcasts,
 — network downloads, or SOA notifications.
 — !;

IsmsFilterNPA-NXX-Behavior BEHAVIOUR

— DEFINED AS !
 — NPAC SMS Managed Object used for the Local SMS to NPAC SMS interface
 — and the NPAC SMS to SOA interface.

— All attributes are read only. Once created, the IsmsFilterNPA-NXX
 — object can be deleted via the Local SMS or SOA interface. The
 — IsmsFilterNPA-NXX-ID is specified by the NPAC SMS.

— The Local SMS or SOA can M-DELETE, M-CREATE and M-GET the
 — IsmsFilterNPA-NXX objects on the NPAC SMS. (LSMS Network Data
 — Association Function).

— !;

--26.0 LNP Log Record for the Subscription Version Final Concurrence

-- Timer Expiration

InpLogOldSPFinalConcurrenceWindowExpirationRecord MANAGED OBJECT CLASS

— DERIVED FROM "CCITT Rec. X.721 (1992)+ISO/IEC 10165-2 : 1992":eventLogRecord;
 — CHARACTERIZED BY
 — InpLogOldSPFinalConcurrenceWindowExpirationPkg;

~~CONDITIONAL PACKAGES~~

~~—subscriptionTimerTypePkg PRESENT IF
 —!present if the Old SP SOA supports timer type!;
 —subscriptionBusinessTypePkg PRESENT IF
 —!present if the Old SP SOA supports business type!;
 —REGISTERED AS {LNP-OIDS.lnp-objectClass 26};
 —~~

lnpLogOldSPFinalConcurrenceWindowExpirationPkg PACKAGE

—BEHAVIOUR
 —lnpLogOldSPFinalConcurrenceWindowExpirationDefinition;
 —lnpLogOldSPFinalConcurrenceWindowExpirationBehavior;
 —ATTRIBUTES
 —subscriptionTN-GET;
 —subscriptionVersionId-GET;
 —accessControl-GET;
 —;

lnpLogOldSPFinalConcurrenceWindowExpirationDefinition BEHAVIOUR

—DEFINED AS !
 —The lnpLogOldSPFinalConcurrenceWindowExpirationRecord class is
 —the managed object that is used to create log records for the
 —subscriptionVersionOldSPFinalConcurrenceWindowExpiration
 —Notification.
 —!;

lnpLogOldSPFinalConcurrenceWindowExpirationBehavior BEHAVIOUR

—DEFINED AS !
 —This log record can be used by any CME wanting to log the
 —subscriptionVersionOldSPFinalConcurrenceWindowExpiration
 —Notification.
 —!;

--27.0 LNP SOA Managed Object Class

lnpSOA MANAGED OBJECT CLASS

—DERIVED FROM "CCITT Rec. X.721 (1992)+ISO/IEC 10165-2 : 1992":top;
 —CHARACTERIZED BY
 —lnpSOA-Pkg;
 —REGISTERED AS {LNP-OIDS.lnp-objectClass 27};
 —

lnpSOA-Pkg PACKAGE

—BEHAVIOUR
 —lnpSOA-Definition;
 —lnpSOA-Behavior;
 —ATTRIBUTES
 —lnpSOA-Name-GET;
 —;

lnpSOA-Definition BEHAVIOUR

—DEFINED AS !
 —The lnpSOA class is the managed object that is used as the
 —container object for all SOA data in the SOA to NPAC SMS
 —Interface.
 —!;

lnpSOA-Behavior BEHAVIOUR

—DEFINED AS !
 —SOA Managed Object.

— The NPAC SMS can M-GET any InpSOA object (Data-Download Association Function):

— The Inp-SOA-Name attribute is read only and can not be changed via the SOA Interface once the object has been created. The value of InpSOA-Name will always be a unique identifier for the SOA for the SOA to NPAC Interface.

— Only one of these objects will exist and it will only be created at startup of the CMIP agent software on the SOA.
— !;

Name Binding Definitions

--1.0 LNP Audits Managed Object Name Bindings

InpAudits-InpNPAC-SMS NAME BINDING

— SUBORDINATE OBJECT CLASS InpAudits AND SUBCLASSES;
— NAMED BY
— SUPERIOR OBJECT CLASS InpNPAC-SMS AND SUBCLASSES;
— WITH ATTRIBUTE InpAuditsName;
— -- Note: Create through interface is not supported.
— -- Note: Delete through interface is not supported.
— REGISTERED AS {LNP-OIDS.Inp-nameBinding 1};

--2.0 LNP Local SMS Managed Object Name Bindings

InpLocalSMS-root NAME BINDING

— SUBORDINATE OBJECT CLASS InpLocalSMS AND SUBCLASSES;
— NAMED BY
— SUPERIOR OBJECT CLASS "CCITT Rec. X.660 (1992)+ISO/IEC 9834-1:1992":root;
— WITH ATTRIBUTE InpLocal-SMS-Name;
— -- Note: Create through interface is not supported.
— -- Note: Delete through interface is not supported.
— REGISTERED AS {LNP-OIDS.Inp-nameBinding 3};

--3.0 LNP Network Managed Object Name Bindings

InpNetwork-InpNPAC-SMS NAME BINDING

— SUBORDINATE OBJECT CLASS InpNetwork AND SUBCLASSES;
— NAMED BY
— SUPERIOR OBJECT CLASS InpNPAC-SMS AND SUBCLASSES;
— WITH ATTRIBUTE InpNetworkName;
— -- Note: Create through interface is not supported.
— -- Note: Delete through interface is not supported.
— REGISTERED AS {LNP-OIDS.Inp-nameBinding 4};

InpNetwork-InpLocalSMS NAME BINDING

— SUBORDINATE OBJECT CLASS InpNetwork AND SUBCLASSES;
— NAMED BY
— SUPERIOR OBJECT CLASS InpLocalSMS AND SUBCLASSES;
— WITH ATTRIBUTE InpNetworkName;
— -- Note: Create through interface is not supported.
— -- Note: Delete through interface is not supported.
— REGISTERED AS {LNP-OIDS.Inp-nameBinding 5};

lnpNetwork-lnpSOA-NAME BINDING

— SUBORDINATE OBJECT CLASS lnpNetwork AND SUBCLASSES;
 — NAMED BY
 — SUPERIOR OBJECT CLASS lnpSOA AND SUBCLASSES;
 — WITH ATTRIBUTE lnpNetworkName;
 — Note: Create through interface is not supported.
 — Note: Delete through interface is not supported.
 — REGISTERED AS {LNP-OIDS.lnp-nameBinding-17};

--4.0 LNP NPAC SMS Managed Object Name Bindings**lnpNPAC-SMS-root NAME BINDING**

— SUBORDINATE OBJECT CLASS lnpNPAC-SMS AND SUBCLASSES;
 — NAMED BY
 — SUPERIOR OBJECT CLASS "CCITT Rec. X.660 (1992)|ISO/IEC 9834-1:1992":root;
 — WITH ATTRIBUTE lnpNPAC-SMS-Name;
 — Note: Create through interface is not supported.
 — Note: Delete through interface is not supported.
 — REGISTERED AS {LNP-OIDS.lnp-nameBinding-6};

--5.0 LNP Service Providers Managed Object Name Bindings**lnpServiceProvs-lnpNPAC-SMS NAME BINDING**

— SUBORDINATE OBJECT CLASS lnpServiceProvs AND SUBCLASSES;
 — NAMED BY
 — SUPERIOR OBJECT CLASS lnpNPAC-SMS AND SUBCLASSES;
 — WITH ATTRIBUTE lnpServiceProvsName;
 — Note: Create through interface is not supported.
 — Note: Delete through interface is not supported.
 — REGISTERED AS {LNP-OIDS.lnp-nameBinding-7};

--6.0 LNP Subscriptions Managed Object Class Name Bindings**lnpSubscriptions-lnpNPAC-SMS NAME BINDING**

— SUBORDINATE OBJECT CLASS lnpSubscriptions AND SUBCLASSES;
 — NAMED BY
 — SUPERIOR OBJECT CLASS lnpNPAC-SMS AND SUBCLASSES;
 — WITH ATTRIBUTE lnpSubscriptionsName;
 — Note: Create through interface is not supported.
 — Note: Delete through interface is not supported.
 — REGISTERED AS {LNP-OIDS.lnp-nameBinding-8};

lnpSubscriptions-lnpLocalSMS NAME BINDING

— SUBORDINATE OBJECT CLASS lnpSubscriptions AND SUBCLASSES;
 — NAMED BY
 — SUPERIOR OBJECT CLASS lnpLocalSMS AND SUBCLASSES;
 — WITH ATTRIBUTE lnpSubscriptionsName;
 — Note: Create through interface is not supported.
 — Note: Delete through interface is not supported.
 — REGISTERED AS {LNP-OIDS.lnp-nameBinding-9};

--7.0 LNP Service Provider Managed Object Class Name Bindings**serviceProv-lnpServiceProvs NAME BINDING**

— SUBORDINATE OBJECT CLASS serviceProv AND SUBCLASSES;

```

--NAMED BY
--SUPERIOR OBJECT CLASS InpServiceProvs AND SUBCLASSES;
--WITH ATTRIBUTE serviceProvID;
--CREATE;
--DELETE ONLY IF NO CONTAINED OBJECTS;
--REGISTERED AS {LNP-OIDS.Inp-nameBinding 10};

--8.0 LNP Service Provider LRN Managed Object Class Name Bindings

serviceProvLRN-serviceProvNetwork NAME BINDING
--SUBORDINATE OBJECT CLASS serviceProvLRN AND SUBCLASSES;
--NAMED BY
--SUPERIOR OBJECT CLASS serviceProvNetwork AND SUBCLASSES;
--WITH ATTRIBUTE serviceProvLRN-ID;
--CREATE WITH AUTOMATIC INSTANCE NAMING;
--DELETE ONLY IF NO CONTAINED OBJECTS;
--REGISTERED AS {LNP-OIDS.Inp-nameBinding 11};

--9.0 LNP Service Provider Network Managed Object Class Name Bindings

serviceProvNetwork-InpNetwork NAME BINDING
--SUBORDINATE OBJECT CLASS serviceProvNetwork AND SUBCLASSES;
--NAMED BY
--SUPERIOR OBJECT CLASS InpNetwork AND SUBCLASSES;
--WITH ATTRIBUTE serviceProvID;
--CREATE;
--DELETE ONLY IF NO CONTAINED OBJECTS;
--REGISTERED AS {LNP-OIDS.Inp-nameBinding 12};

--10.0 LNP Service Provider NPA-NXX Managed Object Class Name Bindings

serviceProvNPA-NXX-serviceProvNetwork NAME BINDING
--SUBORDINATE OBJECT CLASS serviceProvNPA-NXX AND SUBCLASSES;
--NAMED BY
--SUPERIOR OBJECT CLASS serviceProvNetwork AND SUBCLASSES;
--WITH ATTRIBUTE serviceProvNPA-NXX-ID;
--CREATE WITH AUTOMATIC INSTANCE NAMING;
--DELETE ONLY IF NO CONTAINED OBJECTS;
--REGISTERED AS {LNP-OIDS.Inp-nameBinding 13};

--11.0 LNP Subscription Audit for the NPAC SMS Managed Object

subscriptionAudit-InpAudits NAME BINDING
--SUBORDINATE OBJECT CLASS subscriptionAudit AND SUBCLASSES;
--NAMED BY
--SUPERIOR OBJECT CLASS InpAudits AND SUBCLASSES;
--WITH ATTRIBUTE subscriptionAuditId;
--CREATE WITH AUTOMATIC INSTANCE NAMING;
--DELETE ONLY IF NO CONTAINED OBJECTS;
--REGISTERED AS {LNP-OIDS.Inp-nameBinding 14};

--12.0 LNP Subscription Version Managed Object Class

subscriptionVersion-InpSubscriptions NAME BINDING
--SUBORDINATE OBJECT CLASS subscriptionVersion AND SUBCLASSES;
--NAMED BY
--SUPERIOR OBJECT CLASS InpSubscriptions AND SUBCLASSES;

```

```

— WITH ATTRIBUTE subscriptionVersionId;
— CREATE WITH AUTOMATIC INSTANCE NAMING;
— DELETE ONLY IF NO CONTAINED OBJECTS;
— REGISTERED AS {LNP-OIDS.lnp-nameBinding-15};

-- 13.0 LNP Service Provider LSMS Filter NPA-NXX Managed Object Class
-- Name Bindings

lsmsFilterNPA-NXX-serviceProv NAME BINDING
— SUBORDINATE OBJECT CLASS lsmsFilterNPA-NXX AND SUBCLASSES;
— NAMED BY
— SUPERIOR OBJECT CLASS serviceProv AND SUBCLASSES;
— WITH ATTRIBUTE lsmsFilterNPA-NXX-ID;
— CREATE WITH AUTOMATIC INSTANCE NAMING;
— DELETE ONLY IF NO CONTAINED OBJECTS;
— REGISTERED AS {LNP-OIDS.lnp-nameBinding-16};

-- 14.0 LNP SOA Managed Object Name Bindings

lnpSOA-root NAME BINDING
— SUBORDINATE OBJECT CLASS lnpSOA AND SUBCLASSES;
— NAMED BY
— SUPERIOR OBJECT CLASS "CCITT Rec. X.660 (1992)|ISO/IEC 9834-1:
1992":root;
— WITH ATTRIBUTE lnpSOA-Name;
— Note: Create through interface is not supported.
— Note: Delete through interface is not supported.
— REGISTERED AS {LNP-OIDS.lnp-nameBinding-18};

```

Attribute Definitions

-- 1.0 LNP Access Control Attribute

```

accessControl ATTRIBUTE
— WITH ATTRIBUTE SYNTAX LNP-ASN1.LnpAccessControl;
— MATCHES FOR EQUALITY;
— BEHAVIOUR accessControlBehavior;
— REGISTERED AS {LNP-OIDS.lnp-attribute-1};

```

```

accessControlBehavior BEHAVIOUR
— DEFINED AS !
— This attribute is used to store/define access control
information for security.
!;

```

-- 2.0 LNP Action Id Attribute

```

actionId ATTRIBUTE
— WITH ATTRIBUTE SYNTAX LNP-ASN1.Integer;
— MATCHES FOR EQUALITY;
— BEHAVIOUR actionIdBehavior;
— REGISTERED AS {LNP-OIDS.lnp-attribute-2};

```

```

actionIdBehavior BEHAVIOUR
— DEFINED AS !
— This attribute is used to store the action-id associated

```

— with an action that sends back an asynchronous notification.
!;

-- 3.0 LNP Action Results Status Attribute

actionResultsStatus ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.ActionResultsStatus;
— MATCHES FOR EQUALITY;
— BEHAVIOUR actionResultsStatusBehavior;
— REGISTERED AS {LNP-OIDS.lnp-attribute 3};

actionResultsStatusBehavior BEHAVIOUR

— DEFINED AS !
— This attribute is used to store the status of an action that
— sends back an asynchronous notification with the results.
!;

-- 4.0 LNP Additional Down Time Information

additionalDownTimeInformation ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.GraphicString255;
— MATCHES FOR EQUALITY;
— BEHAVIOUR additionalDownTimeInformationBehavior;
— REGISTERED AS {LNP-OIDS.lnp-attribute 4};

additionalDownTimeInformationBehavior BEHAVIOUR

— DEFINED AS !
— This attribute is used to provide additional information
— about planned NPAC SMS down time in an NPAC operations notification
— in a log record.
!;

-- 5.0 LNP Audit Discrepancy Failure Reason

auditDiscrepancyFailureReason ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.AuditFailureData;
— MATCHES FOR EQUALITY;
— BEHAVIOUR auditDiscrepancyFailureReasonBehavior;
— REGISTERED AS {LNP-OIDS.lnp-attribute 5};

auditDiscrepancyFailureReasonBehavior BEHAVIOUR

— DEFINED AS !
— This attribute is used to store the audit discrepancy failure reason
— in an audit discrepancy notification in a log record.
!;

-- 6.0 LNP Audit Discrepancy Local SMS Service Provider Id

auditDiscrepancyLSMS-SP-Id ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.ServiceProvId;
— MATCHES FOR EQUALITY;
— BEHAVIOUR auditDiscrepancyLSMS-SP-Id-Behavior;
— REGISTERED AS {LNP-OIDS.lnp-attribute 6};

auditDiscrepancyLSMS-SP-Id-Behavior BEHAVIOUR

— DEFINED AS !
— This attribute is used to store the service provider id
— associated with the Local SMS in an audit discrepancy notification

— in a log record.
!;

-- 7.0 LNP Audit Discrepancy TN

auditDiscrepancyTn ATTRIBUTE
— WITH ATTRIBUTE SYNTAX LNP-ASN1.PhoneNumber;
— MATCHES FOR EQUALITY;
— BEHAVIOUR auditDiscrepancyTnBehavior;
— REGISTERED AS {LNP-OIDS.lnp-attribute 7};

auditDiscrepancyTnBehavior BEHAVIOUR
— DEFINED AS !
— This attribute is used to store the TN for which the discrepancy
— was found in an audit discrepancy notification in a log record.
!;

-- 8.0 LNP Audit Discrepancy Version Id

auditDiscrepancyVersionId ATTRIBUTE
— WITH ATTRIBUTE SYNTAX LNP-ASN1.SubscriptionVersionId;
— MATCHES FOR EQUALITY;
— BEHAVIOUR auditDiscrepancyVersionId-Behavior;
— REGISTERED AS {LNP-OIDS.lnp-attribute 8};

auditDiscrepancyVersionId-Behavior BEHAVIOUR
— DEFINED AS !
— This attribute is used to store the version id for the TN for
— which the discrepancy was found in an audit discrepancy
— notification in a log record.
!;

-- 10.0 LNP Audit Results Audit Completion Time

auditResultCompletionTime ATTRIBUTE
— WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
— MATCHES FOR EQUALITY, ORDERING;
— BEHAVIOUR auditResultCompletionTimeBehavior;
— REGISTERED AS {LNP-OIDS.lnp-attribute 10};

auditResultCompletionTimeBehavior BEHAVIOUR
— DEFINED AS !
— This attribute is used to store the completion time of the audit
— in an audit results notification in a log record.
!;

-- 11.0 LNP Audit Result Failed Service Provider List

auditResultFailed-SP-List ATTRIBUTE
— WITH ATTRIBUTE SYNTAX LNP-ASN1.Failed-SP-List;
— MATCHES FOR EQUALITY;
— BEHAVIOUR auditResultFailed-SP-ListBehavior;
— REGISTERED AS {LNP-OIDS.lnp-attribute 11};

auditResultFailed-SP-ListBehavior BEHAVIOUR
— DEFINED AS !
— This attribute is used to store, in an audit results
— notification in a log record, the list of failed service

—providers for an audit that failed due to failures on Local
—SMSs.

!;

-- 12.0 LNP Audit Results Number of Discrepancies

auditResultNumberDiscrepancies ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.Integer;
—MATCHES FOR EQUALITY;
—BEHAVIOUR auditResultNumberDiscrepanciesBehavior;
—REGISTERED AS {LNP-OIDS.lnp-attribute-12};

auditResultNumberDiscrepanciesBehavior BEHAVIOUR

—DEFINED AS !
—This attribute is used to store the number of discrepancies found
—in an audit results notification in a log record.

!;

-- 13.0 LNP Audit Result Status

auditResultStatus ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.AuditResultStatus;
—MATCHES FOR EQUALITY;
—BEHAVIOUR auditResultStatusBehavior;
—REGISTERED AS {LNP-OIDS.lnp-attribute-13};

auditResultStatusBehavior BEHAVIOUR

—DEFINED AS !
—This attribute is used to store the final status of the audit
—in an audit results notification in a log record.

!;

-- 14.0 LNP Operational Notification Down Time

downTime ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.TimeRange;
—MATCHES FOR EQUALITY;
—BEHAVIOUR downTimeBehavior;
—REGISTERED AS {LNP-OIDS.lnp-attribute-14};

downTimeBehavior BEHAVIOUR

—DEFINED AS !
—This attribute is used to indicate the down time in an
—NPAC operations notification in a log record.

!;

-- 15.0 LNP Failed TN List

failedTN-List ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.FailedTN-List;
—MATCHES FOR EQUALITY;
—BEHAVIOUR failedTN-ListBehavior;
—REGISTERED AS {LNP-OIDS.lnp-attribute-15};

failedTN-ListBehavior BEHAVIOUR

—DEFINED AS !
—This attribute is used to indicate the tn(s) and errors for

— a failed action in the return asynchronous notification.

!;

-- 16.0 LNP Audits Name

lnpAuditsName ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.LnpAuditsName;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR lnpAuditsNameBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-16};

lnpAuditsNameBehavior BEHAVIOUR

— DEFINED AS !
 — This attribute provides an identifier for the lnpAudits managed
 — object. The value for this attribute is "lnpAudits".

!;

-- 17.0 LNP Local SMS Name

lnpLocal-SMS-Name ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.LnpSMS-Name;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR lnpLocal-SMS-NameBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-17};

lnpLocal-SMS-NameBehavior BEHAVIOUR

— DEFINED AS !
 — This attribute provides an identifier for the lnpLocalSMS
 — object. The valid value is the service provider id of the
 — Local SMS followed by a dash and then the region name of the
 — NPAC-SMS specified in the lnpNPAC-SMS-Name for the NPAC SMS to
 — Local SMS Interface. For example, if the region name is
 — "Midwest Regional NPAC SMS" and the service provider id is "1234",
 — the lnpLocal-SMS-Name would be "1234-Midwest Regional NPAC SMS".

!;

-- 18.0 LNP Network Name

lnpNetworkName ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.LnpNetworkName;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR lnpNetworkNameBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-18};

lnpNetworkNameBehavior BEHAVIOUR

— DEFINED AS !
 — This attribute provides an identifier for the lnpNetwork
 — object. Valid values are "lnpNetwork" for the NPAC-SMS to Local
 — SMS Interface.

!;

-- 19.0 LNP NPAC SMS Name

lnpNPAC-SMS-Name ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.LnpSMS-Name;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR lnpNPAC-SMS-NameBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-19};

lnpNPAC-SMS-NameBehavior BEHAVIOUR
 —DEFINED AS!
 — This attribute provides an identifier for the lnpNPAC-SMS
 — object. Valid values for NPAC-SMS regional systems can be obtained
 — from NPAC personnel.

— The lnpNPAC-SMS-Name values are listed in the HS document.
 !;

--20.0 LNP Service Providers Name

lnpServiceProvsName ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.LnpServiceProvsName;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR lnpServiceProvsNameBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 20};

lnpServiceProvsNameBehavior BEHAVIOUR
 —DEFINED AS!
 — This attribute provides an identifier for the
 — lnpServiceProvs object. The value for this attribute
 — will be "lnpServiceProvs" in the NPAC-SMS to Local SMS
 — Interface.

!;

--21.0 LNP Specific Info

lnpSpecificInfo ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.LnpSpecificInfo;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR lnpSpecificInfoBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 21};

lnpSpecificInfoBehavior BEHAVIOUR
 —DEFINED AS!
 — This attribute is used to pass specific error information in the
 — case of a cmip processing failure error.

!;

--22.0 LNP Subscriptions Name

lnpSubscriptionsName ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.LnpSubscriptionsName;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR lnpSubscriptionsNameBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 22};

lnpSubscriptionsNameBehavior BEHAVIOUR
 —DEFINED AS!
 — This attribute provides an identifier for the
 — lnpSubscriptions object. The value for this attribute
 — will be "lnpSubscriptions" in the NPAC-SMS to Local SMS
 — Interface.

!;

--23.0 LNP NPAC Contact Number

~~npacContactNumber ATTRIBUTE~~

~~— WITH ATTRIBUTE SYNTAX LNP-ASN1.PhoneNumber;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR npacContactNumberBehavior;
 — REGISTERED AS {LNP-oids.lnp-attribute 23};~~

~~npacContactNumberBehavior BEHAVIOUR~~

~~— DEFINED AS !
 — This attribute is used to indicate the NPAC contact number
 — to be called concerning an NPAC SMS outage in an NPAC operations
 — notification in a log record.~~

~~!;~~

~~-- 24.0 LNP NPAC Customer Allowable Functions~~~~npacCustomerAllowableFunctions ATTRIBUTE~~

~~— WITH ATTRIBUTE SYNTAX LNP-ASN1.AssociationFunction;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR npacCustomerAllowableFunctionsBehavior;
 — REGISTERED AS {LNP-oids.lnp-attribute 24};~~

~~npacCustomerAllowableFunctionsBehavior BEHAVIOUR~~

~~— DEFINED AS !
 — This attribute is used to specify what functions a service provider
 — can perform on the SOA to NPAC SMS and NPAC SMS to Local SMS
 — interfaces.~~

~~!;~~

~~-- 25.0 LNP Results Completion Time~~~~resultsCompletionTime ATTRIBUTE~~

~~— WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR resultsCompletionTimeBehavior;
 — REGISTERED AS {LNP-oids.lnp-attribute 25};~~

~~resultsCompletionTimeBehavior BEHAVIOUR~~

~~— DEFINED AS !
 — This attribute is used to store the completion time of the
 — action in the action results notification.~~

~~!;~~

~~-- 26.0 LNP Service Provider Address~~~~serviceProvAddress ATTRIBUTE~~

~~— WITH ATTRIBUTE SYNTAX LNP-ASN1.AddressInformation;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR serviceProvAddressBehavior;
 — REGISTERED AS {LNP-oids.lnp-attribute 26};~~

~~serviceProvAddressBehavior BEHAVIOUR~~

~~— DEFINED AS !
 — This attribute is used to specify the address information
 — for a service provider.~~

~~!;~~

~~-- 27.0 LNP Service Provider Billing Address~~

serviceProvBillingAddress-ATTRIBUTE
 —WITH ATTRIBUTE SYNTAX LNP-ASN1.AddressInformation;
 —MATCHES FOR EQUALITY, ORDERING;
 —BEHAVIOUR serviceProvBillingAddressBehavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute 27};

serviceProvBillingAddressBehavior-BEHAVIOUR
 —DEFINED AS!
 —This attribute is used to specify the billing address information
 —for a service provider.
 !;

--28.0 LNP Service Provider Conflict Resolution Contact Address

serviceProvConflictAddress-ATTRIBUTE
 —WITH ATTRIBUTE SYNTAX LNP-ASN1.AddressInformation;
 —MATCHES FOR EQUALITY, ORDERING;
 —BEHAVIOUR serviceProvConflictAddressBehavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute 28};

serviceProvConflictAddressBehavior-BEHAVIOUR
 —DEFINED AS!
 —This attribute is used to specify the service provider conflict
 —resolution contact address and contact information.
 !;

--29.0 LNP Service Provider Data Download Reason

serviceProvDownloadReason-ATTRIBUTE
 —WITH ATTRIBUTE SYNTAX LNP-ASN1.DownloadReason;
 —MATCHES FOR EQUALITY;
 —BEHAVIOUR serviceProvDownloadReasonBehavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute 29};

serviceProvDownloadReasonBehavior-BEHAVIOUR
 —DEFINED AS!
 —This attribute is used to specify the reason the data was
 —downloaded to the Local SMS from NPAC SMS. This attribute only
 —has meaning in objects instantiated on the Local SMS.
 !;

--30.0 LNP Service Provider ID

serviceProvID-ATTRIBUTE
 —WITH ATTRIBUTE SYNTAX LNP-ASN1.ServiceProvId;
 —MATCHES FOR EQUALITY, ORDERING;
 —BEHAVIOUR serviceProvID-Behavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute 30};

serviceProvID-Behavior-BEHAVIOUR
 —DEFINED AS!
 —This attribute provides an identifier for the
 —serviceProvNetwork and serviceProv objects as
 —well as an identifier for the service provider who has requested
 —an audit on the NPAC SMS. Valid values are the Facilities Id
 —(or OCN) of the service provider.
 !;

```
--31.0 LNP Service Provider LRN Last Modified Time Stamp
```

```
serviceProvLRN-CreationTimeStamp ATTRIBUTE
— WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
— MATCHES FOR EQUALITY, ORDERING;
— BEHAVIOUR serviceProvLRN-CreationTimeStampBehavior;
— REGISTERED AS {LNP-OIDS.lnp-attribute 31};
```

```
serviceProvLRN-CreationTimeStampBehavior BEHAVIOUR
— DEFINED AS !
— This attribute provides the timestamp of when the
— serviceProvLRN object was created on the NPAC SMS.
!;
```

```
--32.0 LNP Service Provider LRN ID
```

```
serviceProvLRN-ID ATTRIBUTE
— WITH ATTRIBUTE SYNTAX LNP-ASN1.LRN-ID;
— MATCHES FOR EQUALITY, ORDERING;
— BEHAVIOUR serviceProvLRN-ID-Behavior;
— REGISTERED AS {LNP-OIDS.lnp-attribute 32};
```

```
serviceProvLRN-ID-Behavior BEHAVIOUR
— DEFINED AS !
— This attribute provides an identifier for the serviceProvLRN
— object. The NPAC SMS determines the value for this attribute.
!;
```

```
--33.0 LNP Service Provider LRN Value
```

```
serviceProvLRN-Value ATTRIBUTE
— WITH ATTRIBUTE SYNTAX LNP-ASN1.LRN;
— MATCHES FOR EQUALITY, ORDERING;
— BEHAVIOUR serviceProvLRN-Value-Behavior;
— REGISTERED AS {LNP-OIDS.lnp-attribute 33};
```

```
serviceProvLRN-Value-Behavior BEHAVIOUR
— DEFINED AS !
— This attribute is used to specify the value for a service
— provider LRN.

— The data is stored as packed decimal. For example, if the octets
— contained 01 23 45 67 89 then the LRN value would be displayed
— as 0123456789).
!;
```

```
--34.0 LNP Service Provider LSMS Address
```

```
serviceProvLSMS-Address ATTRIBUTE
— WITH ATTRIBUTE SYNTAX LNP-ASN1.AddressInformation;
— MATCHES FOR EQUALITY, ORDERING;
— BEHAVIOUR serviceProvLSMS-AddressBehavior;
— REGISTERED AS {LNP-OIDS.lnp-attribute 34};
```

```
serviceProvLSMS-AddressBehavior BEHAVIOUR
— DEFINED AS !
— This attribute is used to specify the service provider LSMS
```

—address and contact information.

!;

-- 35.0 LNP Service Provider Name

serviceProvName-ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.ServiceProvName;

—MATCHES FOR EQUALITY, ORDERING;

—BEHAVIOUR serviceProvNameBehavior;

—REGISTERED AS {LNP-OIDS.lnp-attribute 35};

serviceProvNameBehavior-BEHAVIOUR

—DEFINED AS !

—This attribute is the English name for the service provider.

!;

-- 36.0 LNP Service Provider Network and Communications Address

serviceProvNetAddress-ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.AddressInformation;

—MATCHES FOR EQUALITY, ORDERING;

—BEHAVIOUR serviceProvNetAddressBehavior;

—REGISTERED AS {LNP-OIDS.lnp-attribute 36};

serviceProvNetAddressBehavior-BEHAVIOUR

—DEFINED AS !

—This attribute is used to specify the service provider network

—and communications facilities address and contact information.

!;

-- 37.0 LNP Service Provider NPA-NXX Creation Time Stamp

serviceProvNPA-NXX-CreationTimeStamp-ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;

—MATCHES FOR EQUALITY, ORDERING;

—BEHAVIOUR serviceProvNPA-NXX-CreationTimeStampBehavior;

—REGISTERED AS {LNP-OIDS.lnp-attribute 37};

serviceProvNPA-NXX-CreationTimeStampBehavior-BEHAVIOUR

—DEFINED AS !

—This attribute provides the timestamp of the creation of the

—serviceProvNPA-NXX object on the NPAC SMS.

!;

-- 38.0 LNP Service Provider NPA-NXX Effective Time Stamp

serviceProvNPA-NXX-EffectiveTimeStamp-ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;

—MATCHES FOR EQUALITY, ORDERING;

—BEHAVIOUR serviceProvNPA-NXX-EffectiveTimeStampBehavior;

—REGISTERED AS {LNP-OIDS.lnp-attribute 38};

serviceProvNPA-NXX-EffectiveTimeStampBehavior-BEHAVIOUR

—DEFINED AS !

—This attribute provides a timestamp as to when the

—NPA-NXX is available for LNP in the service provider networks.

!;

~~--39.0 LNP Service Provider NPA-NXX ID~~

~~serviceProvNPA-NXX-ID ATTRIBUTE~~

- ~~— WITH ATTRIBUTE SYNTAX LNP-ASN1.NPA-NXX-ID;~~
- ~~— MATCHES FOR EQUALITY, ORDERING;~~
- ~~— BEHAVIOUR serviceProvNPA-NXX-ID-Behavior;~~
- ~~— REGISTERED AS {LNP-OIDS.lnp-attribute 39};~~

~~serviceProvNPA-NXX-ID-Behavior BEHAVIOUR~~

- ~~— DEFINED AS !~~
- ~~— This attribute provides an identifier for the~~
- ~~— serviceProvNPA-NXX object.~~
- ~~— The NPAC SMS determines the value for this attribute.~~

~~!;~~

~~--40.0 LNP Service Provider NPA-NXX Value~~

~~serviceProvNPA-NXX-Value ATTRIBUTE~~

- ~~— WITH ATTRIBUTE SYNTAX LNP-ASN1.NPA-NXX;~~
- ~~— MATCHES FOR EQUALITY, ORDERING;~~
- ~~— BEHAVIOUR serviceProvNPA-NXX-ValueBehavior;~~
- ~~— REGISTERED AS {LNP-OIDS.lnp-attribute 40};~~

~~serviceProvNPA-NXX-ValueBehavior BEHAVIOUR~~

- ~~— DEFINED AS !~~
- ~~— This attribute is used to specify a portable NPA-NXX value.~~

~~!;~~

~~--41.0 LNP Service Provider Operations Address~~

~~serviceProvOperationsAddress ATTRIBUTE~~

- ~~— WITH ATTRIBUTE SYNTAX LNP-ASN1.AddressInformation;~~
- ~~— MATCHES FOR EQUALITY, ORDERING;~~
- ~~— BEHAVIOUR serviceProvOperationsAddressBehavior;~~
- ~~— REGISTERED AS {LNP-OIDS.lnp-attribute 41};~~

~~serviceProvOperationsAddressBehavior BEHAVIOUR~~

- ~~— DEFINED AS !~~
- ~~— This attribute is used to specify the service provider~~
- ~~— operations contact address and contact information.~~

~~!;~~

~~--42.0 LNP Service Provider Repair Center Information~~

~~serviceProvRepairCenterInfo ATTRIBUTE~~

- ~~— WITH ATTRIBUTE SYNTAX LNP-ASN1.AddressInformation;~~
- ~~— MATCHES FOR EQUALITY, ORDERING;~~
- ~~— BEHAVIOUR serviceProvRepairCenterInfoBehavior;~~
- ~~— REGISTERED AS {LNP-OIDS.lnp-attribute 42};~~

~~serviceProvRepairCenterInfoBehavior BEHAVIOUR~~

- ~~— DEFINED AS !~~
- ~~— This attribute is used to specify the repair center information~~
- ~~— for a service provider.~~

~~!;~~

~~--43.0 LNP Service Provider SOA Address~~

serviceProvSOA-Address ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.AddressInformation;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR serviceProvSOA-AddressBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 43};

serviceProvSOA-AddressBehavior BEHAVIOUR
 — DEFINED AS !
 — This attribute is used to specify the service provider SOA address
 — and contact information.
 !;

--44.0 LNP Service Provider System Link Information

serviceProvSysLinkInfo ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.NetworkAddressInformation;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR serviceProvSysLinkInfoBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 44};

serviceProvSysLinkInfoBehavior BEHAVIOUR
 — DEFINED AS !
 — This attribute is used to specify the system link address
 — information for service provider for the SOA to NPAC SMS and
 — NPAC SMS to Local SMS interfaces.
 !;

--46.0 LNP Service Provider User Administration Contact Address

serviceProvUserAdminAddress ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.AddressInformation;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR serviceProvUserAdminAddressBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 46};

serviceProvUserAdminAddressBehavior BEHAVIOUR
 — DEFINED AS !
 — This attribute is used to specify the service provider
 — user administration contact address and contact information.
 !;

--47.0 LNP Service Provider Web Address

serviceProvWebAddress ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.AddressInformation;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR serviceProvWebAddressBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 47};

serviceProvWebAddressBehavior BEHAVIOUR
 — DEFINED AS !
 — This attribute is used to specify the service provider Web
 — interface address and contact information.
 !;

--48.0 LNP Subscription Activation Time Stamp

subscriptionActivationTimeStamp ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionActivationTimeStampBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 48};

subscriptionActivationTimeStampBehavior BEHAVIOUR

— DEFINED AS !

— This attribute is set by the NPAC SMS as the time and date
 — that the subscription version activation request was received
 — from the new service provider.

!;

-- 49.0 LNP Subscription Audit Attribute List

subscriptionAuditAttributeList ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.AuditAttributes;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR subscriptionAuditAttributeListBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 49};

subscriptionAuditAttributeListBehavior BEHAVIOUR

— DEFINED AS !

— This attribute is used to specify the list of attributes in
 — a subscription version that are to be audited.

!;

-- 50.0 LNP Subscription Audit ID

subscriptionAuditId ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.AuditId;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionAuditIdBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 50};

subscriptionAuditIdBehavior BEHAVIOUR

— DEFINED AS !

— This attribute provides an identifier for the subscriptionAudit
 — managed objects. The value for this attribute is specified by
 — the NPAC SMS.

!;

-- 51.0 LNP Subscription Audit Name

subscriptionAuditName ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.AuditName;
 — MATCHES FOR EQUALITY, ORDERING, SUBSTRINGS;
 — BEHAVIOUR subscriptionAuditNameBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 51};

subscriptionAuditNameBehavior BEHAVIOUR

— DEFINED AS !

— This attribute is used to specify the English name associated
 — with an audit.

!;

-- 52.0 LNP Subscription Audit Number of TNs to be Audited

subscriptionAuditNumberOfTNs ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.AuditNumberOfTNs;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR subscriptionAuditNumberOfTNsBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 52};

subscriptionAuditNumberOfTNsBehavior BEHAVIOUR

— DEFINED AS !

— This attribute is used to specify the number of TNs that
 — will be audited based on the audit request criteria.

!;

-- 53.0 LNP Subscription Audit Number of TNs having Completed Audit

subscriptionAuditNumberOfTNsComplete ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.AuditNumberOfTNsComplete;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR subscriptionAuditNumberOfTNsCompleteBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 53};

subscriptionAuditNumberOfTNsCompleteBehavior BEHAVIOUR

— DEFINED AS !

— This attribute is used to specify the number of TNs that
 — have completed in an in progress or complete audit.

!;

-- 54.0 LNP Subscription Audit Requesting Service Provider

subscriptionAuditRequestingSP ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.ServiceProvId;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR subscriptionAuditRequestingSP-Behavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 54};

subscriptionAuditRequestingSP-Behavior BEHAVIOUR

— DEFINED AS !

— This attribute is used to specify the service provider who
 — requested the audit.

!;

-- 55.0 LNP Subscription Audit Service Provider Id Range

subscriptionAuditServiceProvIdRange ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.AuditServiceProvIdRange;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR subscriptionAuditServiceProvIdRangeBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 55};

subscriptionAuditServiceProvIdRangeBehavior BEHAVIOUR

— DEFINED AS !

— This attribute is used to specify a specific service provider
 — or if all service providers should be audited in the subscription
 — audit.

!;

-- 56.0 LNP Subscription Audit Status

subscriptionAuditStatus ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.AuditStatus;

—MATCHES FOR EQUALITY;
 —BEHAVIOUR subscriptionAuditStatusBehavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute 56};

subscriptionAuditStatusBehavior BEHAVIOUR

—DEFINED AS !
 —This attribute is used to specify the status of an audit. Valid
 —values are in-progress, suspended, canceled, and complete.
 !;

--57.0 LNP Subscription Audit TN Activation Range

subscriptionAuditTN-ActivationRange ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.AuditTN-ActivationRange;
 —MATCHES FOR EQUALITY;
 —BEHAVIOUR subscriptionAuditTN-ActivationRangeBehavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute 57};

subscriptionAuditTN-ActivationRangeBehavior BEHAVIOUR

—DEFINED AS !
 —This attribute is used to specify the activation date and time
 —range for which TNs should be audited in the subscription audit.
 !;

--59.0 LNP Subscription Audit TN Range

subscriptionAuditTN-Range ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.TN-Range;
 —MATCHES FOR EQUALITY;
 —BEHAVIOUR subscriptionAuditTN-RangeBehavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute 59};

subscriptionAuditTN-RangeBehavior BEHAVIOUR

—DEFINED AS !
 —This attribute is used to specify the TN range to be used for
 —the subscription audit. The stop TN in the range must be
 —greater than the start TN in the range.
 !;

--60.0 LNP Subscription Billing Id

subscriptionBillingId ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.BillingId;
 —MATCHES FOR EQUALITY, ORDERING;
 —BEHAVIOUR subscriptionBillingIdBehavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute 60};

subscriptionBillingIdBehavior BEHAVIOUR

—DEFINED AS !
 —This attribute is used to specify the Billing Id for the
 —subscription version.
 !;

--61.0 LNP Subscription Broadcast Time Stamp

subscriptionBroadcastTimeStamp ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
 —MATCHES FOR EQUALITY, ORDERING;

```

—BEHAVIOUR subscriptionBroadcastTimeStampBehavior;
—REGISTERED AS {LNP-OIDS.lnp-attribute 61};

subscriptionBroadcastTimeStampBehavior BEHAVIOUR
—DEFINED AS !
—This attribute is used to specify the time stamp of when
—the subscription version was broadcast to the service provider
—Local SMSs.
!;

--62.0 LNP Subscription Cancellation Time Stamp

subscriptionCancellationTimeStamp ATTRIBUTE
—WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
—MATCHES FOR EQUALITY, ORDERING;
—BEHAVIOUR subscriptionCancellationTimeStampBehavior;
—REGISTERED AS {LNP-OIDS.lnp-attribute 62};

subscriptionCancellationTimeStampBehavior BEHAVIOUR
—DEFINED AS !
—This attribute is used to specify the cancellation time
—stamp for the subscription version. This field is only valid
—if the subscription version status is cancel.
!;

--63.0 LNP Subscription Version Class Destination Point Code

subscriptionCLASS-DPC ATTRIBUTE
—WITH ATTRIBUTE SYNTAX LNP-ASN1.DPC;
—MATCHES FOR EQUALITY, ORDERING;
—BEHAVIOUR subscriptionCLASS-DPCBehavior;
—REGISTERED AS {LNP-OIDS.lnp-attribute 63};

subscriptionCLASS-DPCBehavior BEHAVIOUR
—DEFINED AS !
—This attribute is used to specify the subscription version
—CLASS Destination Point Code.

—The data is stored in BCD (e.g. a value of FFF would be displayed
—as 255.255.255).
!;

--64.0 LNP Subscription Version Class SSN

subscriptionCLASS-SSN ATTRIBUTE
—WITH ATTRIBUTE SYNTAX LNP-ASN1.SSN;
—MATCHES FOR EQUALITY, ORDERING;
—BEHAVIOUR subscriptionCLASS-SSN-Behavior;
—REGISTERED AS {LNP-OIDS.lnp-attribute 64};

subscriptionCLASS-SSN-Behavior BEHAVIOUR
—DEFINED AS !
—This attribute is used to specify the subscription version
—CLASS SSN.
!;

--65.0 LNP Subscription CNAM Destination Point Code

```

```

subscriptionCNAM-DPC-ATTRIBUTE
—WITH ATTRIBUTE SYNTAX LNP-ASN1.DPC;
—MATCHES FOR EQUALITY, ORDERING;
—BEHAVIOUR subscriptionCNAM-DPC-Behavior;
—REGISTERED AS {LNP-OIDS.lnp-attribute-65};

subscriptionCNAM-DPC-Behavior-BEHAVIOUR
—DEFINED AS !
— This attribute is used to specify the CNAM-Destination-Point
— value for the subscription-version.

— The data is stored in BCD (e.g. a value of FFF would be displayed
— as 255.255.255).
!;-

-- 66.0 LNP-Subscription-CNAM-SSN

subscriptionCNAM-SSN-ATTRIBUTE
—WITH ATTRIBUTE SYNTAX LNP-ASN1.SSN;
—MATCHES FOR EQUALITY, ORDERING;
—BEHAVIOUR subscriptionCNAM-SSN-Behavior;
—REGISTERED AS {LNP-OIDS.lnp-attribute-66};

subscriptionCNAM-SSN-Behavior-BEHAVIOUR
—DEFINED AS !
— This attribute is used to specify the CNAM-SSN
— value for the subscription-version.
!;-

-- 67.0 LNP-Subscription-Conflict-Time-Stamp

subscriptionConflictTimeStamp-ATTRIBUTE
—WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
—MATCHES FOR EQUALITY, ORDERING;
—BEHAVIOUR subscriptionConflictTimeStampBehavior;
—REGISTERED AS {LNP-OIDS.lnp-attribute-67};

subscriptionConflictTimeStampBehavior-BEHAVIOUR
—DEFINED AS !
— This attribute is used to specify the time-stamp of when
— the subscription-version was put into conflict.
!;-

-- 68.0 LNP-Subscription-Creation-Time-Stamp

subscriptionCreationTimeStamp-ATTRIBUTE
—WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
—MATCHES FOR EQUALITY, ORDERING;
—BEHAVIOUR subscriptionCreationTimeStampBehavior;
—REGISTERED AS {LNP-OIDS.lnp-attribute-68};

subscriptionCreationTimeStampBehavior-BEHAVIOUR
—DEFINED AS !
— This attribute is used to specify the creation-date
— and time for a subscription-version.
!;-

-- 69.0 LNP-Subscription-Customer-Disconnect-Date

```

subscriptionCustomerDisconnectDate ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionCustomerDisconnectDateBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 69};

subscriptionCustomerDisconnectDateBehavior BEHAVIOUR
 — DEFINED AS !
 — This attribute is used to specify the time stamp of when the
 — Subscription version was disconnected by the service provider.
 !;

-- 70.0 LNP Subscription Disconnect Complete Date

subscriptionDisconnectCompleteTimeStamp ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionDisconnectCompleteTimeStampBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 70};

subscriptionDisconnectCompleteTimeStampBehavior BEHAVIOUR
 — DEFINED AS !
 — This attribute is used to specify the time stamp of when the
 — subscription version disconnected broadcast was complete.
 !;

-- 71.0 LNP Subscription Download Reason

subscriptionDownloadReason ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.DownloadReason;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR subscriptionDownloadReasonBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 71};

subscriptionDownloadReasonBehavior BEHAVIOUR
 — DEFINED AS !
 — This attribute is used to specify the reason the data was
 — downloaded to the Local SMS from NPAC SMS. This attribute
 — only has meaning in objects instantiated on the Local SMS and is
 — not audited in subscription versions.
 !;

-- 72.0 LNP Subscription Effective Release Date

subscriptionEffectiveReleaseDate ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionEffectiveReleaseDateBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 72};

subscriptionEffectiveReleaseDateBehavior BEHAVIOUR
 — DEFINED AS !
 — This attribute is used to specify the time stamp of when the
 — subscription version is to be disconnected. The status
 — of the version must be disconnect pending.
 !;

--73.0 LNP Subscription End User Location Type

subscriptionEndUserLocationType ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.EndUserLocationType;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionEndUserLocationTypeBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-73};

subscriptionEndUserLocationTypeBehavior BEHAVIOUR
 — DEFINED AS !
 — This attribute is used to specify the End User Location Type
 — for the subscription version. This field is included for
 — future use.

!;

--74.0 LNP Subscription End User Location Value

subscriptionEndUserLocationValue ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.EndUserLocationValue;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionEndUserLocationValueBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-74};

subscriptionEndUserLocationValueBehavior BEHAVIOUR
 — DEFINED AS !
 — This attribute is used to specify the End User Location Value
 — for the subscription version. This field is included for
 — future use.

!;

--75.0 LNP Subscription Failed Service Provider List

subscriptionFailed-SP-List ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.Failed-SP-List;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR subscriptionFailed-SP-ListBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-75};

subscriptionFailed-SP-ListBehavior BEHAVIOUR
 — DEFINED AS !
 — This attribute is used to store the failed service providers after
 — a subscription version broadcast results in a failed or
 — partially-failed subscription version status.

!;

--76.0 LNP Subscription ISVM Destination Point Code

subscriptionISVM-DPC ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.DPC;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionISVM-DPC-Behavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-76};

subscriptionISVM-DPC-Behavior BEHAVIOUR
 — DEFINED AS !
 — This attribute is used to specify the ISVM Destination Point
 — value for the subscription version.

—The data is stored in BCD (e.g. a value of FFF would be displayed as 255.255.255);

!;-

-- 77.0 LNP Subscription ISVM SSN

subscriptionISVM-SSN-ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.SSN;
 —MATCHES FOR EQUALITY, ORDERING;
 —BEHAVIOUR subscriptionISVM-SSN-Behavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute 77};

subscriptionISVM-SSN-Behavior-BEHAVIOUR

—DEFINED AS !

—This attribute is used to specify the ISVM SSN value for the subscription version.

!;-

-- 78.0 LNP Subscription LIDB Destination Point Code

subscriptionLIDB-DPC-ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.DPC;
 —MATCHES FOR EQUALITY, ORDERING;
 —BEHAVIOUR subscriptionLIDB-DPC-Behavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute 78};

subscriptionLIDB-DPC-Behavior-BEHAVIOUR

—DEFINED AS !

—This attribute is used to specify the LIDB Destination Point value for the subscription version.

—The data is stored in BCD (e.g. a value of FFF would be displayed as 255.255.255);

!;-

-- 79.0 LNP Subscription LIDB SSN

subscriptionLIDB-SSN-ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.SSN;
 —MATCHES FOR EQUALITY, ORDERING;
 —BEHAVIOUR subscriptionLIDB-SSN-Behavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute 79};

subscriptionLIDB-SSN-Behavior-BEHAVIOUR

—DEFINED AS !

—This attribute is used to specify the LIDB SSN value for the subscription version.

!;-

-- 80.0 LNP Subscription Local Number Portability Type

subscriptionLNPTType-ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.LNPTType;
 —MATCHES FOR EQUALITY;
 —BEHAVIOUR subscriptionLNPTTypeBehavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute 80};

subscriptionLNPTTypeBehavior-BEHAVIOUR

—DEFINED AS !
 —This attribute is used to specify the Local Number Portability
 type for the subscription version.
 !;

-- 81.0 LNP Subscription LRN

—
 subscriptionLRN ATTRIBUTE
 —WITH ATTRIBUTE SYNTAX LNP-ASN1.LRN;
 —MATCHES FOR EQUALITY, ORDERING;
 —BEHAVIOUR subscriptionLRNBehavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute 81};

subscriptionLRNBehavior BEHAVIOUR
 —DEFINED AS !
 —This attribute is used to specify the subscription LRN
 for a subscription version.
 —The data is stored as packed decimal. For example, if the octets
 contained 01 23 45 67 89 then the LRN value would be displayed
 as 0123456789).
 !;

-- 82.0 LNP Subscription Modified Time Stamp

subscriptionModifiedTimeStamp ATTRIBUTE
 —WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
 —MATCHES FOR EQUALITY, ORDERING;
 —BEHAVIOUR subscriptionModifiedTimeStampBehavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute 82};

subscriptionModifiedTimeStampBehavior BEHAVIOUR
 —DEFINED AS !
 —This attribute is used to specify the last modification date
 for a subscription version.
 !;

-- 83.0 LNP Subscription New or Current Service Provider

subscriptionNewCurrentSP ATTRIBUTE
 —WITH ATTRIBUTE SYNTAX LNP-ASN1.ServiceProvId;
 —MATCHES FOR EQUALITY, ORDERING;
 —BEHAVIOUR subscriptionNewCurrentSPBehavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute 83};

subscriptionNewCurrentSPBehavior BEHAVIOUR
 —DEFINED AS !
 —This attribute is used to specify the subscription New or Current
 Service Provider for a subscription version.
 —This attribute is also used to store the new service provider
 for an old SP concurrence request notification in a log record.
 !;

-- 84.0 LNP Subscription New Service Provider Cancellation Time Stamp

subscriptionNewSPCancellationTimeStamp ATTRIBUTE
 —WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;

— MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionNewSP-CancellationTimeStampBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 84};

subscriptionNewSP-CancellationTimeStampBehavior BEHAVIOUR
 — DEFINED AS !

— This attribute is used to specify the subscription cancellation
 — concurrence time stamp for the subscription in a
 — cancel-pending state. This value is specified by the
 — concurrence of the new service provider.

!;

-- 85.0 LNP Subscription New Service Provider Conflict Resolution Time Stamp

subscriptionNewSP-ConflictResolutionTimeStamp ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionNewSP-ConflictResolutionTimeStampBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 85};

subscriptionNewSP-ConflictResolutionTimeStampBehavior BEHAVIOUR
 — DEFINED AS !

— This attribute is used to specify when the subscription
 — version was removed from conflict by the new service provider.

!;

-- 86.0 LNP Subscription New Service Provider Creation Time Stamp

subscriptionNewSP-CreationTimeStamp ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionNewSP-CreationTimeStampBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 86};

subscriptionNewSP-CreationTimeStampBehavior BEHAVIOUR
 — DEFINED AS !

— This attribute is used to specify the time stamp of when
 — the new service provider creates the cutover for the
 — subscription from the old service provider. This timestamp is set
 — by the NPAC SMS when the new service provider sends its create
 — request.

— This attribute is also used to store the new service provider
 — creation time stamp for an old SP concurrence request notification
 — in a log record.

!;

-- 87.0 LNP Subscription New Service Provider Activation Due Date

subscriptionNewSP-DueDate ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionNewSP-DueDateBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute 87};

subscriptionNewSP-DueDateBehavior BEHAVIOUR
 — DEFINED AS !

— This attribute is used to specify the subscription due

— date and time for the subscription when they are being ported to
 — a new service provider. This value is specified by the new service
 — provider.

— If not specified, the time defaults to 00:00:00.

— The seconds field should always be populated with zeros for
 — wireless ports. The NPAC SMS will not edit for compliance.
 !;

--88.0 LNP Subscription Old Service Provider

subscriptionOldSP ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.ServiceProvId;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionOldSPBehavior;
 — REGISTERED AS {LNP-oids.lnp-attribute 88};

subscriptionOldSPBehavior BEHAVIOUR

— DEFINED AS !

— This attribute is used to specify the subscription Old
 — Service Provider for a subscription version.

— This attribute is also used to store the old service provider id
 — for a new service provider create request notification in a
 — log record.
 !;

--89.0 LNP Subscription Old Service Provider Authorization

subscriptionOldSP-Authorization ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.ServiceProvAuthorization;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR subscriptionOldSP-AuthorizationBehavior;
 — REGISTERED AS {LNP-oids.lnp-attribute 89};

subscriptionOldSP-AuthorizationBehavior BEHAVIOUR

— DEFINED AS !

— This attribute is used to indicate the old service
 — provider authorization or denial of cutover for the subscription
 — to the new service provider.

— This attribute is also used to store the old service provider
 — authorization for a new service provider create request
 — notification in a log record.
 !;

--90.0 LNP Subscription Old Service Provider Authorization Time Stamp

subscriptionOldSP-AuthorizationTimeStamp ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionOldSP-AuthorizationTimeStampBehavior;
 — REGISTERED AS {LNP-oids.lnp-attribute 90};

subscriptionOldSP-AuthorizationTimeStampBehavior BEHAVIOUR

— DEFINED AS !

— This attribute is used to specify the time stamp of when

— the old service provider authorizes or denies the cutover for the
 — subscription to the new service provider. This timestamp is set
 — by the NPAC SMS when the old service provider sends its create
 — request or modifies the authorization information for
 — activation.

— This attribute is also used to store the old service provider
 — authorization timestamp for an old service provider concurrence
 — request notification in a log record.

!;

--91.0 LNP Subscription Old Service Provider Cancellation Time Stamp

subscriptionOldSP-CancellationTimeStamp ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionOldSP-CancellationTimeStampBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-91};

subscriptionOldSP-CancellationTimeStampBehavior BEHAVIOUR
 — DEFINED AS !

— This attribute is used to specify the subscription cancellation
 — time stamp for the subscription version. This value is set by
 — the NPAC SMS.

!;

--92.0 LNP Subscription Old Service Provider Conflict Resolution Time Stamp

subscriptionOldSP-ConflictResolutionTimeStamp ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionOldSP-ConflictResolutionTimeStampBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-92};

subscriptionOldSP-ConflictResolutionTimeStampBehavior BEHAVIOUR
 — DEFINED AS !

— This attribute is used to specify when the subscription
 — version was removed from conflict by the old service provider.

!;

--93.0 LNP Subscription Old Service Provider Cutover Due Date

subscriptionOldSP-DueDate ATTRIBUTE
 — WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionOldSP-DueDateBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-93};

subscriptionOldSP-DueDateBehavior BEHAVIOUR
 — DEFINED AS !

— This attribute is used to specify the subscription due
 — date and time for the subscription when they are being ported to a new
 — service provider from an old service provider. This value
 — is specified by the old service provider.

— The time if not specified with the date is defaulted to 00:00:00.

— The seconds field should always be populated with zeros for

—wireless ports. The NPAC SMS will not edit for compliance.

!;

--94.0 LNP Subscription Old Time Stamp

subscriptionOldTimeStamp ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.GeneralTime;

—MATCHES FOR EQUALITY, ORDERING;

—BEHAVIOUR subscriptionOldTimeStampBehavior;

—REGISTERED AS {LNP-OIDS.lnp-attribute-94};

subscriptionOldTimeStampBehavior BEHAVIOUR

—DEFINED AS !

—This attribute is used to specify the old time

—stamp for the subscription version. This field is only valid

—if the subscription version status is old.

!;

--95.0 LNP Subscription Porting To Original SP Switch

subscriptionPortingToOriginal-SPSwitch ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.SubscriptionPortingToOriginal-SPSwitch;

—MATCHES FOR EQUALITY;

—BEHAVIOUR subscriptionPortingToOriginal-SPSwitchBehavior;

—REGISTERED AS {LNP-OIDS.lnp-attribute-95};

subscriptionPortingToOriginal-SPSwitchBehavior BEHAVIOUR

—DEFINED AS !

—This attribute is used to specify that the subscription version

—created is to be ported back to the original service

—provider switch.

!;

--96.0 LNP Subscription Pre-Cancellation Status

subscriptionPreCancellationStatus ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.SubscriptionPreCancellationStatus;

—MATCHES FOR EQUALITY;

—BEHAVIOUR subscriptionPreCancellationStatusBehavior;

—REGISTERED AS {LNP-OIDS.lnp-attribute-96};

subscriptionPreCancellationStatusBehavior BEHAVIOUR

—DEFINED AS !

—This attribute is used to specify the previous status of a

—canceled subscription version.

!;

--97.0 LNP Subscription Version TN

subscriptionTN ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.PhoneNumber;

—MATCHES FOR EQUALITY, ORDERING;

—BEHAVIOUR subscriptionTN-Behavior;

—REGISTERED AS {LNP-OIDS.lnp-attribute-97};

subscriptionTN-Behavior BEHAVIOUR

—DEFINED AS !

— This attribute is used to specify the subscription version TN.

— This attribute is also used to store the subscription version TN for a new SP create request and a old service provider concurrence request notification in a log record.

!;

--98.0 LNP Subscription Version Attribute Value Change Information

subscriptionVersionAttributeValueChangedInfo ATTRIBUTE

— WITH ATTRIBUTE SYNTAX Attribute-ASN1Module.AttributeValueChangedInfo;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR subscriptionVersionAttributeValueChangedInfoBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-98};

subscriptionVersionAttributeValueChangedInfoBehavior BEHAVIOUR

— DEFINED AS !

— This attribute is used to store the attribute value change information for a subscription version attribute value change notification in a log record.

!;

--99.0 LNP Subscription Version Id

subscriptionVersionId ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.SubscriptionVersionId;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR subscriptionVersionIdBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-99};

subscriptionVersionIdBehavior BEHAVIOUR

— DEFINED AS !

— This attribute provides an identifier for the lnpSubscriptions and subscriptionVersion objects. The NPAC SMS determines the value for this attribute.

— This attribute is also used to store the subscription version Id in notification log records.

!;

--100.0 LNP Subscription Version Status

subscriptionVersionStatus ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.VersionStatus;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR subscriptionVersionStatusBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-100};

subscriptionVersionStatusBehavior BEHAVIOUR

— DEFINED AS !

— This attribute is used to specify the status of the subscription version. Valid values are pending, conflict, sending, active, failed, partial-failed, old, canceled, disconnect-pending, and cancel-pending.

!;

--101.0 LNP LSMS Filter NPA-NXX ID

lsmsFilterNPA-NXX-ID-ATTRIBUTE

— WITH ATTRIBUTE SYNTAX LNP-ASN1.NPA-NXX-ID;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR lsmsFilterNPA-NXX-ID-Behavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-101};

lsmsFilterNPA-NXX-ID-Behavior-BEHAVIOUR

— DEFINED AS !
 — This attribute provides an identifier for the
 — lsmsFilterNPA-NXX object. The NPAC SMS determines the value
 — for this attribute.

!;

--102.0 LNP LSMS Filter NPA-NXX Value**lsmsFilterNPA-NXX-Value-ATTRIBUTE**

— WITH ATTRIBUTE SYNTAX LNP-ASN1.NPA-NXX;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR lsmsFilterNPA-NXX-ValueBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-102};

lsmsFilterNPA-NXX-ValueBehavior-BEHAVIOUR

— DEFINED AS !
 — This attribute is used to specify a portable NPA-NXX value.

!;

--103.0 LNP Subscription Status Change Cause Code**subscriptionStatusChangeCauseCode-ATTRIBUTE**

— WITH ATTRIBUTE SYNTAX LNP-ASN1.SubscriptionStatusChangeCauseCode;
 — MATCHES FOR EQUALITY;
 — BEHAVIOUR subscriptionStatusChangeCauseCodeBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-103};

subscriptionStatusChangeCauseCodeBehavior-BEHAVIOUR

— DEFINED AS !
 — This attribute is used to indicate the reason for putting a
 — subscription version into conflict.

!;

--104.0 LNP Service Provider Security Address**serviceProvSecurityAddress-ATTRIBUTE**

— WITH ATTRIBUTE SYNTAX LNP-ASN1.AddressInformation;
 — MATCHES FOR EQUALITY, ORDERING;
 — BEHAVIOUR serviceProvSecurityAddressBehavior;
 — REGISTERED AS {LNP-OIDS.lnp-attribute-104};

serviceProvSecurityAddressBehavior-BEHAVIOUR

— DEFINED AS !
 — This attribute is used to specify the security contact information
 — for a service provider.

!;

--105.0 LNP NPAC Association User Info**npacAssociationUserInfo-ATTRIBUTE**

— WITH ATTRIBUTE SYNTAX LNP-ASN1.NpacAssociationUserInfo;

—MATCHES FOR EQUALITY;
 —BEHAVIOUR npacAssociationUserInfoBehavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute-105};

npacAssociationUserInfoBehavior BEHAVIOUR

—DEFINED AS !
 —This attribute is used to report the status of a login attempt or
 —the current state of the NPAC SMS.

!;

--106.0 LNP SOA Name

lnpSOA-Name ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.LnpSMS-Name;
 —MATCHES FOR EQUALITY;
 —BEHAVIOUR lnpSOA-NameBehavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute-106};

lnpSOA-NameBehavior BEHAVIOUR

—DEFINED AS !
 —This attribute provides an identifier for the lnpSOA
 —object. The valid value is the service provider id of the
 —SOA followed by a dash and then the region name of the
 —NPAC SMS specified in the lnpNPAC-SMS-Name for the SOA to
 —NPAC SMS Interface. For example, if the region name is
 —"Midwest Regional NPAC SMS" and the service provider id is "1234",
 —the lnpSOA-Name would be "1234-Midwest Regional NPAC SMS".

!;

--107.0 Subscription Version Timer Type

subscriptionTimerType ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.Integer;
 —MATCHES FOR EQUALITY;
 —BEHAVIOUR subscriptionTimerTypeBehavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute-107};

subscriptionTimerTypeBehavior BEHAVIOUR

—DEFINED AS !
 —This attribute is used to specify the subscription version
 —timer type being used to set tunable timers.

—Current valid values are:
 —0 for long timers (used primarily for wireline to wireline)
 —1 for short timers (anticipated use for wireless to wireless)

—Long timers (0) is set if any of the two service providers
 —supports only long timers.

!;

--108.0 Subscription Version Business Type

subscriptionBusinessType ATTRIBUTE

—WITH ATTRIBUTE SYNTAX LNP-ASN1.Integer;
 —MATCHES FOR EQUALITY;
 —BEHAVIOUR subscriptionTimerTypeBehavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute-108};

subscriptionBusinessTypeBehavior BEHAVIOUR
 —DEFINED AS!
 —This attribute is used to specify the subscription version
 —business hours/days type being used to set tunable timers.
 —
 —Current valid values are:
 —0 for short business hours/days
 —(used primarily for wireline to wireline)
 —1 for long business hours/days
 —(anticipated use for wireless to wireless)
 —
 —Short business hours (0) is set if any of the two
 —service providers supports only short business hours.

!;

--109.0 Subscription Version WSMSC Destination Point Code

subscriptionWSMSC-DPC ATTRIBUTE
 —WITH ATTRIBUTE SYNTAX LNP-ASN1.DPC;
 —MATCHES FOR EQUALITY, ORDERING;
 —BEHAVIOUR subscriptionWSMSC-DPCBehavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute-109};

subscriptionWSMSC-DPCBehavior BEHAVIOUR
 —DEFINED AS!
 —This attribute is used to specify the subscription version
 —WSMSC Destination Point Code.
 —
 —The data is stored in BCD (e.g. a value of FFF would be
 —displayed as 255.255.255).

!;

--110.0 LNP Subscription Version WSMSC SSN

subscriptionWSMSC-SSN ATTRIBUTE
 —WITH ATTRIBUTE SYNTAX LNP-ASN1.SSN;
 —MATCHES FOR EQUALITY, ORDERING;
 —BEHAVIOUR subscriptionWSMSC-SSN-Behavior;
 —REGISTERED AS {LNP-OIDS.lnp-attribute-110};

subscriptionWSMSC-SSN-Behavior BEHAVIOUR
 —DEFINED AS!
 —This attribute is used to specify the subscription version
 —WSMSC SSN.

!;

Package Definitions

--1.0 LNP Download Package

lnpDownloadPkg PACKAGE
 —BEHAVIOUR lnpDownloadPkgBehavior;
 —ACTIONS
 —lnpDownload;
 —REGISTERED AS {LNP-OIDS.lnp-package-1};
 —

```

InpDownloadPkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the
—InpDownload action.
—!;

--2.0 LNP Recovery Complete Package

InpRecoveryCompletePkg PACKAGE
—BEHAVIOUR InpRecoveryCompletePkgBehavior;
—ACTIONS
—InpRecoveryComplete;
—REGISTERED AS {LNP-OIDS.Inp-package 2};

InpRecoveryCompletePkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the
—InpRecoveryCompletePkg action.
—!;

--3.0 LNP Service Provider Billing Address Package

serviceProvBillingAddressPkg PACKAGE
—BEHAVIOUR serviceProvBillingAddressPkgBehavior;
—ATTRIBUTES
—serviceProvBillingAddress GET-REPLACE;
—REGISTERED AS {LNP-OIDS.Inp-package 3};
—
serviceProvBillingAddressPkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the
—serviceProvBillingAddress attribute.
—!;
—
--4.0 LNP Service Provider Conflict Address Package

serviceProvConflictAddressPkg PACKAGE
—BEHAVIOUR serviceProvConflictAddressPkgBehavior;
—ATTRIBUTES
—serviceProvConflictAddress GET-REPLACE;
—REGISTERED AS {LNP-OIDS.Inp-package 4};
—
serviceProvConflictAddressPkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the
—serviceProvConflictAddress attribute.
—!;
—
--5.0 LNP Service Provider LSMS Address Package

serviceProvLSMS-AddressPkg PACKAGE
—BEHAVIOUR serviceProvLSMS-AddressPkgBehavior;
—ATTRIBUTES
—serviceProvLSMS-Address GET-REPLACE;
—REGISTERED AS {LNP-OIDS.Inp-package 5};
—
serviceProvLSMS-AddressPkgBehavior BEHAVIOUR

```

```

—DEFINED AS !
—This package provides for conditionally including the
—serviceProvLSMS-Address attribute.
—!;

--6.0 LNP Service Provider Net Address Package

serviceProvNetAddressPkg PACKAGE
—BEHAVIOUR serviceProvNetAddressPkgBehavior;
—ATTRIBUTES
—serviceProvNetAddress GET-REPLACE;
—REGISTERED AS {LNP-OIDS.lnp-package 6};
—
serviceProvNetAddressPkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the
—serviceProvNetAddress attribute.
—!;

--7.0 LNP Service Provider Operations Address Package

serviceProvOperationsAddressPkg PACKAGE
—BEHAVIOUR serviceProvOperationsAddressPkgBehavior;
—ATTRIBUTES
—serviceProvOperationsAddress GET-REPLACE;
—REGISTERED AS {LNP-OIDS.lnp-package 7};
—
serviceProvOperationsAddressPkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the
—serviceProvOperationsAddress attribute.
—!;

--8.0 LNP Service Provider Repair Center Info Package

serviceProvRepairCenterInfoPkg PACKAGE
—BEHAVIOUR serviceProvRepairCenterInfoPkgBehavior;
—ATTRIBUTES
—serviceProvRepairCenterInfo GET-REPLACE;
—REGISTERED AS {LNP-OIDS.lnp-package 8};
—
serviceProvRepairCenterInfoPkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the
—serviceProvRepairCenterInfo attribute.
—!;

--9.0 LNP Service Provider SOA Address Package

serviceProvSOA-AddressPkg PACKAGE
—BEHAVIOUR serviceProvSOA-AddressPkgBehavior;
—ATTRIBUTES
—serviceProvSOA-Address GET-REPLACE;
—REGISTERED AS {LNP-OIDS.lnp-package 9};
—
serviceProvSOA-AddressPkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the

```

—serviceProvSOA-Address attribute.

—!;

--10.0 LNP Service Provider User Administration Address Package

serviceProvUserAdminAddressPkg PACKAGE

—BEHAVIOUR serviceProvUserAdminAddressPkgBehavior;

—ATTRIBUTES

—serviceProvUserAdminAddress GET-REPLACE;

—REGISTERED AS {LNP-OIDS.lnp-package 10};

—

serviceProvUserAdminAddressPkgBehavior BEHAVIOUR

—DEFINED AS !

—This package provides for conditionally including the

—serviceProvUserAdminAddress attribute.

—!;

--11.0 LNP Service Provider Web Address Package

serviceProvWebAddressPkg PACKAGE

—BEHAVIOUR serviceProvWebAddressPkgBehavior;

—ATTRIBUTES

—serviceProvWebAddress GET-REPLACE;

—REGISTERED AS {LNP-OIDS.lnp-package 11};

—

serviceProvWebAddressPkgBehavior BEHAVIOUR

—DEFINED AS !

—This package provides for conditionally including the

—serviceProvWebAddress attribute.

—!;

--12.0 LNP Subscription Version Activate Package

subscriptionVersionActivatePkg PACKAGE

—BEHAVIOUR subscriptionVersionActivatePkgBehavior;

—ACTIONS

—subscriptionVersionActivate;

—REGISTERED AS {LNP-OIDS.lnp-package 12};

—

subscriptionVersionActivatePkgBehavior BEHAVIOUR

—DEFINED AS !

—This package provides for conditionally including the

—subscriptionVersionActivate action.

—!;

--13.0 LNP Subscription Version Attribute Value Change Failed Service

-- Providers List

subscriptionVersionAttributeValueChangeFailed-SP-ListPkg PACKAGE

—BEHAVIOUR

subscriptionVersionAttributeValueChangeFailed-SP-ListPkgBehavior;

—ATTRIBUTES

—subscriptionFailed-SP-List GET;

—REGISTERED AS {LNP-OIDS.lnp-package 13};

—

subscriptionVersionAttributeValueChangeFailed-SP-ListPkgBehavior BEHAVIOUR

—DEFINED AS !

—This package provides for conditionally including the

```

—subscriptionVersionAttributeValueChanged-SP-List
—attribute.
—!;

--14.0 LNP Subscription Version Cancel Package

subscriptionVersionCancelPkg PACKAGE
—BEHAVIOUR subscriptionVersionCancelPkgBehavior;
—ACTIONS
—subscriptionVersionCancel;
—REGISTERED AS {LNP-OIDS.lnp-package 14};
—
subscriptionVersionCancelPkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the
—subscriptionVersionCancel action.
—!;

--15.0 LNP Subscription Version Disconnect Package

subscriptionVersionDisconnectPkg PACKAGE
—BEHAVIOUR subscriptionVersionDisconnectPkgBehavior;
—ACTIONS
—subscriptionVersionDisconnect;
—REGISTERED AS {LNP-OIDS.lnp-package 15};
—
subscriptionVersionDisconnectPkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the
—subscriptionVersionDisconnect action.
—!;

--16.0 LNP Subscription Version Local SMS Create Package

subscriptionVersionLocalSMS-CreatePkg PACKAGE
—BEHAVIOUR subscriptionVersionLocalSMS-CreatePkgBehavior;
—ACTIONS
—subscriptionVersionLocalSMS-Create;
—REGISTERED AS {LNP-OIDS.lnp-package 16};

subscriptionVersionLocalSMS-CreatePkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for including the
—subscriptionVersionLocalSMS-Create action.
—!;

--17.0 LNP Subscription Version Modify Package

subscriptionVersionModifyPkg PACKAGE
—BEHAVIOUR subscriptionVersionModifyPkgBehavior;
—ACTIONS
—subscriptionVersionModify;
—REGISTERED AS {LNP-OIDS.lnp-package 17};
—
subscriptionVersionModifyPkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the
—subscriptionVersionModify action.

```

```

—!;

--18.0 LNP New Service Provider Subscription Version Cancellation
--Acknowledge Package

subscriptionVersionNewSP-CancellationPkg PACKAGE
—BEHAVIOUR subscriptionVersionNewSP-CancellationPkgBehavior;
—ACTIONS
—subscriptionVersionNewSP-CancellationAcknowledge;
—REGISTERED AS {LNP-OIDS.lnp-package 18};
—
subscriptionVersionNewSP-CancellationPkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the
—subscriptionVersionNewSP-CancellationAcknowledge action.
—!;

--20.0 LNP Subscription Version Remove From Conflict
--Pending Package

subscriptionVersionRemoveFromConflictPkg PACKAGE
—BEHAVIOUR subscriptionVersionRemoveFromConflictPkgBehavior;
—ACTIONS
—subscriptionVersionRemoveFromConflict;
—REGISTERED AS {LNP-OIDS.lnp-package 20};

subscriptionVersionRemoveFromConflictPkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the
—subscriptionVersionRemoveFromConflict action.
—!;

--21.0 LNP New Service Provider Subscription Version Create Package

subscriptionVersionNewSP-CreatePkg PACKAGE
—BEHAVIOUR subscriptionVersionNewSP-CreatePkgBehavior;
—ACTIONS
—subscriptionVersionNewSP-Create;
—REGISTERED AS {LNP-OIDS.lnp-package 21};
—
subscriptionVersionNewSP-CreatePkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the
—subscriptionVersionNewSP-Create action.
—!;

--22.0 LNP Old Service Provider Subscription Version Cancellation
--Acknowledge Package

subscriptionVersionOldSP-CancellationPkg PACKAGE
—BEHAVIOUR subscriptionVersionOldSP-CancellationPkgBehavior;
—ACTIONS
—subscriptionVersionOldSP-CancellationAcknowledge;
—REGISTERED AS {LNP-OIDS.lnp-package 22};
—
subscriptionVersionOldSP-CancellationPkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the

```



```

—subscriptionVersionOldSP-CancellationAcknowledge action.
—!;

--24.0 LNP Old Service Provider Subscription Version Create Package

subscriptionVersionOldSP-CreatePkg PACKAGE
—BEHAVIOUR subscriptionVersionOldSP-CreatePkgBehavior;
—ACTIONS
—subscriptionVersionOldSP-Create;
—REGISTERED AS {LNP-OIDS.lnp-package 24};
—
subscriptionVersionOldSP-CreatePkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the
—subscriptionVersionOldSP-Create action.
—!;

--25.0 LNP Subscription Status Change Cause Code Package

subscriptionStatusChangeCauseCodePkg PACKAGE
—BEHAVIOUR subscriptionStatusChangeCauseCodePkgBehavior;
—ATTRIBUTES
—subscriptionStatusChangeCauseCode-GET;
—REGISTERED AS {LNP-OIDS.lnp-package 25};

subscriptionStatusChangeCauseCodePkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the
—subscriptionStatusChangeCauseCode attribute.
—!;

--26.0 LNP Service Provider Security Address Package

serviceProvSecurityAddressPkg PACKAGE
—BEHAVIOUR serviceProvSecurityAddressPkgBehavior;
—ATTRIBUTES
—serviceProvSecurityAddress-GET-REPLACE;
—REGISTERED AS {LNP-OIDS.lnp-package 26};

serviceProvSecurityAddressPkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the
—serviceProvSecurityAddress attribute.
—!;

--27.0 LNP Notification Recovery Package

lnpNotificationRecoveryPkg PACKAGE
—BEHAVIOUR lnpNotificationRecoveryPkgBehavior;
—ACTIONS
—lnpNotificationRecovery;
—REGISTERED AS {LNP-OIDS.lnp-package 27};
—
lnpNotificationRecoveryPkgBehavior BEHAVIOUR
—DEFINED AS !
—This package provides for conditionally including the
—lnpNotificationRecovery action.
—!;

```

~~--28.0 LNP Subscription Audit TN Activation Range Package~~

~~subscriptionAuditTN-ActivationRangePkg PACKAGE
 — BEHAVIOUR subscriptionAuditTN-ActivationRangePkgBehavior;
 — ATTRIBUTES
 — subscriptionAuditTN-ActivationRange GET;
 — REGISTERED AS {LNP-OIDS.lnp-package 28};~~

~~subscriptionAuditTN-ActivationRangePkgBehavior BEHAVIOUR
 — DEFINED AS !
 — This package provides for conditionally including the
 — subscriptionAuditTN-ActivationRange attribute.
 — !;~~

~~--29.0 LNP Subscription Timer Type Package~~

~~subscriptionTimerTypePkg PACKAGE
 — BEHAVIOUR subscriptionTimerTypePkgBehavior;
 — ATTRIBUTES
 — subscriptionTimerType GET;
 — REGISTERED AS {LNP-OIDS.lnp-package 29};~~

~~subscriptionTimerTypePkgBehavior BEHAVIOUR
 — DEFINED AS !
 — This package provides for conditionally including the
 — subscriptionTimerType attribute.
 — !;~~

~~--30.0 LNP Subscription Business Type Package~~

~~subscriptionBusinessTypePkg PACKAGE
 — BEHAVIOUR subscriptionBusinessTypePkgBehavior;
 — ATTRIBUTES
 — subscriptionBusinessType GET;
 — REGISTERED AS {LNP-OIDS.lnp-package 30};~~

~~subscriptionBusinessTypePkgBehavior BEHAVIOUR
 — DEFINED AS !
 — This package provides for conditionally including the
 — subscriptionBusinessType attribute.
 — !;~~

~~--Parameter Definitions~~~~--1.0 Access Control Parameter~~

~~accessControlParameter PARAMETER
 — CONTEXT EVENT-INFO;
 — WITH SYNTAX LNP-ASN1.LnpAccessControl;
 — REGISTERED AS {LNP-OIDS.lnp-parameter 1};~~

~~--2.0 LNP Specific Info Parameter~~

~~lnpSpecificInfoParameter PARAMETER
 — CONTEXT SPECIFIC-ERROR;~~

```

-- ATTRIBUTE lnpSpecificInfo;
-- WITH SYNTAX LNP-ASN1.LnpSpecificInfo;
-- REGISTERED AS {LNP-oids.lnp-parameter 2};

```

Action Definitions

-- 1.0 LNP Download Action

```

lnpDownload ACTION
-- BEHAVIOUR
-- lnpDownloadDefinition;
-- lnpDownloadBehavior;
-- MODE CONFIRMED;
-- WITH INFORMATION SYNTAX LNP-ASN1.DownloadAction;
-- WITH REPLY SYNTAX LNP-ASN1.DownloadReply;
-- REGISTERED AS {LNP-oids.lnp-action 1};
--

```

lnpDownloadDefinition BEHAVIOUR

```

-- DEFINED AS !
-- The lnpDownload action is the action that is used by the Local SMS
-- to specify the objects to be downloaded from the NPAC SMS.
-- !;

```

lnpDownloadBehavior BEHAVIOUR

```

-- DEFINED AS !
-- Preconditions: This action is issued from an lnpSubscriptions
-- or an lnpNetwork object and all objects to be downloaded
-- are specified in the action request.

-- Postconditions: After this action has been executed by the Local
-- SMS or SOA specifying which objects to download, the NPAC SMS will
-- determine which objects satisfy the download request and return
-- them in the download action reply. Creation, deletion, and
-- modification information will be included in the reply. All data
-- for objects that have been modified is downloaded not just the
-- information that was modified.

-- Data to be downloaded can be specified by a time range of last
-- modification/creation or by other criteria. Time range requests
-- will be limited to a tunable range specified in the NPAC SMS.
-- All data modified/created in the download time period, regardless
-- of the amount of data, will be downloaded. For download requests
-- not specifying a time range, the amount of data downloaded will be
-- limited to a tunable amount as specified in the NPAC SMS.

-- Criteria for a subscription download is a time range or a TN or
-- TN range. For TN ranges the stop TN in the range must be greater
-- than the start TN in the range.

-- Criteria for a network data download is a time range, service
-- provider id or all service providers, an npa-nxx range or all
-- npa-nxx data, an LRN range or all LRN data, or all network data.

-- If a download requests fails in the NPAC SMS, the failure reason
-- will be returned in the reply.

```

```

-- SOAs can only use the lnpDownload action to recover network data.
-- !;

```

--2.0 LNP Recovery Complete Action

InpRecoveryComplete ACTION

— BEHAVIOUR

- InpRecoveryCompleteDefinition;
- InpRecoveryCompleteBehavior;
- MODE CONFIRMED;
- WITH INFORMATION SYNTAX LNP-ASN1.RecoveryCompleteAction;
- WITH REPLY SYNTAX LNP-ASN1.RecoveryCompleteReply;
- REGISTERED AS {LNP-OIDS.Inp-action-2};

InpRecoveryCompleteDefinition BEHAVIOUR

— DEFINED AS !

- The InpRecoveryComplete action is used by the Local SMS or SOA
- to specify the system has recovered from downtime and the
- transactions performed since the association establishment can now be
- sent from the NPAC SMS.

— !;

InpRecoveryCompleteBehavior BEHAVIOUR

— DEFINED AS !

- Preconditions: This action is issued from an LSMS or SOA that
- specified the recovery mode flag in the access control as true at
- association establishment.

- Postconditions: After this action has been executed by the Local
- SMS or SOA specifying recovery is complete, the NPAC SMS will
- forward those updates requested which took place for the network
- and subscription data as well as any notifications since the
- association was established.

- If a recovery complete request fails in the NPAC SMS the failure reason
- will be returned in the reply.

— !;

--3.0 LNP Subscription Version Activate Action

subscriptionVersionActivate ACTION

— BEHAVIOUR

- subscriptionVersionActivateDefinition;
- subscriptionVersionActivateBehavior;
- MODE CONFIRMED;
- WITH INFORMATION SYNTAX LNP-ASN1.ActivateAction;
- WITH REPLY SYNTAX LNP-ASN1.ActivateReply;
- REGISTERED AS {LNP-OIDS.Inp-action-3};

subscriptionVersionActivateDefinition BEHAVIOUR

— DEFINED AS !

- The subscriptionVersionActivate action is the action that can be
- used by the SOA of the new service provider to activate a
- subscription version id, tn or a range of tns via the SOA to
- NPAC SMS interface.

— !;

subscriptionVersionActivateBehavior BEHAVIOUR

— DEFINED AS !

- Preconditions: This action is issued from an InpSubscriptions

— object specifying the object or range of objects to be activated by
 — either subscriptionVersionId, the subscriptionTN or range of TNs
 — (where the stop TN in the range is greater than the start TN).

— Postconditions: The service provider has activated the subscription
 — version. An error will be returned if the subscription version
 — can not be activated for any reason.

— Only pending subscription versions can be activated. Attempts to
 — port subscription versions that have not been authorized by both
 — service providers will fail unless the due date has been reached.

—!;

-- 4.0 LNP Subscription Version Cancel Action

subscriptionVersionCancel ACTION

— BEHAVIOUR

— subscriptionVersionCancelDefinition;

— subscriptionVersionCancelBehavior;

— MODE CONFIRMED;

— WITH INFORMATION SYNTAX LNP-ASN1.CancelAction;

— WITH REPLY SYNTAX LNP-ASN1.CancelReply;

— REGISTERED AS {LNP-oids.lnp-action-4};

—

subscriptionVersionCancelDefinition BEHAVIOUR

— DEFINED AS !

— The subscriptionVersionCancel action is the action that can be
 — used by the SOA to cancel a subscription version via the SOA to
 — NPAC SMS interface.

—!;

subscriptionVersionCancelBehavior BEHAVIOUR

— DEFINED AS !

— Preconditions: This action is issued from an lnpSubscriptions
 — object specifying the object or objects to be canceled by either
 — the subscriptionVersionId, the subscriptionTN or a range of TNs
 — (where the stop TN in the range is greater than the start TN).

— Postconditions: The service provider has set the version status
 — to cancel-pending if the old other service provider has concurred or
 — to cancel if the other service provider has not concurred. An
 — error will be returned if there is no version that can be cancelled
 — or the service provider is not authorized.

—!;

-- 5.0 LNP Subscription Version Disconnect Action

subscriptionVersionDisconnect ACTION

— BEHAVIOUR

— subscriptionVersionDisconnectDefinition;

— subscriptionVersionDisconnectBehavior;

— MODE CONFIRMED;

— WITH INFORMATION SYNTAX LNP-ASN1.DisconnectAction;

— WITH REPLY SYNTAX LNP-ASN1.DisconnectReply;

— REGISTERED AS {LNP-oids.lnp-action-5};

—

subscriptionVersionDisconnectDefinition BEHAVIOUR

— DEFINED AS !

— The subscriptionVersionDisconnect action is the action that is used by the SOA to disconnect a subscription version via the SOA to NPAC SMS interface.

— !;

subscriptionVersionDisconnectBehavior BEHAVIOUR**— DEFINED AS !**

— Preconditions: This action is issued from an InpSubscriptions object and specifies the object or objects to be disconnected by either stating the subscriptionVersionId, the subscriptionTN or a range of TNs (where the stop TN in the range is greater than the start TN). In addition, the customer's disconnect date is specified. An optional effective release date can be specified for a time deferred disconnect.

— Postconditions: The current service provider can disconnect an active subscription version. An error will be returned to the service provider if there is no active version. If there is a pending version and an active version, the disconnect of the active subscription version will fail.

— If the version is active, no outstanding versions exist, and the time stamp for disconnect has not been reached, the subscription version will be modified with a version status of disconnect-pending and the subscriptionEffectiveReleaseDate set to the effective release date specified in the action.

— If the version is active, there are no outstanding versions, and the time stamp for effective release has not been specified, the subscription version will be updated with a version status of sending.

— When the new subscription version status is set to sending either immediately or at the time the date and time specified in the subscriptionEffectiveReleaseDate, the broadcast time stamp is set to the current time when the disconnect version sending starts to the Local SMSs via the NPAC SMS to Local SMS interface.

— Before the broadcast of deletes begins, the subscriptionVersionDonorSP-CustomerDisconnectDate notification is sent to the donor SOA informing the service provider of the actual customer disconnect date.

— If the delete requests are successful for all Local SMSs, the current active version will have its version status marked as old and the subscriptionDisconnectCompleteTimeStamp is set to the current system date and time.

— If a delete request fails for the disconnect subscription version after the retry periods have expired, the version status will be set to active if all Local SMSs fail, or set to old if one or more, but not all, Local SMSs fail.

— !;

-- 6.0 LNP Subscription Version Local SMS Create Action**subscriptionVersionLocalSMS-Create ACTION**

— BEHAVIOUR
 — subscriptionVersionLocalSMS-CreateDefinition;
 — subscriptionVersionLocalSMS-CreateBehavior;
 — MODE CONFIRMED;
 — WITH INFORMATION SYNTAX LNP-ASN1.LocalSMS-CreateAction;
 — WITH REPLY SYNTAX LNP-ASN1.LocalSMS-CreateReply;
 — REGISTERED AS {LNP-OIDS.lnp-action 6};

subscriptionVersionLocalSMS-CreateDefinition BEHAVIOUR
 — DEFINED AS !
 — The subscriptionVersionLocalSMS-Create action is the action that is
 — used by the NPAC SMS to create multiple subscription versions via the
 — Local SMS to NPAC SMS interface.
 — !;

subscriptionVersionLocalSMS-CreateBehavior BEHAVIOUR
 — DEFINED AS !
 — Preconditions: This action is issued from an lnpSubscriptions
 — object specifying the objects in a range to be created by
 — the subscriptionVersionId and the subscriptionTN. All attribute
 — values required for creation will be supplied.
 — Postconditions: A successful reply indicates the Local SMS can
 — decipher the subscription version create action. An error will be
 — returned to the NPAC SMS if the Local SMS cannot recognize the
 — action data.
 — The Local SMS will attempt to create all the specified subscription
 — versions. It will return the subscriptionVersionActionResults
 — notification to the NPAC SMS informing it of the success or
 — failure of the creation attempts.
 — For Release 1.4 Number Pooling Support:
 — There will be no need on the part of the LSMS to validate
 — the TN-range. The LSMS will use the subscriptionVersionObjects
 — to create the subscription versions for the TN range in the LSMS.
 — This is done to insure that the subscription version ids used
 — in the NPAC SMS and the Local SMS are the same.
 — !;

-- 7.0 LNP Subscription Version Modify Action

subscriptionVersionModify ACTION
 — BEHAVIOUR
 — subscriptionVersionModifyDefinition;
 — subscriptionVersionModifyBehavior;
 — MODE CONFIRMED;
 — WITH INFORMATION SYNTAX LNP-ASN1.ModifyAction;
 — WITH REPLY SYNTAX LNP-ASN1.ModifyReply;
 — REGISTERED AS {LNP-OIDS.lnp-action 7};

subscriptionVersionModifyDefinition BEHAVIOUR
 — DEFINED AS !
 — The subscriptionVersionModify action is the action that can be
 — used by the SOA to modify a subscription version via the SOA to
 — NPAC SMS interface.
 — !;

subscriptionVersionModifyBehavior-BEHAVIOUR

—DEFINED-AS!

—Preconditions: This action is issued from an InpSubscriptions object specifying the object to be modified by either the subscriptionVersionId, the subscriptionTN or a range of TNs (where the stop TN in the range is greater than the start TN) and optionally the status of the subscription version. All attribute values to be modified shall also be specified.

—Postconditions: The NPAC SMS has modified the subscription version. An error will be returned to the service provider if there is no version that is modifiable or if the modification fails due to authorization of the service provider or data validation.

—Service Providers can modify attributes associated with active, pending or conflict subscription versions.

—Old service providers can only modify the following attributes for pending or conflict subscription versions:

—subscriptionOldSP-DueDate
 —subscriptionOldSP-Authorization
 —subscriptionStatusChangeCauseCode

—The subscriptionStatusChangeCauseCode is an optional field and is only specified if the subscriptionOldSP-Authorization is false.

—New service providers can only modify the following attributes for pending or conflict subscription versions:

—subscriptionLRN
 —subscriptionNewSP-DueDate
 —subscriptionCLASS-DPC
 —subscriptionCLASS-SSN
 —subscriptionLIDB-DPC
 —subscriptionLIDB-SSN
 —subscriptionCNAM-DPC
 —subscriptionCNAM-SSN
 —subscriptionISVM-DPC
 —subscriptionISVM-SSN
 —subscriptionWSMSC-DPC
 —subscriptionWSMSC-SSN
 —subscriptionEndUserLocationValue
 —subscriptionEndUserLocationType
 —subscriptionBillingId

—Validation will be done for both old and new service provider data that is specified for pending or conflict subscription versions.

—If validation fails no changes will be made and an error will be returned. If validation passes, the version will be modified and remain in a pending or active state.

—New service providers can only modify the following attributes for active subscription versions:

— subscriptionLRN
 — subscriptionCLASS-DPC
 — subscriptionCLASS-SSN
 — subscriptionLIDB-DPC
 — subscriptionLIDB-SSN
 — subscriptionCNAM-DPC
 — subscriptionCNAM-SSN
 — subscriptionISVM-DPC
 — subscriptionISVM-SSN
 — subscriptionWSMSC-DPC
 — subscriptionWSMSC-SSN
 — subscriptionEndUserLocationValue
 — subscriptionEndUserLocationType
 — subscriptionBillingId

— If the data specified passes validation, the modified version is immediately broadcast. The modified subscription version will have a status of sending and broadcasts will begin. If validation fails, no changes will be made and an error will be returned in the action reply.

— !;

-- 8.0 LNP New Service Provider Cancellation Acknowledge Request

subscriptionVersionNewSP-CancellationAcknowledge ACTION
 — BEHAVIOUR

— subscriptionVersionNewSP-CancellationAcknowledgeDefinition;
 — subscriptionVersionNewSP-CancellationAcknowledgeBehavior;
 — MODE CONFIRMED;
 — WITH INFORMATION SYNTAX LNP-ASN1.CancellationAcknowledgeAction;
 — WITH REPLY SYNTAX LNP-ASN1.CancellationAcknowledgeReply;
 — REGISTERED AS {LNP-OIDS.lnp-action-8};

subscriptionVersionNewSP-CancellationAcknowledgeDefinition BEHAVIOUR
 — DEFINED AS !

— The subscriptionVersionNewSP-CancellationAcknowledge action is the action that is used via the SOA to NPAC SMS interface by the new service provider to acknowledge cancellation of a subscriptionVersionNPAC with a status of cancel-pending.

— !;

subscriptionVersionNewSP-CancellationAcknowledgeBehavior BEHAVIOUR
 — DEFINED AS !

— Preconditions: This action was issued from an lnpSubscriptions object specifying the object or objects to be acknowledged by either the subscriptionVersionId, the subscriptionTN or a range of subscription TNs (where the stop TN in the range is greater than the start TN).

— Postconditions: The service provider has acknowledged the subscription version. An error will be returned to the service provider if no version exists that can have the cancellation acknowledged or if the acknowledgement fails due to the service provider not being authorized to perform the action.

— The subscriptionNewSP-CancellationTimeStamp will be

— updated to the current time if the action is successful and the
 — version status is changed to cancel.

—!;

-- 10.0 LNP Subscription Version Remove From Conflict

subscriptionVersionRemoveFromConflict ACTION

— BEHAVIOUR

— subscriptionVersionRemoveFromConflictDefinition;

— subscriptionVersionRemoveFromConflictBehavior;

— MODE CONFIRMED;

— WITH INFORMATION SYNTAX LNP-ASN1.RemoveFromConflictAction;

— WITH REPLY SYNTAX LNP-ASN1.RemoveFromConflictReply;

— REGISTERED AS {LNP-OIDS.lnp-action-10};

subscriptionVersionRemoveFromConflictDefinition BEHAVIOUR

— DEFINED AS !

— The subscriptionVersionRemoveFromConflict action

— is the action that is used via the SOA to NPAC

— SMS interface by either the old or new service provider to set the

— subscription version status from conflict to pending.

—!;

subscriptionVersionRemoveFromConflictBehavior BEHAVIOUR

— DEFINED AS !

— Preconditions: This action was issued from an lnpSubscriptions

— object specifying the object or objects to be updated by either

— the subscriptionVersionId, the subscriptionTN or a range of

— subscription TNs (where the stop TN in the range is greater than

— the start TN).

— Postconditions: The NPAC SMS has acknowledged the

— subscription version. An error will be returned to the service

— provider if there is no version that can have the conflict

— status removed or if the service provider is not authorized to

— perform the action.

— If the action is successful, either the

— subscriptionNewSPConflictResolutionTimeStamp or

— subscriptionOldSPConflictResolutionTimeStamp will be updated to

— the current time, the version status will be changed from conflict

— to pending, and the subscriptionOldSPAuthorization attribute

— will be modified to true.

— If the old service provider issues the action, the

— subscriptionOldSPAuthorizationTimeStamp is also updated to the

— current date and time.

—!;

-- 11.0 LNP New Service Provider Subscription Version Create

subscriptionVersionNewSP-Create ACTION

— BEHAVIOUR

— subscriptionVersionNewSP-CreateDefinition;

— subscriptionVersionNewSP-CreateBehavior;

— MODE CONFIRMED;

— WITH INFORMATION SYNTAX LNP-ASN1.NewSP-CreateAction;

— WITH REPLY SYNTAX LNP-ASN1.NewSP-CreateReply;

—REGISTERED AS {LNP-OIDS.Inp-action-11};

—
 subscriptionVersionNewSP-CreateDefinition-BEHAVIOUR
 —DEFINED AS !

—The subscriptionVersionNewSP-Create action is the action that is
 —used via the SOA to NPAC SMS interface by the
 —new service provider to create a new subscriptionVersionNPAC.
 —!;

subscriptionVersionNewSP-CreateBehavior-BEHAVIOUR
 —DEFINED AS !

—Preconditions: This action is issued from an InpSubscriptions
 —object. Creates can be performed provided there is only one
 —currently active subscription or no subscription version in the
 —NPAC; otherwise an action failure will be returned.

—The new service provider must specify valid values for the
 —following attributes:

—
 —subscriptionTN or a valid subscriptionVersionTN-Range
 —subscriptionLRN
 —subscriptionNewCurrentSP
 —subscriptionOldSP
 —subscriptionNewSP-DueDate
 —subscriptionCLASS-DPC
 —subscriptionCLASS-SSN
 —subscriptionLIDB-DPC
 —subscriptionLIDB-SSN
 —subscriptionCNAM-DPC
 —subscriptionCNAM-SSN
 —subscriptionISVM-DPC
 —subscriptionISVM-SSN
 —subscriptionWSMSC-DPC
 —subscriptionWSMSC-SSN
 —subscriptionLNPTYPE
 —subscriptionPortingToOriginal-SPSwitch

—The new service provider may specify valid values for the
 —following attributes:

—subscriptionEndUserLocationValue
 —subscriptionEndUserLocationType
 —subscriptionBillingId

—subscriptionPortingToOriginal-SPSwitch can only be specified as
 —TRUE for a TN that is currently ported and is being ported back
 —to the original service provider. If the value of
 —subscriptionPortingToOriginal-SPSwitch is TRUE, the LRN and GTT data
 —should be specified as NULL. If the variable is TRUE,
 —when the activate occurs for the subscription version, the Local
 —SMSs will receive a request to delete the old subscription version
 —routing data in their networks. They will not receive any
 —new network routing data for the subscription. Concurrence from the
 —old service provider is required.

—If the port of the subscription version is an intra-service
 —provider port, the new service provider can use the
 —subscriptionVersionNewSP-Create action specifying the old service

— provider equal to the new service provider. In this case, the
 — old service provider create action is not required.

— Postconditions: After this action has been executed, if
 — the data specified passes validation, a pending subscription
 — version or range of subscription versions will exist in the
 — NPAC SMS. These validations are done as follows:

— subscriptionTN or range of TNs are valid in a range open for
 — porting by the new service provider. TN ranges must be specified
 — where the stop TN in the range is greater than the start TN.

— subscriptionLNPTYPE is specified to be "LSPP" or "LISP".

— subscriptionNewSP-DueDate is a future date. If not specified,
 — the time defaults to 00:00:00.

— Old and New SP are valid service providers in the NPAC SMS.

— LRN data is associated with the New Service Provider.

— If a pre-existing version exists, validation will be done to insure
 — that the new service provider previously specified is the same
 — as the executor of the action.

— If the validations succeed and the subscription version does not
 — currently exist, a new subscription version will be created with
 — a status of pending.

— If the validations succeed and a pending subscription version exists,
 — the new service provider create information will be applied to the
 — existing pending subscription version.

— If the validations fail, a new subscription version will not
 — be created if one does not exist. If one already existed, it
 — will be retained.

— The action success or failure and reasons for failure will be
 — returned in the action reply.

— !;

-- 12.0 LNP Old Service Provider Cancellation Acknowledge Request

subscriptionVersionOldSP-CancellationAcknowledge ACTION
 — BEHAVIOUR

— subscriptionVersionOldSP-CancellationAcknowledgeDefinition;
 — subscriptionVersionOldSP-CancellationAcknowledgeBehavior;
 — MODE CONFIRMED;
 — WITH INFORMATION SYNTAX LNP-ASN1.CancellationAcknowledgeAction;
 — WITH REPLY SYNTAX LNP-ASN1.CancellationAcknowledgeReply;
 — REGISTERED AS {LNP-OIDS.lnp-action-12};

subscriptionVersionOldSP-CancellationAcknowledgeDefinition BEHAVIOUR
 — DEFINED AS !

— The subscriptionVersionOldSP-CancellationAcknowledge action
 — is the action that is used via the SOA to NPAC
 — SMS interface by the old service provider to acknowledge
 — cancellation of a subscriptionVersionNPAC with a status of

—cancel-pending;

—!;

subscriptionVersionOldSP-CancellationAcknowledgeBehavior BEHAVIOUR

—DEFINED AS !

—Preconditions: This action was issued from an InpSubscriptions object specifying the object or objects to be acknowledged by either the subscriptionVersionId, the subscriptionTN or a range of subscriptionTNs (where the stop TN in the range is greater than the start TN) and status.

—Postconditions: The service provider has acknowledged the subscription version. An error will be returned to the service provider if there is no version that can have cancellation acknowledged or if the acknowledgement fails due to the service provider not being authorized to perform the action.

—The subscriptionOldSP-CancellationTimeStamp will be updated to the current time if the action is successful and the version status will be changed to cancel.

—!;

--14.0 LNP Old Service Provider Subscription Version Create

subscriptionVersionOldSP-Create ACTION

—BEHAVIOUR

—subscriptionVersionOldSP-CreateDefinition;

—subscriptionVersionOldSP-CreateBehavior;

—MODE CONFIRMED;

—WITH INFORMATION SYNTAX LNP-ASN1.OldSP-CreateAction;

—WITH REPLY SYNTAX LNP-ASN1.OldSP-CreateReply;

—REGISTERED AS {LNP-OIDS.Inp-action-14};

—

subscriptionVersionOldSP-CreateDefinition BEHAVIOUR

—DEFINED AS !

—The subscriptionVersionOldSP-Create action is the action that is used via the SOA to NPAC SMS interface by the old service provider to create a new subscriptionVersionNPAC.

—!;

subscriptionVersionOldSP-CreateBehavior BEHAVIOUR

—DEFINED AS !

—Preconditions: This action was issued from an InpSubscriptions object. Creates can be performed provided there is only one currently active subscription or action failure will be returned.

—The old service provider must specify valid values for the following attributes:

—

—subscriptionTN or a valid subscriptionVersionTN-Range

—subscriptionNewCurrentSP

—subscriptionOldSP

—subscriptionOldSP-DueDate

—subscriptionOldSP-Authorization

—subscriptionLNPType

—If the subscriptionOldSP-Authorization is false, the old service provider must specify a subscriptionStatusChangeCauseCode.

- Postconditions: After this action has been executed if
- the data specified passes validation, a pending subscription
- version will exist in the NPAC SMS. These validations are
- done as follows:
- subscriptionTN or range of TNs are valid in a range open for
- porting. TN ranges must be specified where the stop TN in the
- range is greater than the start TN.
- subscriptionLNPTType is specified as "LSP" or "LISP".
- subscriptionOldSP-DueDate is a future date. If not specified,
- the time defaults to 00:00:00.
- Old and New SP are valid service providers in the NPAC SMS and
- the new service provider is not equal to the old service provider.
- If a pre-existing version exists, validation will be done to insure
- that the old service provider previously specified is the same
- as the executor of the action.
- If the validations succeed and a pending subscription version does
- not exist, a subscription version will be created with a status
- of pending.
- If the validations succeed and a pending subscription version
- exists, the old service provider create information will be applied
- to the existing pending subscription version.
-
- If the validations fail, a new subscription version will not
- be created if one does not exist. If one already existed it
- will be retained and an error returned.
-
- The action success or failure and reasons for failure will be
- returned in the action reply.

— !;

--15.0 Notification Recovery Action

lnpNotificationRecovery ACTION

— BEHAVIOUR

- lnpNotificationRecoveryDefinition;
- lnpNotificationRecoveryBehavior;
- MODE CONFIRMED;
- WITH INFORMATION SYNTAX LNP-ASN1.NetworkNotificationRecoveryAction;
- WITH REPLY SYNTAX LNP-ASN1.NetworkNotificationRecoveryReply;
- REGISTERED AS {LNP-OIDS.lnp-action-15};
-

lnpNotificationRecoveryDefinition BEHAVIOUR

— DEFINED AS !

- The lnpNotificationRecovery action is the action that can be
- used by the SOA or LSMS to recover notification information that
- cannot be recovered by other means.

— !;

lnpNotificationRecoveryBehavior BEHAVIOUR

— DEFINED AS !

—Preconditions: This action is issued from an InpNPAC-SMS object
 —from a SOA or LSMS that specified the recovery mode flag in the access-
 —control as true at association establishment.

—Postconditions: After this action has been executed by the SOA or LSMS
 —specifying recovery, the NPAC-SMS will forward the notifications
 —that occurred in the time range specified for the requesting system
 —(SOA or LSMS for the primary or associated SPID specified in the
 —access control. Notifications are forwarded in the action reply.

—Notifications to be recovered are requested by time range. Time range
 —requests will be limited to a tunable range specified in the NPAC
 —SMS. All data in the download time period, regardless of the amount
 —of data, will be returned.

—!;

Notification Definitions

--1.0 LNP NPAC-SMS-Operational-Information-Notification

InpNPAC-SMS-Operational-Information-NOTIFICATION

—BEHAVIOUR InpNPAC-SMS-Operational-InformationBehavior;
 —WITH INFORMATION SYNTAX LNP-ASN1.NPAC-SMS-Operational-Information
 —AND ATTRIBUTE IDS
 —down-time downTime;
 —npac-contact-number npacContactNumber;
 —additional-down-time-information additionalDownTimeInformation;
 —access-control accessControl;
 —REGISTERED AS {LNP-OIDS.Inp-notification-1};

InpNPAC-SMS-Operational-InformationBehavior-BEHAVIOUR

—DEFINED AS !
 —This notification contains information about the NPAC-SMS's
 —scheduled down time. This notification contains the start and
 —stop date and time for the planned down time. It is sent to both the
 —SOA and Local SMS systems.

—!;

--2.0 LNP-Subscription-Audit-Local-SMS-Discrepancy-Report

subscriptionAudit-DiscrepancyRpt-NOTIFICATION

—BEHAVIOUR subscriptionAudit-DiscrepancyRptBehavior;
 —WITH INFORMATION SYNTAX LNP-ASN1.AuditDiscrepancyRpt
 —AND ATTRIBUTE IDS
 —tn auditDiscrepancyTn;
 —version-id auditDiscrepancyVersionId;
 —lsms-service-prov-id auditDiscrepancyLSMS-SP-Id;
 —failure-reason auditDiscrepancyFailureReason;
 —access-control accessControl;
 —REGISTERED AS {LNP-OIDS.Inp-notification-2};

subscriptionAudit-DiscrepancyRptBehavior-BEHAVIOUR

—DEFINED AS !
 —This notification contains a report on a discrepancy found during
 —an audit. The discrepancy contains the subscription TN and Version
 —ID for which the discrepancy was found and the error. Valid
 —errors are:

— audited-subscription-version fields mismatched between NPAC-SMS
 — and Local-SMS; records missing in Local-SMS; extra-subscription
 — versions on the Local-SMS.

— If field mismatches are found, the attribute(s) for which the
 — mismatch, the Local-SMS value(s), and the NPAC-SMS value(s)
 — will be returned as well as the Service-Provider-Id associated
 — with the Local-SMS.

— When audit discrepancy notifications are sent by the NPAC-SMS,
 — the Local-SMS create, modification, or deletion requests to correct
 — the discrepancy will be done by the NPAC-SMS.

— !;

-- 3.0 LNP-Subscription-Audit-Results

subscriptionAuditResults-NOTIFICATION

— BEHAVIOUR subscriptionAuditResultsBehavior;
 — WITH INFORMATION SYNTAX LNP-ASN1.AuditResults
 — AND ATTRIBUTE IDS
 — status auditResultStatus;
 — failed-service-prov-list auditResultFailed-SP-List;
 — number-of-discrepancies auditResultNumberDiscrepancies;
 — time-of-completion auditResultCompletionTime;
 — access-control accessControl;
 — REGISTERED-AS {LNP-OIDS.lnp-notification-3};

subscriptionAuditResultsBehavior-BEHAVIOUR

— DEFINED-AS !

— This notification contains the results of an audit. It contains
 — the name of the audit, the number of discrepancies found during the
 — audit, the success or failure of the audit, and the time of audit
 — completion or failure.

— The audit status will be returned with the following priority
 — on the return values:
 — Highest - failed due to discrepancies
 — High - failed on Local-SMS
 — Low - no audit performed
 — Lowest - success

— A higher priority status condition will override a lower. For
 — example, any error will override a 'no audit performed', and
 — 'failed due to discrepancies' will override all other status
 — conditions.

— !;

-- 4.0 LNP-Subscription-Version-Cancellation-Resolution-Request-Notification

subscriptionVersionCancellationAcknowledgeRequest-NOTIFICATION

— BEHAVIOUR subscriptionVersionCancellationAcknowledgeBehavior;
 — WITH INFORMATION SYNTAX
 — LNP-ASN1.VersionCancellationAcknowledgeRequest
 — AND ATTRIBUTE IDS
 — tn-subscription-TN;
 — version-id-subscription-Version-Id;

—access-control accessControl;
 —REGISTERED AS {LNP-OIDS.lnp-notification 4};

subscriptionVersionCancellationAcknowledgeBehavior BEHAVIOUR
 —DEFINED AS !
 —This notification requests that a service provider send
 —a cancellation acknowledgement for a subscription
 —version. The TN and the version id are sent.
 —!;

--6.0 LNP Subscription Version Donor Service Provider Customer
 --Disconnect Date Notification

subscriptionVersionDonorSP-CustomerDisconnectDate NOTIFICATION
 —BEHAVIOUR subscriptionVersionDonorSP-CustomerDisconnectDateBehavior;
 —WITH INFORMATION SYNTAX LNP-ASN1.VersionCustomerDisconnectDate
 —AND ATTRIBUTE IDS
 —tn subscriptionTN;
 —version-id subscriptionVersionId;
 —service-prov-customer-disconnect-date
 —subscriptionCustomerDisconnectDate;
 —service-prov-effective-release-date
 —subscriptionEffectiveReleaseDate;
 —access-control accessControl;
 —REGISTERED AS {LNP-OIDS.lnp-notification 6};

subscriptionVersionDonorSP-CustomerDisconnectDateBehavior BEHAVIOUR
 —DEFINED AS !
 —This notification informs the donor service provider SOA
 —that a subscription version is being disconnected.
 —The TN, the version id, customer disconnect date and
 —effective release date (optional) values are sent.
 —!;

--7.0 LNP Subscription Version Local SMS Action Results

subscriptionVersionLocalSMS-ActionResults NOTIFICATION
 —BEHAVIOUR subscriptionVersionLocalSMS-ActionResultsBehavior;
 —WITH INFORMATION SYNTAX LNP-ASN1.LocalSMS-ActionResults
 —AND ATTRIBUTE IDS
 —actionId actionId;
 —status actionResultsStatus;
 —failed-tn-list failedTN-List;
 —time-of-completion resultsCompletionTime;
 —accessControl accessControl;
 —REGISTERED AS {LNP-OIDS.lnp-notification 7};

subscriptionVersionLocalSMS-ActionResultsBehavior BEHAVIOUR
 —DEFINED AS !
 —This notification contains the results of a
 —subscriptionVersionLocalSMS-Create action from a Local SMS.
 —It contains the id of the create action, the success
 —or failure of the action, the completion time and the an
 —optional list of failed subscription TNs and error codes
 —!;

--8.0 LNP Subscription Version New NPA-NXX Notification

subscriptionVersionNewNPA-NXX NOTIFICATION

— BEHAVIOUR subscriptionVersionNewNPA-NXXBehavior;
 — WITH INFORMATION SYNTAX
 — LNP-ASN1.VersionNewNPA-NXX
 — AND ATTRIBUTE IDS
 — service-prov-mpa-nxx-id serviceProvNPA-NXX-ID;
 — service-prov-mpa-nxx-value serviceProvNPA-NXX-Value;
 — service-prov-mpa-nxx-effective-time-stamp
 — serviceProvNPA-NXX-EffectiveTimeStamp;
 — service-prov-id serviceProvID;
 — access-control accessControl;
 — REGISTERED AS {LNP-OIDS.lnp-notification 8};

subscriptionVersionNewNPA-NXXBehavior BEHAVIOUR

— DEFINED AS !
 — This notification informs the SOA and Local SMS of a pending
 — subscription version involving a new NPA-NXX. The
 — service-prov-mpa-nxx-id, service-prov-mpa-nxx-value,
 — service-prov-mpa-nxx-effective-time-stamp and service-prov-id
 — are sent.

— Release 1.4:

— This notification is also sent when a block is created.

— !;

--9.0 LNP Subscription Version New SP Create Request Notification

subscriptionVersionNewSP-CreateRequest NOTIFICATION

— BEHAVIOUR subscriptionVersionNewSP-CreateRequestBehavior;
 — WITH INFORMATION SYNTAX LNP-ASN1.VersionNewSP-CreateRequest
 — AND ATTRIBUTE IDS
 — tn subscriptionTN;
 — version-id subscriptionVersionId;
 — service-prov-id subscriptionOldSP;
 — service-prov-due-date subscriptionOldSP-DueDate;
 — service-prov-old-authorization subscriptionOldSP-Authorization;
 — service-prov-authorization-creation-time-stamp
 — subscriptionOldSP-AuthorizationTimeStamp;
 — status-change-cause-code subscriptionStatusChangeCauseCode;
 — access-control accessControl;
 — subscription-timer-type subscriptionTimerType;
 — subscription-business-type subscriptionBusinessType;
 — REGISTERED AS {LNP-OIDS.lnp-notification 9};

subscriptionVersionNewSP-CreateRequestBehavior BEHAVIOUR

— DEFINED AS !
 — This notification requests that a new service provider send
 — a create request for a subscription version for which
 — concurrence for porting the number has not been received.
 — The TN, the version id and the old service provider id,
 — authorization flag and authorization timestamp values are sent.
 — If the new service provider supports timer type, it will be sent.
 — If the new service provider supports business type, it will be sent.
 — !;

~~10.0 LNP Subscription Version Old SP Concurrence Request Notification~~

~~subscriptionVersionOldSP-ConcurrenceRequest NOTIFICATION~~

- ~~— BEHAVIOUR subscriptionVersionOldSP-ConcurrenceRequestBehavior;~~
- ~~— WITH INFORMATION SYNTAX LNP-ASN1.VersionOldSP-ConcurrenceRequest~~
- ~~— AND ATTRIBUTE IDS~~
 - ~~— tn subscriptionTN;~~
 - ~~— version-id subscriptionVersionId;~~
 - ~~— service-prov-id subscriptionNewCurrentSP;~~
 - ~~— service-prov-due-date subscriptionNewSP-DueDate;~~
 - ~~— service-prov-authorization-creation-time-stamp~~
 - ~~— subscriptionNewSP-CreationTimeStamp;~~
 - ~~— access-control accessControl;~~
 - ~~— subscription-timer-type subscriptionTimerType;~~
 - ~~— subscription-business-type subscriptionBusinessType;~~
- ~~— REGISTERED AS {LNP-OIDS.lnp-notification-10};~~

~~subscriptionVersionOldSP-ConcurrenceRequestBehavior BEHAVIOUR~~

- ~~— DEFINED AS !~~
 - ~~— This notification requests that a old service provider send~~
 - ~~— a create request for a subscription version for which~~
 - ~~— concurrence for porting the number has not been received.~~
 - ~~— The TN, the version id, and the new service provider id,~~
 - ~~— authorization flag and creation timestamp values are sent. If~~
 - ~~— the old service provider supports timer type, it will be sent. If~~
 - ~~— the old service provider supports business type, it will be sent.~~
- ~~— !;~~

~~11.0 LNP Subscription Version Status Attribute Value Change Notification~~

~~subscriptionVersionStatusAttributeValueChange NOTIFICATION~~

- ~~— BEHAVIOUR subscriptionVersionStatusAttributeValueChangeBehavior;~~
- ~~— WITH INFORMATION SYNTAX LNP-ASN1.VersionStatusAttributeValueChange~~
- ~~— AND ATTRIBUTE IDS~~
 - ~~— value-change-info subscriptionVersionAttributeValueChangeInfo;~~
 - ~~— failed-service-provs subscriptionFailed-SP-List;~~
 - ~~— status-change-cause-code subscriptionStatusChangeCauseCode;~~
 - ~~— access-control accessControl;~~
- ~~— REGISTERED AS {LNP-OIDS.lnp-notification-11};~~

~~subscriptionVersionStatusAttributeValueChangeBehavior BEHAVIOUR~~

- ~~— DEFINED AS !~~
 - ~~— This notification type is used to report changes to the~~
 - ~~— subscriptionVersionStatus field. It is identical to an~~
 - ~~— attribute value change notification as defined in M.3100~~
 - ~~— except for the addition of the list of failed service~~
 - ~~— providers in cases where the version status is active, failed or~~
 - ~~— partially failed and the subscriptionStatusChangeCauseCode if~~
 - ~~— it is set.~~
- ~~— Failed lists will also be potentially sent for subscription versions~~
- ~~— with statuses of disconnect-pending and old.~~
- ~~— !;~~

~~12.0 LNP Subscription Version Old SP Final Concurrence Timer Expiration Notification~~

~~subscriptionVersionOldSPFinalConcurrenceWindowExpiration NOTIFICATION~~

~~— BEHAVIOUR~~
~~subscriptionVersionOldSPFinalConcurrenceWindowExpirationBehavior;~~
~~— WITH INFORMATION SYNTAX~~
~~— LNP-ASN1.VersionOldSPFinalConcurrenceWindowExpiration~~
~~— AND ATTRIBUTE IDS~~
~~— tn-subscriptionTN;~~
~~— version-id-subscriptionVersionId;~~
~~— access-control-accessControl;~~
~~— subscription-timer-type-subscriptionTimerType;~~
~~— subscription-business-type-subscriptionBusinessType;~~
~~— REGISTERED-AS {LNP-OIDS.lnp-notification-12};~~

~~subscriptionVersionOldSPFinalConcurrenceWindowExpirationBehavior BEHAVIOUR~~
~~— DEFINED-AS !~~
~~— This notification will be sent by the NPAC-SMS upon expiration of~~
~~— the Final Concurrence Timer to the old service provider via the SOA~~
~~— to NPAC-SMS interface to inform them of the timer expiration. If~~
~~— the old service provider supports timer type, it will be sent. If~~
~~— the old service provider supports business type, it will be sent.~~
~~— !;~~

General ASN.1 Definitions

7

Overview

The ASN.1 definitions provided below support the GDMO definitions in Section 6. Included below are the ASN.1 object identifier definitions and the syntax definitions for the interface attributes, notifications, and actions.

Note: The exact lengths must be specified for ASN.1 data send across the interface. This will prevent trailing null characters that may not be accepted by some CMIP vendor products.

LNP ASN.1 Object Identifier Definitions

```
--#include "smi.asn"
```

LNP-OIDS

```
--{iso(1) org(3) dod(6) internet(1) private(4) enterprises(1)-
--lockheedMartin(103) cis(7) npac(0) iis(0) oids(0)}
```

```
DEFINITIONS ::=
```

```
BEGIN
```

```
--EXPORTS all definitions
```

```
lnp-npac OBJECT IDENTIFIER ::=
```

```
--{iso(1) org(3) dod(6) internet(1) private(4) enterprises(1)-
--lockheedMartin(103) cis(7) npac(0)}
```

```
lnp-npac-iis OBJECT IDENTIFIER ::=
```

```
--{lnp-npac-iis(0)}
```

```
--If additional MIB specializations are needed (e.g. regional or vendor-
--specific implementations) object identifiers can be added at the npac level (e.g.
--{lnp-npac-special(1)}, etc.)
```

```
--LNP-NPAC-SMS categories of Interoperable Interface Specification (IIS)
--information objects
```

```
lnp-attribute OBJECT IDENTIFIER ::= {lnp-npac-iis attribute(2)}
lnp-objectClass OBJECT IDENTIFIER ::= {lnp-npac-iis objectClass(3)}
lnp-nameBinding OBJECT IDENTIFIER ::= {lnp-npac-iis nameBinding(4)}
lnp-notification OBJECT IDENTIFIER ::= {lnp-npac-iis notification(5)}
lnp-action OBJECT IDENTIFIER ::= {lnp-npac-iis action(6)}
lnp-package OBJECT IDENTIFIER ::= {lnp-npac-iis package(7)}
lnp-parameter OBJECT IDENTIFIER ::= {lnp-npac-iis parameter(8)}
```

```
END --- LNP-OIDS
```

LNP General ASN.1 Definitions

LNP-ASN1

```
--{iso(1) org(3) dod(6) internet(1) private(4) enterprises(1)-
--lockheed(103) cis(7) npac(0) iis(0) asn1(1)}
```

```
DEFINITIONS IMPLICIT TAGS ::= BEGIN
```

```
--EXPORTS everything
```

IMPORTS

```
--CMIP
```

```
ObjectClass, ObjectInstance
```

```

FROM CMIP-1 {joint-iso-ccitt ms(9) emip(1) modules(0) protocol(3)}

--DMI

AttributeValueChangeInfo, ObjectInfo
FROM Notification-ASN1Module {joint-iso-ccitt ms(9) smi(3) part2(2)-
asn1Module(2) 2};

ActivateAction ::= SubscriptionVersionAction

ActionResultStatus ::= ResultsStatus

ActivateReply ::= SubscriptionVersionActionReply

AddressInformation ::= SEQUENCE {
line1 GraphicString40;
line2 GraphicString40;
city GraphicString20;
state GraphicString(SIZE(2));
zip GraphicString(SIZE(9));
province GraphicString(SIZE(2));
country GraphicString20;
contactPhone PhoneNumber;
contact GraphicString40;
contactFax PhoneNumber;
contactPager PhoneNumber;
contactPagerPIN DigitString;
contactE-mail GraphicString60
}

AssociationFunction ::= SEQUENCE { 
soaUnits SoaUnits;
lsmsUnits LSMSUnits
}

AuditAttributes ::= CHOICE {
specific-audit [0] SEQUENCE {
lib-data BOOLEAN;
class-data BOOLEAN;
enam-data BOOLEAN;
ism-data BOOLEAN;
lrm-data BOOLEAN;
wsmse-data BOOLEAN OPTIONAL -- Optional for backward compatability
},
all-data [1] NULL
}

AuditDiscrepancyRpt ::= SEQUENCE {
tn PhoneNumber;
version-id SubscriptionVersionId;
lsms-service-prov-id ServiceProvId;
failure-reason AuditFailureData;
access-control LnpAccessControl
}

AuditDiscrepancyRptRecovery ::= SEQUENCE {
tn PhoneNumber;
version-id SubscriptionVersionId;

```

```

—lsms-service-prov-id ServiceProvId,
—failure-reason AuditFailureData
}

AuditFailureData ::= CHOICE {
—tn-version-missing-NPAC [0] NULL,
—tn-version-missing-LSMS [1] NULL,
—mismatch-data [2] MismatchAttributes
}

AuditId ::= LnpKey

AuditName ::= GraphicString40

AuditNumberOfTNs ::= INTEGER

AuditNumberOfTNsComplete ::= INTEGER

AuditResults ::= SEQUENCE {
—status [0] AuditResultStatus,
—failed-service-prov-list [1] Failed-SP-List OPTIONAL,
—number-of-discrepancies [2] INTEGER,
—time-of-completion [3] GeneralizedTime,
—access-control [4] LnpAccessControl
}

AuditResultsRecovery ::= SEQUENCE {
—status [0] AuditResultStatus,
—failed-service-prov-list [1] Failed-SP-List OPTIONAL,
—number-of-discrepancies [2] INTEGER,
—time-of-completion [3] GeneralizedTime
}

AuditResultStatus ::= ENUMERATED {
—success (0),
—failed-due-to-discrepancies (1),
—failed-on-local-sms (2),
—no-audit-performed (3)
}

AuditServiceProvIdRange ::= CHOICE {
—allServiceProvs [0] NULL,
—serviceProv [1] ServiceProvName
}

AuditStatus ::= ENUMERATED {
—in-progress (0),
—suspended (1),
—complete (2)
}

AuditTN-ActivationRange ::= TimeRange

BillingId ::= CHOICE {
—value [0] GraphicString4,
—no-value-needed [1] NULL
}

```


Boolean ::= BOOLEAN

CancellationAcknowledgeAction ::= SubscriptionVersionAction

CancellationAcknowledgeReply ::= SubscriptionVersionActionReply

CancelAction ::= SubscriptionVersionAction

CancelReply ::= SubscriptionVersionActionReply

DPC ::= CHOICE {
 —dpc-value [0] OCTET STRING (SIZE(3));
 —no-value-needed [1] NULL
 }

DigitString ::= GraphicString (FROM ("0"|"1"|"2"|"3"|"4"|"5" |
 "6"|"7"|"8"|"9"|"*"|"#"))

DisconnectAction ::= SEQUENCE {
 —subscription-version-action [0] EXPLICIT SubscriptionVersionAction;
 —customer-disconnect-date [1] GeneralizedTime;
 —effective-release-date [2] GeneralizedTime OPTIONAL
 }

DisconnectReply ::= SEQUENCE {
 —status SubscriptionVersionActionReply;
 —version-id SET OF SubscriptionVersionId OPTIONAL
 }

DownloadAction ::= CHOICE {
 —subscriber-download [0] EXPLICIT SubscriptionDownloadCriteria;
 —network-download [1] NetworkDownloadCriteria
 }

DownloadReason ::= ENUMERATED {
 —new1 (0);
 —delete1 (1);
 —modified (2);
 —audit-discrepancy (3)
 }

DownloadReply ::= SEQUENCE {
 —status ENUMERATED {
 —success (0);
 —failed (1);
 —time-range-invalid (2);
 —criteria-to-large (3);
 —no-data-selected (4)
 };
 —downloaddata CHOICE {
 —subscriber-data [0] SubscriptionDownloadData;
 —network-data [1] NetworkDownloadData
 } OPTIONAL
 }

EndUserLocationType ::= CHOICE {
 —value [0] NumberString (SIZE(2));

```

—no-value-needed [1] NULL
}

EndUserLocationValue ::= CHOICE {
—value [0] NumberString(SIZE(1..12)),
—no-value-needed [1] NULL
}

Failed-SP-List ::= SET OF SEQUENCE {
—service-prov-id ServiceProvId,
—service-prov-name ServiceProvName
}

CMIPErrorCode ::= ENUMERATED {
—noSuchObjectClassEr (0),
—noSuchObjectInstanceEr (1),
—accessDeniedEr (2),
—syncNotSupportedEr (3),
—invalidFilterEr (4),
—noSuchAttributeEr (5),
—invalidAttributeValueEr (6),
—getListErrorEr (7),
—setListErrorEr (8),
—noSuchActionEr (9),
—processingFailureEr (10),
—duplicateManagedObjectInstanceEr (11),
—noSuchReferenceObjectEr (12),
—noSuchEventTypeEr (13),
—noSuchArgumentEr (14),
—invalidArgumentValueEr (15),
—invalidScopeEr (16),
—invalidObjectInstanceEr (17),
—missingattributeValueEr (18),
—classInstanceConflictEr (19),
—complexityLimitationEr (20),
—mistypedOperationEr (21),
—noSuchInvokeIdEr (22),
—operationCancelledEr (23)
}

FailedTN-List ::= SET OF SEQUENCE {
—subscriptionVersionId SubscriptionVersionId,
—tn-PhoneNumber,
—errorId CMIPErrorCode
}

GeneralTime ::= GeneralizedTime

GraphicStringBase ::= GraphicString

GraphicString4 ::= GraphicStringBase(SIZE(1..4))

GraphicString16 ::= GraphicStringBase(SIZE(1..16))

GraphicString20 ::= GraphicStringBase(SIZE(1..20))

GraphicString25 ::= GraphicStringBase(SIZE(1..25))

```

```

GraphicString28 ::= GraphicStringBase(SIZE(1..28))

GraphicString40 ::= GraphicStringBase(SIZE(1..40))

GraphicString60 ::= GraphicStringBase(SIZE(1..60))

GraphicString255 ::= GraphicStringBase(SIZE(1..255))

Integer ::= INTEGER

LnpAccessControl ::= [0] SEQUENCE {
  —systemId [0] EXPLICIT SystemID,
  —systemType [1] SystemType,
  —userId [2] GraphicString60 OPTIONAL,
  —listId [3] INTEGER,
  —keyId [4] INTEGER,
  —emipDepartureTime [5] GeneralizedTime,
  —sequenceNumber [6] INTEGER(0..4294967295),
  —function [7] AssociationFunction,
  —recoveryMode [8] BOOLEAN,
  —signature [9] BIT STRING
}

LnpAuditsName ::= GraphicString ("LnpAudits")

LnpKey ::= INTEGER

LnpNetworkName ::= GraphicString ("LnpNetwork")

LnpSMS-Name ::= GraphicString40

LnpServiceProvsName ::= GraphicString ("LnpServiceProvs")

LnpSubscriptionsName ::= GraphicString ("LnpSubscriptions")

LnpSpecificInfo ::= GraphicString255

LNPTType ::= ENUMERATED {
  —lsp (0),
  —lisp (1),
  —pool (2)
}

LocalSMS-ActionResults ::= SEQUENCE {
  —actionId [0] INTEGER,
  —status [1] ActionResultsStatus,
  —failed-tn-list [2] FailedTN-List OPTIONAL,
  —time-of-completion [3] GeneralizedTime,
  —accessControl [4] LnpAccessControl
}

LocalSMS-CreateAction ::= SEQUENCE {
  —actionId INTEGER,
  —subscriptionVersionObjects SET OF SubscriptionVersionObject,
  —tn-range TN-Range OPTIONAL -- used only on pooled ports for release 1.4
}

```

LocalSMS-CreateReply ::= ResultsStatus

```
LRN ::= CHOICE {
  — value [0] OCTET STRING (SIZE(5));
  — no-value-needed [1] NULL
}
```

LRN-ID ::= LnpKey

```
LRN-DownloadData ::= SET OF SEQUENCE {
  — service-prov-lrn-id LRN-ID;
  — service-prov-lrn-value LRN OPTIONAL;
  — service-prov-download-reason DownloadReason;
  — service-prov-lrn-creation-timestamp GeneralizedTime OPTIONAL
}
```

```
LRN-Range ::= SEQUENCE {
  — start-lrn LRN;
  — stop-lrn LRN
}
```

```
LSMSUnits ::= SEQUENCE {
  — dataDownload [0] NULL OPTIONAL;
  — networkDataMgmt [1] NULL OPTIONAL;
  — query [2] NULL OPTIONAL
}
```

```
MismatchAttributes ::= SEQUENCE {
  — seq0 [0] SEQUENCE {
    — lsms-subscriptionLRN LRN;
    — npac-subscriptionLRN LRN
  } OPTIONAL;
  — seq1 [1] SEQUENCE {
    — lsms-subscriptionNewCurrentSP ServiceProvId;
    — npac-subscriptionNewCurrentSP ServiceProvId
  } OPTIONAL;
  — seq2 [2] SEQUENCE {
    — lsms-subscriptionActivationTimeStamp GeneralizedTime;
    — npac-subscriptionActivationTimeStamp GeneralizedTime
  } OPTIONAL;
  — seq3 [3] SEQUENCE {
    — lsms-subscriptionCLASS-DPC DPC;
    — npac-subscriptionCLASS-DPC DPC
  } OPTIONAL;
  — seq4 [4] SEQUENCE {
    — lsms-subscriptionCLASS-SSN SSN;
    — npac-subscriptionCLASS-SSN SSN
  } OPTIONAL;
  — seq5 [5] SEQUENCE {
    — lsms-subscriptionLIDB-DPC DPC;
    — npac-subscriptionLIDB-DPC DPC
  } OPTIONAL;
  — seq6 [6] SEQUENCE {
    — lsms-subscriptionLIDB-SSN SSN;
    — npac-subscriptionLIDB-SSN SSN
  } OPTIONAL;
  — seq7 [7] SEQUENCE {
```

```

— lsms-subscriptionISVM-DPC-DPC,
— npac-subscriptionISVM-DPC-DPC
} OPTIONAL,
— seq8 [8] SEQUENCE {
— lsms-subscriptionISVM-SSN-SSN,
— npac-subscriptionISVM-SSN-SSN
} OPTIONAL,
— seq9 [9] SEQUENCE {
— lsms-subscriptionCNAM-DPC-DPC,
— npac-subscriptionCNAM-DPC-DPC
} OPTIONAL,
— seq10 [10] SEQUENCE {
— lsms-subscriptionCNAM-SSN-SSN,
— npac-subscriptionCNAM-SSN-SSN
} OPTIONAL,
— seq11 [11] SEQUENCE {
— lsms-subscriptionEndUserLocationValue-EndUserLocationValue,
— npac-subscriptionEndUserLocationValue-EndUserLocationValue
} OPTIONAL,
— seq12 [12] SEQUENCE {
— lsms-subscriptionEndUserLocationType-EndUserLocationType,
— npac-subscriptionEndUserLocationType-EndUserLocationType
} OPTIONAL,
— seq13 [13] SEQUENCE {
— lsms-subscriptionBillingId-BillingId,
— npac-subscriptionBillingId-BillingId
} OPTIONAL,
— seq14 [14] SEQUENCE {
— lsms-subscriptionLNPTType-LNPTType,
— npac-subscriptionLNPTType-LNPTType
} OPTIONAL,
— seq15 [15] SEQUENCE {
— lsms-subscriptionWSMSC-DPC-DPC,
— npac-subscriptionWSMSC-DPC-DPC
} OPTIONAL,
— seq16 [16] SEQUENCE {
— lsms-subscriptionWSMSC-SSN-SSN,
— npac-subscriptionWSMSC-SSN-SSN
} OPTIONAL
}

```

```

ModifyAction ::= SEQUENCE {
— subscription-version-action [0] EXPLICIT SubscriptionVersionAction,
— version-status [1] VersionStatus OPTIONAL,
— data-to-modify [2] SubscriptionModifyData
}

```

```

ModifyReply ::= SEQUENCE {
— status SubscriptionVersionActionReply,
— invalid-data SubscriptionModifyInvalidData OPTIONAL
}

```

```

NetworkAddressInformation ::= SET-OF SEQUENCE {
— interfaceAddress OSI-Address,
— systemType SystemType
}

```

```

NetworkDownloadCriteria ::= SEQUENCE {

```

```

— time-range [0] TimeRange OPTIONAL,
— che1 [1] EXPLICIT CHOICE {
—   service-prov [0] ServiceProvId,
—   all-service-provs [1] NULL
— },
— che2 [2] EXPLICIT CHOICE {-- A decision was made by
—   -- NANC to leave this structure a CHOICE of
—   -- CHOICES instead of using one CHOICE to
—   -- simplify tagging
—   npa-nxx-data [0] EXPLICIT CHOICE {
—     npa-nxx-range [0] NPA-NXX-Range,

—     all-mpa-nxx [1] NULL
—   },
—   lrn-data [1] EXPLICIT CHOICE {
—     lrn-range [0] LRN-Range,
—     all-lrn [1] NULL
—   },
—   all-network-data [2] NULL
— }
}

NetworkDownloadData ::= SET OF SEQUENCE {
— service-prov-data [0] SEQUENCE {
—   service-prov-id ServiceProvId,
—   service-prov-name ServiceProvName OPTIONAL
— },
— service-prov-mpa-nxx-data [1] NPA-NXX-DownloadData OPTIONAL,
— service-prov-lrn-data [2] LRN-DownloadData OPTIONAL
}

NetworkNotificationRecoveryAction ::= TimeRange

NetworkNotificationRecoveryReply ::= SEQUENCE {
— status ENUMERATED {
—   success (0),
—   failed (1),
—   time-range-invalid (2),
—   criteria-to-large (3),
—   no-data-selected (4)
— },
— system-choice CHOICE {

—   lsms [1] SET OF SEQUENCE {
—     managedObjectClass ObjectClass,
—     managedObjectInstance ObjectInstance,
—     notification CHOICE {
—       subscription-version-new-mpa-nxx [1] VersionNewNPA-NXX-Recovery,
—       lrp-mpac-sms-operational-information [2]
—         MPAC-SMS-Operational-InformationRecovery
—     }
—   },
—   soa [2] SET OF SEQUENCE {
—     managedObjectClass ObjectClass,
—     managedObjectInstance ObjectInstance,
—     notification CHOICE {
—       subscription-version-new-mpa-nxx [1] VersionNewNPA-NXX-Recovery,
—       subscription-version-donor-sp-customer-disconnect-date [2]

```

```

-----
VersionCustomerDisconnectDateRecovery,
subscription-version-audit-discrepancy-report [3]
-----
AuditDiscrepancyRptRecovery,
subscription-audit-results [4] AuditResultsRecovery,
lnp-npac-sms-operational-information [5]
-----
NPAC-SMS-Operational-InformationRecovery,
subscription-version-new-sp-create-request [6]
-----
VersionNewSP-CreateRequestRecovery,
subscription-version-old-sp-concurrence-request [7]
-----
VersionOldSP-ConcurrenceRequestRecovery,
subscription-version-old-sp-final-window-expiration [8]
-----
VersionOldSPFinalConcurrenceWindowExpirationRecovery,
subscription-version-cancellation-acknowledge-request [9]
-----
VersionCancellationAcknowledgeRequestRecovery,
subscriptionVersionStatusAttributeValueChange [10]
-----
VersionStatusAttributeValueChangeRecovery,
attribute-value-change [11] AttributeValueChangeInfo,
object-creation [12] ObjectInfo,
object-deletion [13] ObjectInfo
-----
}
-----
}
-----
} OPTIONAL
-----
}

```

NewSP-CreateAction ::= NewSP-CreateData

```

NewSP-CreateData ::= SEQUENCE {
-----
che1 [0] EXPLICIT CHOICE {
-----
subscription-version-tn [0] PhoneNumber,
subscription-version-tn-range [1] TN-Range
-----
},
-----
subscription-lrn [1] LRN OPTIONAL,
subscription-new-current-sp [2] ServiceProvId,
subscription-old-sp [3] ServiceProvId,
subscription-new-sp-due-date [4] GeneralizedTime,
subscription-class-dpc [6] EXPLICIT DPC OPTIONAL,
subscription-class-ssn [7] EXPLICIT SSN OPTIONAL,
subscription-lidb-dpc [8] EXPLICIT DPC OPTIONAL,
subscription-lidb-ssn [9] EXPLICIT SSN OPTIONAL,
subscription-isvm-dpc [10] EXPLICIT DPC OPTIONAL,
subscription-isvm-ssn [11] EXPLICIT SSN OPTIONAL,
subscription-enam-dpc [12] EXPLICIT DPC OPTIONAL,
subscription-enam-ssn [13] EXPLICIT SSN OPTIONAL,
subscription-end-user-location-value [14]
-----
EndUserLocationValue OPTIONAL,
subscription-end-user-location-type [15] EndUserLocationType OPTIONAL,
subscription-billing-id [16] BillingId OPTIONAL,
subscription-lnp-type [17] LNPTType,
subscription-porting-to-original-sp-switch [18]
-----
SubscriptionPortingToOriginal-SPSwitch,
subscription-wsmse-dpc [19] EXPLICIT DPC OPTIONAL,
subscription-wsmse-ssn [20] EXPLICIT SSN OPTIONAL
-----
}

```

```

NewSP-CreateReply ::= SEQUENCE {
-----
status [0] SubscriptionVersionActionReply,
invalid-data [1] NewSP-CreateInvalidData OPTIONAL
-----
}

```

```

NewSP-CreateInvalidData ::= CHOICE {
  —subscription-version-tn [0] EXPLICIT PhoneNumber,
  —subscription-version-tn-range [1] EXPLICIT TN-Range,
  —subscription-lrn [2] EXPLICIT LRN,
  —subscription-new-current-sp [3] EXPLICIT ServiceProvId,
  —subscription-old-sp [4] EXPLICIT ServiceProvId,
  —subscription-new-sp-due-date [5] EXPLICIT GeneralizedTime,
  —subscription-class-dpc [6] EXPLICIT DPC,
  —subscription-class-ssn [7] EXPLICIT SSN,
  —subscription-lidb-dpc [8] EXPLICIT DPC,
  —subscription-lidb-ssn [9] EXPLICIT SSN,
  —subscription-isvm-dpc [10] EXPLICIT DPC,
  —subscription-isvm-ssn [11] EXPLICIT SSN,
  —subscription-enam-dpc [12] EXPLICIT DPC,
  —subscription-enam-ssn [13] EXPLICIT SSN,
  —subscription-end-user-location-value [14] EXPLICIT EndUserLocationValue,
  —subscription-end-user-location-type [15] EXPLICIT EndUserLocationType,
  —subscription-billing-id [16] EXPLICIT BillingId,
  —subscription-lnp-type [17] EXPLICIT LNPType,
  —subscription-porting-to-original-sp-switch [18]
  — EXPLICIT SubscriptionPortingToOriginal-SPSwitch,
  —subscription-wsmse-dpc [19] EXPLICIT DPC,
  —subscription-wsmse-ssn [20] EXPLICIT SSN
}

```

```

NpacAssociationUserInfo ::= SEQUENCE {
  —error-code [0] IMPLICIT ErrorCode,
  —error-text [1] IMPLICIT GraphicString(SIZE(1..80))
}

```

```

ErrorCode ::= ENUMERATED {
  —success (0),
  —access-denied (1),
  —retry-same-host (2),
  —try-other-host (3)
}

```

```

NPA ::= NumberString(SIZE(3))

```

```

NPA-NXX ::= SEQUENCE {
  —npa-value NPA,
  —nxx-value NumberString(SIZE(3))
}

```

```

NPA-NXX-DownloadData ::= SET OF SEQUENCE {
  —service-prov-npa-nxx-id NPA-NXX-ID,
  —service-prov-npa-nxx-value NPA-NXX OPTIONAL,
  —service-prov-npa-nxx-effective-timestamp GeneralizedTime OPTIONAL,
  —service-prov-download-reason DownloadReason,
  —service-prov-npa-nxx-creation-timestamp GeneralizedTime OPTIONAL
}

```

```

NPA-NXX-ID ::= LnpKey

```

```

NPA-NXX-Range ::= SEQUENCE {
  —start-npa-nxx NPA-NXX,
  —stop-npa-nxx NPA-NXX
}

```



```

}

NPAC-SMS-Operational-Information ::= SEQUENCE {
—down-time TimeRange;
—npac-contact-number PhoneNumber;
—additional-down-time-information GraphicString255;
—access-control LnpAccessControl
}

NPAC-SMS-Operational-InformationRecovery ::= SEQUENCE {
—down-time TimeRange;
—npac-contact-number PhoneNumber;
—additional-down-time-information GraphicString255
}

NumberString ::= GraphicString (FROM ("0"|"1"|"2"|"3"|"4"|"5"|"6"|"7"|"8"|"9"))

OldSP-CreateAction ::= OldSP-CreateData

OldSP-CreateData ::= SEQUENCE {
—che1 [0] EXPLICIT CHOICE {
—subscription-version-tn [0] PhoneNumber;
—subscription-version-tn-range [1] TN-Range
},
—subscription-new-current-sp [1] ServiceProvId;
—subscription-old-sp [2] ServiceProvId;
—subscription-old-sp-due-date [3] GeneralizedTime;
—subscription-old-sp-authorization [4] ServiceProvAuthorization;
—subscription-status-change-cause-code [5] SubscriptionStatusChangeCauseCode;
—subscription-lnp-type [6] LNPTType
}

OldSP-CreateReply ::= SEQUENCE {
—status SubscriptionVersionActionReply;
—invalid-data OldSP-CreateInvalidData OPTIONAL
}

OldSP-CreateInvalidData ::= CHOICE {
—subscription-version-tn [0] EXPLICIT PhoneNumber;
—subscription-version-tn-range [1] EXPLICIT TN-Range;
—subscription-new-current-sp [2] EXPLICIT ServiceProvId;
—subscription-old-sp [3] EXPLICIT ServiceProvId;
—subscription-old-sp-due-date [4] EXPLICIT GeneralizedTime;
—subscription-old-sp-authorization [5] EXPLICIT ServiceProvAuthorization;
—subscription-status-change-cause-code [6]
—EXPLICIT SubscriptionStatusChangeCauseCode;
—subscription-lnp-type [7] EXPLICIT LNPTType
}

OSI-Address ::= SEQUENCE {
—nsap —OCTET STRING(SIZE(20));
—tsap —OCTET STRING(SIZE(1..4));
—ssap —OCTET STRING(SIZE(1..4));
—psap —OCTET STRING(SIZE(1..4))
}

PhoneNumber ::= NumberString(SIZE(10))

```

RecoveryCompleteAction ::= NULL

RecoveryCompleteReply ::= SEQUENCE {
 — status ResultsStatus;
 — subscriber-data [1] SubscriptionDownloadData OPTIONAL;
 — network-data [2] NetworkDownloadData OPTIONAL
 }

RemoveFromConflictAction ::= SubscriptionVersionAction

RemoveFromConflictReply ::= SubscriptionVersionActionReply

ServiceProvAuthorization ::= BOOLEAN

ServiceProvId ::= GraphicString4

ServiceProvName ::= GraphicString40

SoaUnits ::= SEQUENCE {
 — soaMgmt [0] NULL OPTIONAL, ———
 — networkDataMgmt [1] NULL OPTIONAL;
 — dataDownload [2] NULL OPTIONAL
 }

ResultsStatus ::= ENUMERATED {
 — success(0),
 — failure(1)
 }

SSN ::= CHOICE {
 — ssn-value [0] INTEGER(0..255),
 — no-value-needed [1] NULL
 }

SubscriptionData ::= SEQUENCE {
 — subscription-lrn [1] LRN OPTIONAL;
 — subscription-new-current-sp [2] ServiceProvId OPTIONAL;
 — subscription-activation-timestamp [3] GeneralizedTime OPTIONAL;
 — subscription-class-dpc [4] EXPLICIT DPC;
 — subscription-class-ssn [5] EXPLICIT SSN;
 — subscription-hdb-dpc [6] EXPLICIT DPC;
 — subscription-hdb-ssn [7] EXPLICIT SSN;
 — subscription-isvm-dpc [8] EXPLICIT DPC;
 — subscription-isvm-ssn [9] EXPLICIT SSN;
 — subscription-enam-dpc [10] EXPLICIT DPC;
 — subscription-enam-ssn [11] EXPLICIT SSN;
 — subscription-end-user-location-value [12]
 ——— EndUserLocationValue OPTIONAL;
 — subscription-end-user-location-type [13] EndUserLocationType OPTIONAL;
 — subscription-billing-id [14] BillingId OPTIONAL;
 — subscription-lnp-type [15] LNPType;
 — subscription-download-reason [16] DownloadReason;
 — subscription-wsmse-dpc [17] EXPLICIT DPC OPTIONAL;
 — subscription-wsmse-ssn [18] EXPLICIT SSN OPTIONAL
 }

SubscriptionDownloadCriteria ::= CHOICE {

```

— time-range [0] TimeRange,
— tn [1] PhoneNumber,
— tn-range [2] TN-Range
}

```

```

SubscriptionDownloadData ::= SET OF SEQUENCE {
— subscription-version-id [0] SubscriptionVersionId,
— subscription-version-tn [1] PhoneNumber OPTIONAL,
— subscription-data SubscriptionData
}

```

```

SubscriptionModifyData ::= SEQUENCE {
— subscription-lrn [0] LRN OPTIONAL,
— subscription-new-sp-due-date [1] GeneralizedTime OPTIONAL,
— subscription-old-sp-due-date [2] GeneralizedTime OPTIONAL,
— subscription-old-sp-authorization [3] ServiceProvAuthorization OPTIONAL,
— subscription-class-dpc [4] EXPLICIT DPC OPTIONAL,
— subscription-class-ssn [5] EXPLICIT SSN OPTIONAL,
— subscription-lidb-dpc [6] EXPLICIT DPC OPTIONAL,
— subscription-lidb-ssn [7] EXPLICIT SSN OPTIONAL,
— subscription-isvm-dpc [8] EXPLICIT DPC OPTIONAL,
— subscription-isvm-ssn [9] EXPLICIT SSN OPTIONAL,
— subscription-enam-dpc [10] EXPLICIT DPC OPTIONAL,
— subscription-enam-ssn [11] EXPLICIT SSN OPTIONAL,
— subscription-end-user-location-value [12] EndUserLocationValue OPTIONAL,
— subscription-end-user-location-type [13] EndUserLocationType OPTIONAL,
— subscription-billing-id [14] BillingId OPTIONAL,
— subscription-status-change-cause-code [15]
— SubscriptionStatusChangeCauseCode OPTIONAL,
— subscription-wsmse-dpc [16] EXPLICIT DPC OPTIONAL,
— subscription-wsmse-ssn [17] EXPLICIT SSN OPTIONAL
}

```

```

SubscriptionModifyInvalidData ::= CHOICE {
— subscription-lrn [0] EXPLICIT LRN,
— subscription-new-sp-due-date [1] EXPLICIT GeneralizedTime,
— subscription-old-sp-due-date [2] EXPLICIT GeneralizedTime,
— subscription-old-sp-authorization [3] EXPLICIT ServiceProvAuthorization,
— subscription-class-dpc [4] EXPLICIT DPC,
— subscription-class-ssn [5] EXPLICIT SSN,
— subscription-lidb-dpc [6] EXPLICIT DPC,
— subscription-lidb-ssn [7] EXPLICIT SSN,
— subscription-isvm-dpc [8] EXPLICIT DPC,
— subscription-isvm-ssn [9] EXPLICIT SSN,
— subscription-enam-dpc [10] EXPLICIT DPC,
— subscription-enam-ssn [11] EXPLICIT SSN,
— subscription-end-user-location-value [12] EXPLICIT EndUserLocationValue,
— subscription-end-user-location-type [13] EXPLICIT EndUserLocationType,
— subscription-billing-id [14] EXPLICIT BillingId,
— subscription-status-change-cause-code [15]
— EXPLICIT SubscriptionStatusChangeCauseCode,
— subscription-wsmse-dpc [16] EXPLICIT DPC,
— subscription-wsmse-ssn [17] EXPLICIT SSN
}

```

```

SubscriptionPortingToOriginal-SPSwitch ::= BOOLEAN

```

```

SubscriptionPreCancellationStatus ::= ENUMERATED {

```

```

—conflict (0);
—pending (2);
—disconnect-pending (6)
}

SubscriptionStatusChangeCauseCode ::= CHOICE {
—value [0] INTEGER;
—no-value-needed [1] NULL
}

SubscriptionVersionAction ::= CHOICE {
—subscription-version-action-key [0] EXPLICIT SubscriptionVersionActionKey;
—subscription-version-tn-range [1] TN-Range
}

SubscriptionVersionActionKey ::= CHOICE {
—version-id [0] SubscriptionVersionId;
—tn [1] PhoneNumber
}

SubscriptionVersionActionReply ::= ENUMERATED {
—success (0);
—failed (1);
—soa-not-authorized (2);
—no-version-found (3);
—invalid-data-values (4);
—version-create-already-exists (5)
}

SubscriptionVersionId ::= LnpKey

SubscriptionVersionObject ::= SEQUENCE {
—tn-version-id SET OF TN-VersionId;
—subscription-data SubscriptionData
}

TimeRange ::= SEQUENCE {
—startTime [0] GeneralizedTime;
—stopTime [1] GeneralizedTime
}

SystemID ::= CHOICE {
—serviceProvId [0] ServiceProvId;
—npac-sms [1] GraphicString60
}

SystemType ::= ENUMERATED {
—soa(0);
—local-sms(1);
—soa-and-local-sms(2) -- value will not be supported initially
————— -- by some NPAC SMS implementations;
————— -- value will be removed in the next major
————— -- release of the IIS
—npac-sms(3) -- value is only valid for AccessControl definition
}

TN-Range ::= SEQUENCE {
—tn-start NumberString(SIZE(10));

```

```

—tn-stop NumberString(SIZE(4))
}

```

```

TN-VersionId ::= SEQUENCE {
—tn-PhoneNumber,
—version-id SubscriptionVersionId
}

```

```

VersionCancellationAcknowledgeRequest ::= SEQUENCE {
—tn-PhoneNumber,
—version-id LnpKey,
—access-control LnpAccessControl
}

```

```

VersionCancellationAcknowledgeRequestRecovery ::= SEQUENCE {
—tn-PhoneNumber,
—version-id LnpKey
}

```

```

VersionCreateConcurrencyRequest ::= SEQUENCE {
—tn [0] PhoneNumber,
—version-id [1] LnpKey,
—service-prov-id [2] ServiceProvId,
—service-prov-due-date [3] GeneralizedTime,
—service-prov-authorization-creation-time-stamp [4] GeneralizedTime,
—access-control [5] LnpAccessControl,
—subscription-timer-type [6] Integer OPTIONAL,
—subscription-business-type [7] Integer OPTIONAL
}

```

```

VersionCreateConcurrencyRequestRecovery ::= SEQUENCE {
—tn [0] PhoneNumber,
—version-id [1] LnpKey,
—service-prov-id [2] ServiceProvId,
—service-prov-due-date [3] GeneralizedTime,
—service-prov-authorization-creation-time-stamp [4] GeneralizedTime,
—subscription-timer-type [5] Integer OPTIONAL,
—subscription-business-type [6] Integer OPTIONAL
}

```

```

VersionCustomerDisconnectDate ::= SEQUENCE {
—tn-PhoneNumber,
—version-id LnpKey,
—service-prov-customer-disconnect-date GeneralizedTime,
—service-prov-effective-release-date GeneralizedTime OPTIONAL,
—access-control LnpAccessControl
}

```

```

VersionCustomerDisconnectDateRecovery ::= SEQUENCE {
—tn-PhoneNumber,
—version-id LnpKey,
—service-prov-customer-disconnect-date GeneralizedTime,
—service-prov-effective-release-date GeneralizedTime OPTIONAL
}

```

```

VersionNewNPA-NXX ::= SEQUENCE {
—service-prov-mpa-nxx-id NPA-NXX-ID,
—service-prov-mpa-nxx-value NPA-NXX OPTIONAL,
}

```

```

—service-prov-npa-nxx-effective-time-stamp GeneralizedTime;
—service-prov-id ServiceProvId;
—access-control LnpAccessControl
}

VersionNewNPA-NXX-Recovery ::= SEQUENCE {
—service-prov-npa-nxx-id NPA-NXX-ID;
—service-prov-npa-nxx-value NPA-NXX-OPTIONAL;
—service-prov-npa-nxx-effective-time-stamp GeneralizedTime;
—service-prov-id ServiceProvId
}

VersionNewSP-CreateRequest ::= SEQUENCE {
—version-create-request VersionCreateConcurrencyRequest;
—service-prov-old-authorization ServiceProvAuthorization;
—subscription-status-change-cause-code SubscriptionStatusChangeCauseCode
}

VersionNewSP-CreateRequestRecovery ::= SEQUENCE {
—version-create-request [0] VersionCreateConcurrencyRequestRecovery;
—service-prov-old-authorization [1] ServiceProvAuthorization;
—subscription-status-change-cause-code [2] SubscriptionStatusChangeCauseCode
}

VersionOldSP-ConcurrenceRequest ::= VersionCreateConcurrencyRequest

VersionOldSP-ConcurrenceRequestRecovery ::=
—VersionCreateConcurrencyRequestRecovery

VersionOldSPFinalConcurrenceWindowExpiration ::= SEQUENCE {
—tn [0] PhoneNumber;
—version-id [1] LnpKey;
—access-control [2] LnpAccessControl;
—subscription-timer-type [3] Integer OPTIONAL;
—subscription-business-type [4] Integer OPTIONAL
}

VersionOldSPFinalConcurrenceWindowExpirationRecovery ::= SEQUENCE {
—tn [0] PhoneNumber;
—version-id [1] LnpKey;
—subscription-timer-type [2] Integer OPTIONAL;
—subscription-business-type [3] Integer OPTIONAL
}

VersionStatus ::= ENUMERATED {
—conflict (0);
—active (1);
—pending (2);
—sending (3);
—download-failed (4);
—download-failed-partial (5);
—disconnect-pending (6);
—old (7);
—canceled (8);
—cancel-pending (9)
}

VersionStatusAttributeValueChange ::= SEQUENCE {

```

```
-- value-change-info [0] AttributeValueChangeInfo,  
-- failed-service-provs [1] Failed-SP-List OPTIONAL,  
-- subscription-status-change-cause-code [2] SubscriptionStatusChangeCauseCode  
-- OPTIONAL,  
-- access-control [3] LnpAccessControl  
}
```

```
VersionStatusAttributeValueChangeRecovery ::= SEQUENCE {  
-- value-change-info [0] AttributeValueChangeInfo,  
-- failed-service-provs [1] Failed-SP-List OPTIONAL,  
-- subscription-status-change-cause-code [2] SubscriptionStatusChangeCauseCode  
-- OPTIONAL  
}
```

```
END -- LNP-ASN1
```

Managed Object Conformance Statements

8

Overview

The Managed Object Conformance Statement (MOCS) that follow should be used by an implementation to identify which features and properties of each managed object class are supported. These tables have been prepared without regard to whether they are instantiated on the NPAC SMS, Local SMS, or the SOA.

The Base Status headings identify the requirements, as stated in the GDMO template. The valid values in the status columns will be as follows:

Subscription Version Status
9

